MAKE THE RIGHT CONNECTION!



Harrington, Inc. LDH System Specialists



2630 West 21st Street • Eric, PA 16506 814.838.3957 • 800.553.0078 • Fax: 814.838.7339



The Original Hardware for **Large Diameter Hose Systems**

Safety First in LDH Systems

We cannot state too emphatically the need to follow certain guidelines in using large diameter hose and appliances. You should always consider the following points when using and training with large diameter hose.

1. All Harrington Storz "heads" are forged then hard coated to military specification: Type 3.

This provides maximum strength and best corrosion resistance. We do not supply cast Storz heads which can easily fracture and cause catastrophic failure.

- 2. Do not allow untrained personnel to operate or use large diameter hose or appliances.
- 3. Always inspect all connections to insure tightness, thus reducing the possibility of accidental disconnection.
- 4. Always open and close valves slowly, to reduce the possibility of damage or injury due to water hammer.
- 5. Always secure adapters, valves and other appliances with proper vehicle mounting brackets to prevent them from falling off the vehicle.
- 6. Clean, lubricate and perform necessary maintenance on all moving parts periodically. This is especially important for intake valves left attached to the vehicle.
- 7. Always store valves in the closed position when not in use.
- 8. Test relief valves periodically, to be sure they are relieving properly.
- 9. Set relief valves at a pressure 10 psi higher than your normal working pressure.
- 10. When performing annual hose testing, be sure to use Storz test caps and adapters which are found on page 31 of this price sheet, to prevent gasket failure.
- 11. These guidelines/instructions may not answer or address all questions. If you have any questions or need additional information, call us at 1-800-553-0078.
- 12. We use "Lubriplate SFL-1" for the metal to metal surfaces. It is extremely effective. More so than anything else. MAKE THE RIGHT CONNECTION!



The mer 1. Firefig dance 14/08 Lisy HSET ? may I hisy probe Respo hisy cond mou HOCH hisy is in a 2000 Fa lun bur is Deard D

specification. Type 3.	
△ DANGER	
PERSONAL RESPONSIBILITY CODE inter companies of ETMSA that provide ney response equipment and services want ters to know and understand the following: gitting and Emergency Response are inherently servus activities recuiring proper training in their rids and the use of externe caution at all times, our responsibility to mad and understand any is instructions, including purpose and	
tions, provided with any piece of equipment you be called upon to use. Your responsibility to know that you have been	
erly trained in Firefighting and/or Emerger by onse and in the use, precautions, and care of guip ment you may be called upon to use, our responsibility to be in proper physical iden and to maintain the persons, skill level ned to operate any equipment you may be called to use.	
courresponsibility to know that your equipment operable condition and has been maintained in donce with the manufacturer 5 instructions, re to follow these guidelines may result in death, sion other sowere injury.	
FEMSA	
d Emergency Manufadarers and Sorvices Association. Inc. ISC Box 147, Lyvelleid , MA 31 (A) www.EMSA org	
Dog gri206 9655 XIB(M Recur.)	

RL	Rocker Lug
LH	Long Handle
NH	National Hose Thread
NPSH	National Pipe Straight Hose Thread
NPT	National Pipe Thread

Intake Valves

Ball Intake Valve

Miscellaneous Parts

Distributor Ball Valves

H1000 - Ball Intake Valves

H301 - 3-Way Manifolds

H400 - 5-Way Manifolds

HHBV - Hydrant Ball Valves

HHGV - Hydrant Gate Valves

H800 - 4" Straight Gate Valves

Super Flow 6" Gate Valves

H220 - 2-Way Siamese

H330 - 3-Way Siamese

H440 - 4-Way Siamese

Storz Hydrant Adapters

Storz Straight Adapters

Flange Storz Adapters

HSTS - Storz x Storz

H811 - 25° Elbow 4" Gate Valves

H861 - 25° Elbow 6" Gate Valves

H30E - 30° Storz Elbow Adapters

H30E - Storz x Storz Swivel

HSFR - Storz x Female Rigid

HSMR - Storz x Male Rigid

HFL-Flange x Storz Adapters

Flange NH Male Adapters

Threaded Flange Adapters

HSFR - Storz x Female BSP

Hydrant Valves

Siamese Valves

Standard Gate Valves

Standard Piston Intake w/ Relief Valve

H300 - 3-Way Ball Valves (LDH Wye)

H600 - Super Flow 2-Way Ball Valves

H700 - LDH Hydrant Valves (Hydrassist)

H810 - 25° Elbow 4" Gate Valves with PRV

H860 - Super Flow Straight 6" Gate Valves

HJ20 - Jumbo Siamese - Double Clappered

H30E - Storz x Female Swivel Rocker Lug

H30E - Storz x Female Swivel Long Handle

HSFS - Storz x Female Swivel Rocker Lug

HSFS - Storz x Female Swivel Long Handle

HPHA - Storz Permanent Hydrant Adapters with Cap

H200 - Standard 2-Way Ball Valves (LDH Wye)

H301 - Small 3-Way Ball Valves (Water Thief)

H201 - Small 2-Way Ball Valves (Leader Line Wye)

H202 - Mid Size 2-Way Ball Valves (Leader Line Wye)

Storz Accessories	
HSAS - Storz Adapter Screens	
HBC - Storz Blind Caps	
HTPB-US - 3 Lug Storz Couplings	
HVC - Harrington "V-Groove" Shank Couplings	
British Instantaneous Fittings	
HMLC - MultiLug Coupling with three part binding.	
HMLA - MultiLug Adapters and Caps	
Adapters MultiLug x BSP Female	
Mounting Brackets	
HSMB - Storz Mounting Brackets	
HTMB - Threaded Mounting Brackets	
HSSW - Spanner Wrenches	
HHR - Hose Rollers	
HHW - Hose Washers	
HWS - Water Shields	
Haz Mat Reducer	
Storz Seals and Thread Gaskets	
Threaded Adapters	
H35 - Female Swivel RL x Female Swivel RL	
H36 - Double Male Rocker Lug Adapters	
H37 - Male x Female Rigid Rocker Lug Adapters	
H53 - Female Swivel RL x Female Rigid	
H53L - Female Swivel LH x Female Rigid	
H54 - Male x Female Swivel Rocker Lug	
H54L - Male x Female Swivel Long Handle	
H56L - NH Male x Female Rigid Long Handle	
H57L - Female Swivel LH x Female Swivel LH	
HTBC - Threaded Blind Caps	
HTP - Harrington Threaded Plugs	
Butterfly Valves	
Drafting Equipment	
PVC Suction Hose	
Suction Strainers	
HTBS - Barrel Strainers - Female Rigid	
HWMBS- Harrington Basket Strainer/Diffuser	
HTLLS - Low Level Strainers w/ Jet Siphon	(
HTFBS - Floating Barrel Strainers	(
HHSN - Wildland Nozzles	
Foam Equipment	(
HFI - Foam Eductors	
HHFN - Heavy (low expansion)Foam Nozzles	
HMFN - Medium Expansion Foam Nozzle	·
THVITTY - IVICUIUIII EXPANSION FOAM INOZZIC	,

QST	Quebec Standard Thread
BI	British Instantaneous
PRV	Pressure Relief Valve

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Table of Contents

10

10

12

12

13

15

15

15

17

17

17

19

20

21

21

22

22

22

23

24

24

25 25

28

28

29

29

31

31

32

34

37

39

39

41





Intake Valves

Standard Piston Intake w/ Relief Valve

Traditional piston intake valve design used for pumper intake control. Provides the following features: a 45 degree integrated elbow, incorporated 250 PSI field adjustable pressure relief valve adjustable in increments of 25 PSI from 75-250 PSI, and an air bleeder valve. There is a stainless steel piston, sleeve and spindle for added corrosion protection. Choose from a variety of sizes of Storz or NH connections. 5 year warranty against failure due to corrosion.

Dimensions: Extension: 10.5" Width: 8" Height: 17" Weight: 27 lbs

Friction loss at 1,000 GPM is 2.30 PSI



5 Year Corrosion Warranty *

		1
5" Stainless Steel PIRV	H500S	List
H500S-40-45NH	Piston intake valve 5" stainless steel 4" Storz lock inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,481.00
H500S-40-50NH	Piston intake valve 5" stainless steel 4" Storz lock inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,422.00
H500S-40-60NH	Piston intake valve 5" stainless steel 4" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,437.00
H500S-40NHFS- 60NH	Piston intake valve 5" stainless steel 4" NH Female Swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,412.00
H500S-40NHM- 60NH	Piston intake valve 5" stainless steel 4" NH Male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,328.00
H500S-45-45NH (Storz 110)	Piston intake valve 5" stainless steel Storz 110 inlet x 4.5" NH female swivel short handle outlet w/ 250-S RV	\$2,465.00
H500S-45-50NH (Storz 110)	Piston intake valve 5" stainless steel Storz 110 inlet x 5" NH female swivel short handle outlet w/ 250-S RV	\$2,405.00
H500S-45-60NH (Storz 110)	Piston intake valve 5" stainless steel Storz 110 inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,419.00
H500S-50-45NH	Piston intake valve 5" stainless steel 5" Storz lock inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,402.00
H500S-50-45NH/ FTS	Piston intake valve 5" stainless steel 5" Storz lock full time swivel inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,654.00
H500S-50-50NH	Piston intake valve 5" stainless steel 5" Storz lock inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,341.00
H500S-50-50NH/ FTS	Piston intake valve 5" stainless steel 5" Storz lock full time swivel inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,596.00
H500S-50-60NH	Piston intake valve 5" stainless steel 5" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,356.00
H500S-50-60NH/ FTS	Piston intake valve 5" stainless steel 5" Storz lock full time swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,610.00
H500S-50- 60NPSH	Piston intake valve 5" stainless steel 5" Storz lock inlet x 6" NPSH rocker lug female swivel outlet w/ 250-S RV	\$2,356.00
H500S-50- 60NPSH/FTS	Piston intake valve 5" stainless steel 5" Storz lock full time swivel inlet x 6" NPSH rocker lug female swivel outlet w/ 250-S RV	\$2,610.00
H500S-50NHFS- 60NH	Piston intake valve 5" stainless steel 5" NH rocker lug female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,431.00
H500S-50NHLH- 60NH	Piston intake valve 5" stainless steel 5" NH long handle female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,431.00
H500S-50NHM- 60NH	Piston intake valve 5" stainless steel 5" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,287.00
H500S-60-45NH	Piston intake valve 5" stainless steel 6" Storz lock inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,570.00

^{* 5} year warranty against failure due to corrosion.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each






Harrington, Inc.





Now with 5 Year Warranty against failure due to corrosion



H1000 Ball Intake Valve

- High Flow/Low Friction Lass.
- Easy Open/Close with Visual Ball Position Indicator.
- Handwheel Can Be Mounted On Left or Right Side.
- Full Flow Ball Design.
- Field Adjustable Pressure Relief Valve.



H500 Piston Intake Valve

- Smooth Open/Close.
- Integrated 45 Degree Elbow.
- Stainless Steel Piston, Sleeve And Spindle For Corrosion Resistance.
- Integrated Air Bleeder.
- · Field Adjustable Pressure Relief Valve.

MAKE THE RIGHT CONNECTION!

2630 West 21st Street. Erie, PA 16506 • 800.553.0078 harrinc.com - info@harrinc.com - hydrantstorz.com

H500S-60-50NH	Piston intake valve 5" stainless steel 6" Storz lock inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$2,509.00
H500S-60-60NH	Piston intake valve 5" stainless steel 6" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,524.00
H500S-60NHFS- 60NH	Piston intake valve 5" stainless steel 6" NH rocker lug female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,525.00
H500S-60NHLH- 60NH	Piston intake valve 5" stainless steel 6" NH long handle female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,525.00
H500S-60NHM- 60NH	Piston intake valve 5" stainless steel 6" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,302.00



Ball Intake Valve

A low profile, 12" depth ball intake valve designed for pumper intake control. Valve meets 900 PSI Hydrostatic strength test. Utilizes full flow ball valve design, and has an easy to see visual indicator of ball position. Includes a 3/4" air bleeder valve, an integrated 25 degree elbow, and incorporated 250 PSI field adjustable pressure relief valve adjustable in increments of 25 PSI from 75-250 PSI. Handle can be mounted on right or left side of valve. Choose from a variety of sizes of Storz or NH connections. 5 year warranty against failure due to corrosion.

Dimensions: Extension: 12" Width: 8" Height: 16" Weight: 34 lbs
Friction loss at 1000 GPM: 0.1 PSI.

5 Year Corrosion Warranty *

H1000 - Ball Intake Valves

H1000 - Ball Intake Valves	H1000	List
H1000-40-45NH	Ball intake valve 5" w/ 4" Storz lock inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$3,122.00
H1000-40-50NH	Ball intake valve 5" w/ 4" Storz lock inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$3,067.00
H1000-40-60NH	Ball intake valve 5" w/ 4" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,078.00
H1000-40NHFS-60NH	Ball intake valve 5" w/ 4" NH rocker lug female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,053.00
H1000-40NHM-60NH	Ball intake valve 5" w/ 4" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,906.00
H1000-45NHM-45NH	Ball intake valve 5" w/ 4.5" NH male inlet x 4.5" NH female swivel short handle outlet w/ 250-S RV	\$2,974.00
H1000-45NHFS-60NH	Ball intake valve 5" w/ 4.5" NH female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,058.00
H1000-45NHM-60NH	Ball intake valve 5" w/ 4.5" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,918.00
H1000-50-45NH	Ball intake valve 5" w/ 5" Storz lock inlet x 4.5" NH female swivel short handle outlet w/ 250-S RV	\$3,043.00
H1000-50-45NH/FTS	Ball intake valve 5" w/ 5" Storz lock full time swivel inlet x 4.5" NH female swivel short handle outlet w/ 250-S RV	\$3,298.00
H1000-50-50NH	Ball intake valve 5" w/ 5" Storz lock inlet x 5" NH female swivel short handle outlet w/ 250-S RV	\$2,983.00
H1000-50-50NH/FTS	Ball intake valve 5" w/ 5" Storz lock full time swivel inlet x 5" NH female swivel short handle outlet w/ 250-S RV	\$3,237.00
H1000-50-50NPSH	Ball intake valve 5" w/ 5" Storz lock inlet x 5" NPSH female swivel rocker lug outlet w/ 250-S RV	\$2,983.00
H1000-50NHFS-50NH	Ball intake valve 5" w/ 5" NH female swivel inlet x 5" NH female swivel short handle outlet w/ 250-S RV	\$3,166.00
H1000-50NHM-50NH	Ball intake valve 5" w/ 5" NH male inlet x 5" NH female swivel short handle outlet w/ 250-S RV	\$2,914.00
H1000-50-60FF/ NORV/CAP	Ball intake valve 5" w/ 5" NH male inlet x 6" Flat Face Flange outlet w/ Cap and No Relief Vavle	\$2,947.00
H1000-50-60NH	Ball intake valve 5" w/ 5" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,997.00
H1000-50-60NH/FTS	Ball intake valve 5" w/ 5" Storz lock full time swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,386.00
H1000-50NHFS-60NH	Ball intake valve 5" w/ 5" NH female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,166.00
H1000-50NHM-60NH	Ball intake valve 5" w/ 5" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,914.00



* 5 year warranty against failure due to corrosion.

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



H1000-60-45NH	Ball intake valve 5" w/ 6" Storz lock inlet x 4.5" NH female swivel rocker lug outlet w/ 250-S RV	\$3,243.00
H1000-60-50NH	Ball intake valve 5" w/ 6" Storz lock inlet x 5" NH female swivel rocker lug outlet w/ 250-S RV	\$3,151.00
H1000-60-60NH	Ball intake valve 5" w/ 6" Storz lock inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,165.00
H1000-60NHFS-60NH	Ball intake valve 5" w/ 6" NH female swivel inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$3,166.00
H1000-60NHM-60NH	Ball intake valve 5" w/ 6" NH male inlet x 6" NH female swivel short handle outlet w/ 250-S RV	\$2,943.00
H1000-60NHM-60FF/ NORV/CAP	Ball intake valve 5" w/6" NH male inlet x 6" Flat Face Flange outlet w/ Cap and No Relief Vavle	\$3,482.00

Miscellaneous Parts

Miscellaneous Parts		List
AWG30291233	Handwheel with fold-down knob	\$286.00
HRV-250-S	Pressure relief valve 75-250 PSI charcoal gray	\$596.00
HABV	Ball valve 0.75" BSP male x 0.75" BSP female (bleeder valve) [3/4"]	\$53.00
HABS	0.75" screw down bleeder valve NPT	\$114.00
HILBV-40-40-ST	4" Storz x 4" Storz in-line bleeder valve 3/4"	\$866.00
HILBV-50-50-ST	5" Storz x 5" Storz in-line bleeder valve 3/4"	\$820.00
HSLA-RED	Storz Lock Assembly Kit for 4", 5" and 6" Storz	\$36.00
Cable-RKIT	stainless steel cable for caps, reflective, 20" long with crimping connectors	\$10.00
HPG-100-H	0-300 psi Glycerine Filled Pressure Gauge (Harrington)	\$78.00
HLG-15NH-15NH	1.5" NH male x 1.5" NH female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	\$437.00
HLG-15NPSH-15NPSH	1.5" NPSH male x 1.5" NPSH female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	Call for Pricing
HLG-15-xxx-15-xxx	1.5" special thread male x 1.5" special female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	\$651.00
HLG-25NH-25NH	2.5" NH male x 2.5" NH female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	\$462.00
HLG-25QST-25QST	2.5" QST male x 2.5" QST female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	\$462.00
HLG-25-xxx-25-xxx	2.5" special thread male x 2.5" special thread female swivel rocker lug Luminescent Line Gauge w/ 0-300 psi gauge	\$721.00



Distributor Ball Valves

H200 - Standard 2-Way Ball Valves (LDH Wye)

Mid-Size 2 way LDH ball valve for feeding two lines with one large line. A light weight valve with powder coating for lasting finish. Hard anodized balls with stainless steel tappets for corrosion resistance. The design permits feed from either direction. Choose from a variety of sizes of Storz or NST connections.

Dimensions: Length: 10.5" Width: 9" Height: 10" Weight: 14 lbs

Difficusions. Length. 10.5 Whith. 7 Height. 10 Weight. 14 hbs		
Distributor Ball Valves	H200	List
H200-25NH-25NH	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets (LDH Wye)	\$833.00
H200-40-25BIF	2-way ball valve 4" Storz lock inlet x (2) 2.5" BI female outlets (LDH Wye)	\$1,040.00
H200-40-25BIM	2-way ball valve 4" Storz lock inlet x (2) 2.5" BI male outlets (LDH Wye)	\$920.00
H200-40-25NH	2-way ball valve 4" Storz lock inlet x (2) 2.5" NH male outlets (LDH Wye)	\$860.00
H200-40-25NHFS	2-way ball valve 4" Storz lock inlet x (2) 2.5" NH female swivel rocker lug outlets (LDH Wye)	\$1,032.00
H200-40-25QST	2-way ball valve 4" Storz lock inlet x (2) 2.5" QST male outlets (LDH Wye)	\$860.00
H200-40-25QSTFS	2-way ball valve 4" Storz lock inlet x (2) 2.5" QST female swivel rocker lug outlets (LDH Wye)	\$1,032.00
H200-40NH-25NH	2-way ball valve 4" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets (LDH Wye)	\$919.00
H200-40NHFS- 25NHFS	2-way ball valve 4" NH female swivel rocker lug inlet x (2) 2.5" NH female swivel outlets (LDH Wye)	\$1,092.00








	H200-40NPTF- 25NHM	2-way ball valve 4" NPT female rigid inlet x (2) 2.5" NH male outlets (LDH Wye)	\$811.00
	H200-40NPTF- 25NHFS	2-way ball valve 4" NPT female rigid inlet x (2) 2.5" NH female swivel rocker lug outlets (LDH Wye)	\$983.00
	H200-40-25ST	2-way ball valve 4" Storz lock inlet x (2) 2.5" Storz outlets (LDH Wye)	\$919.00
	H200-40-30ST	2-way ball valve 4" Storz lock inlet x (2) 3" Storz outlets (LDH Wye)	\$909.00
	H200-45NHFS- 25NH	2-way ball valve 4.5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets (LDH Wye)	\$899.00
	H200-45NHFS- 25NHFS	2-way ball valve 4.5" NH female swivel rocker lug inlet x (2) 2.5" NH female outlets (LDH Wye)	\$1,072.00
	H200-45-25ST (Storz 110)	2-way ball valve Storz 110 inlet x (2) 2.5" Storz outlets (LDH Wye)	\$902.00
	H200-45-30ST (Storz 110)	2-way ball valve Storz 110 inlet x (2) 3" Storz outlets (LDH Wye)	\$891.00
	H200-50-25BIF	2-way ball valve 5" Storz lock inlet x (2) 2.5" BI female outlets (LDH Wye)	\$1,176.00
	H200-50-25BIM	2-way ball valve 5" Storz lock inlet x (2) 2.5" BI male outlets (LDH Wye)	\$1,065.00
	H200-50-25NH	2-way ball valve 5" Storz lock inlet x (2) 2.5" NH male outlets (LDH Wye)	\$1,005.00
	H200-50FTS-25NH	2-way ball valve 5" Storz lock full time swivel inlet x (2) 2.5" NH male outlets (LDH Wye)	\$1,432.00
Ī	H200-50-25NHFS	2-way siamese gated (2) 2.5" NH female rocker lug inlets x 5" Storz lock outlet	\$1,177.00
	H200-50-25NHFS/ FTS	2-way ball valve 5" Storz lock full time swivel inlet x (2) 2.5" NH female swivel rocker lug outlets (LDH Wye)	\$1,432.00
	H200-50-25QST	2-way ball valve 5" Storz lock inlet x (2) 2.5" QST male outlets (LDH Wye)	\$1,177.00
	H200-50-25QST/ FTS	2-way ball valve 5" Storz lock full time swivel inlet x (2) 2.5" QST male outlets (LDH Wye)	\$1,432.00
ſ	H200-50-25QSTFS	2-way siamese gated (2) 2.5" QST female rocker lug inlets x 5" Storz lock outlet	\$1,177.00
	H200-50-25QSTFS/ FTS	2-way siamese gated (2) 2.5" QST female rocker lug inlets x 5" Storz lock full time swivel outlet	\$1,432.00
	H200-50NHFS- 25NHM	2-way ball valve 5" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets (LDH Wye)	\$961.00
	H200-50NHFS- 25NHFS	2-way ball valve 5" NH female swivel rocker lug inlet x (2) 2.5" NH fe5male outlets (LDH Wye)	\$1,134.00
	H200-50-25ST	2-way ball valve -5" Storz lock inlet x (2) 2.5" Storz outlets (LDH Wye)	\$1,064.00
	H200-50-30NHM	2-way ball valve 5" Storz lock inlet x (2) 3" NH male outlets (LDH Wye)	\$1,195.00
	H200-50-30NHFS	2-way ball valve 5" Storz lock inlet x (2) 3" NH female swivel rocker lug outlets (LDH Wye)	\$1,344.00
	H200-50-30ST	2-way ball valve 5" Storz lock inlet x (2) 3" Storz outlets (LDH Wye)	\$1,054.00
	H200-60-25BIF	2-way ball valve 6" Storz lock inlet x (2) 2.5" BI female outlets (LDH Wye)	\$1,238.00
	H200-60-25BIM	2-way ball valve 6" Storz lock inlet x (2) 2.5" BI male outlets (LDH Wye)	\$1,123.00
Ī	H200-60-25NH	2-way ball valve 6" Storz lock inlet x (2) 2.5" NH male outlets (LDH Wye)	\$1,063.00
	H200-60-25ST	2-way ball valve 6" Storz lock inlet x (2) 2.5" Storz outlets (LDH Wye)	\$1,123.00
	H200-60-25NHFS	2-way siamese gated (2) 2.5" NH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,236.00
	H200-60-25QST	2-way ball valve 6" Storz lock inlet x (2) 2.5" QST male outlets (LDH Wye)	\$1,063.00
	H200-60-25QSTFS	2-way siamese gated (2) 2.5" QST female swivel rocker lug inlets x 6" Storz lock outlet	\$1,236.00
	H200-60NHFS- 25NH	2-way ball valve 6" NH female swivel rocker lug inlet x (2) 2.5" NH male outlets (LDH Wye)	\$1,001.00
	H200-60NHFS- 25NHFS	2-way ball valve 6" NH female swivel rocker lug inlet x (2) 2.5" NH female swivel outlets (LDH Wye)	\$1,174.00
	H200-60-30ST	2-way ball valve 6" Storz lock inlet x (2) 3" Storz outlets (LDH Wye)	\$1,112.00

Long Handle Wye

Long Handle Wye	H200 Long Handle	List
H200-40NHLH- 25NH	2-way ball valve 4" NH female swivel long handle inlet x (2) 2.5" NH male outlets (LDH Wye)	\$925.00
H200-40NHLH- 25NHFS	2-way ball valve 4" NH female swivel long handle inlet x (2) 2.5" NH female swivel outlets (LDH Wye)	\$1,097.00



H201 - Small 2-Way Ball Valves (Leader Line Wye)

Our lightest wye which is excellent for forestry and high rise packs. Dimensions: Length: 10.5" Width: 9" Height: 8" Weight: 7 lbs

Dimensions. Length	: 10.5" Width: 9" Height: 8" Weight: 7 lbs	
Small 2-Way Ball Valve	H201 small	List
H201-10NHFS-10NH	2-way ball valve 1" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye)	\$667.00
H201-10NHFS-10NH/ HR	2-way ball valve 1" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye) with Short Handles.	\$667.00
H201-15NH-GHT	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) GHT male outlets (Leader Line Wye)	\$663.00
H201-15NHFS-10NH	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye)	\$678.00
H201-15NHFS-10NH/ HR	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye) with Short Handles.	\$678.00
H201-15NHFS-15NH	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets (Leader Line Wye)	\$677.00
H201-15NHFS-15NH/ HR	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets (Leader Line Wye) with Short Handles.	\$677.00
H201-15NHFS- 15NHFS	2-way ball valve 1.5" NH female swivel rocker lug inlet x (2) 1.5" NH female swivel outlets (Leader Line Wye)	\$670.00
H201-20-20ST	2-way ball valve 2" Storz inlet x (2) 2" Storz outlets (Leader Line Wye)	\$591.00
H201-25NHFS-10NH	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye)	\$684.00
H201-25NHFS-10NH/ HR	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 1" NH male outlets (Leader Line Wye) with Short Handles	\$684.00
H201-25NHFS-15NH	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets (Leader Line Wye)	\$683.00
H201-25NHFS-15NH/ HR	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 1.5" NH male outlets (Leader Line Wye) with short handles	\$683.00
H201-25NHFS- 15NPSH	2-way ball valve 2.5" NH female swivel rocker lug inlet x (2) 1.5" NPSH male outlets (Leader Line Wye) with short handles	\$683.00
H201-25QST-15NPSH	2-way ball valve 2.5" QST female swivel rocker lug inlet x (2) 1.5" NPSH male outlets (Leader Line Wye)	\$683.00
H201-25NH-15ST	2-way ball valve 2.5" QST female swivel rocker lug inlet x (2) 1.5" Storz outlets (Leader Line Wye)	\$720.00
H201-25NH-15ST/HR	2-way ball valve 2.5" QST female swivel rocker lug inlet x (2) 1.5" Storz outlets (Leader Line Wye) with short handles	\$720.00
H201-25-15ST	2-way ball valve 2.5" Storz x (2) 1.5" Storz outlets (Leader Line Wye) with short handles	\$673.00
H201-25BIM-15BIF	2-way ball valve 2.5" BI male x (2) 1.5" BI female outlets (Leader Line Wye)	\$762.00
H201-25-25ST	2-way ball valve 2.5" Storz x (2) 2.5" Storz outlets (Leader Line Wye) with short handles	\$611.00
H201-25BIM-25BIF	2-way ball valve 2.5" BI male x (2) 2.5" BI female outlets (Leader Line Wye) with short handles	\$733.00







Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



H202 - Mid Size 2-Way Ball Valves (Leader Line Wye)

Standard 2 way ball valve for feeding two lines with one line. A light weight valve with powder coating for lasting finish. Hard anodized balls have stainless steel tappets for corrosion resistance.

Dimensions: Length: 10.5" Width: 9" Height: 8" Weight: 10 lbs

Mid-Size 2-Way Ball Valve	H202	List
H202-25NHFS-15NH	2-way ball valve Mid-Size 2.5" NH female swivel inlet x (2) 1.5" NH male outlets	\$889.00
H202-25NPSHFS- 15NH	2-way ball valve Mid-Size 2.5" NPSH female swivel inlet x (2) 1.5" NH male outlets	\$889.00
H202-25QSTFS- 15NPSH	2-way ball valve Mid-Size 2.5" QST female swivel inlet x (2) 1.5" NPSH male outlets	\$889.00
H202-25NHFS-25NH	2-way ball valve Mid-Size 2.5" NH female swivel inlet x (2) 2.5" NH male outlets	\$769.00
H202-25QSTFS- 25QST	2-way ball valve Mid-Size 2.5" QST female swivel inlet x (2) 2.5" QST male outlets	\$769.00
H202-25NHM- 25NHFS	2-way ball valve Mid-Size 2.5" NH male outlet x (2) 2.5" NH female swivel inlets	\$1,015.00
H202-25BIM-25BIF	2-way ball valve Mid-Size 2.5" BI male inlet x (2) 2.5" BI female outlets	\$908.00
H202-25-25ST	2-way ball valve Mid-Size 2.5"Storz inlet x (2) 2.5" Storz outlets	\$899.00
H202-30NHFS-15NH	2-way ball valve Mid-Size 3" NH female swivel inlet x (2) 1.5" NH male outlets	\$1,067.00
H202-30NHFS-25NH	2-way ball valve Mid-Size 3" NH female swivel inlet x (2) 2.5" NH male outlets	\$843.00
H202-30-30ST	2-way ball valve Mid-Size 3"Storz inlet x (2) 3" Storz outlets	\$774.00

H300 - 3-Way Ball Valves (LDH Wye)

Mid-size, light weight 3 way LDH ball valve feeds three smaller lines from one LDH line or feed one LDH line from up to three smaller lines. The balls are hard anodized with stainless steel tappets for corrosion resistance. Valve includes a field adjustable pressure relief valve. Specify the size of Storz or NST connections.

Dimensions: Length: 13.5" Width: 13" Height: 11" Weight: 23 lbs

3-Way Ball Valve	H300	List
H300-40-25BIF	3-way ball valve 4" Storz lock inlet x (3) 2.5" BI female outlets w/ 250-S RV (LDH Wye)	\$2,018.00
H300-40-25BIM	3-way ball valve 4" Storz lock inlet x (3) 2.5" BI male outlets w/ 250-S RV (LDH Wye)	\$1,851.00
H300-40-25NH	3-way ball valve 4" Storz lock inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,749.00
H300-40-25QST	3-way ball valve 4" Storz lock inlet x (3) 2.5" QST male outlets w/ 250-S RV (LDH Wye)	\$1,749.00
H300-40-25NHFS	3-way ball valve 4" Storz lock inlet x (3) 2.5" NH female swivel outlets w/ 250-S RV (LDH Wye)	\$2,014.00
H300-40-25ST	3-way ball valve 4" Storz lock inlet x (3) 2.5" Storz outlets w/ 250-S RV (LDH Wye)	\$1,845.00
H300-40-30ST	3-way ball valve 4" Storz lock inlet x (3) 3" Storz outlets w/ 250-S RV (LDH Wye)	\$1,829.00
H300-40NH-25NH	3-way ball valve 4" NH female Swivel rocker lug inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,725.00
H300-40NHFS- 25NHFS	3-way ball valve 4" NH female Swivel rocker lug inlet x (3) 2.5" NH female swivel outlets w/ 250-S RV (LDH Wye)	\$1,989.00
H300-40NH-25QST	3-way ball valve 4" NH female Swivel rocker lug inlet x (3) 2.5" QST male outlets w/ 250-S RV (LDH Wye)	\$1,725.00
H300-40NHFS- 25QSTFS	3-way ball valve 4" NH female Swivel rocker lug inlet x (3) 2.5" QST female swivel outlets w/ 250-S RV (LDH Wye)	\$1,989.00
H300-45NH-25NH	3-way ball valve 4.5" NH female Swivel rocker lug inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,730.00
H300-45NH-25QST	3-way ball valve 4.5" NH female Swivel rocker lug inlet x (3) 2.5" QST male outlets w/ 250-S RV (LDH Wye)	\$1,730.00
H300-50-25BIF	3-way ball valve 5" Storz lock inlet x (3) 2.5" BI female outlets w/ 250-S RV (LDH Wye)	\$1,937.00
H300-50-25BIM	3-way ball valve 5" Storz lock inlet x (3) 2.5" BI male outlets w/ 250-S RV (LDH Wye)	\$1,770.00
H300-50-25NH	3-way ball valve 5" Storz lock inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,668.00



H300-50-25NH/ FTS	3-way ball valve 5" Storz lock full time swivel inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,923.00
H300-50-25NHFS	3-way ball valve 5" Storz lock inlet x (3) 2.5" NH female swivel rocker lug inlets w/ 250-S RV (LDH Wye)	\$1,933.00
H300-50-25NHFS/ FTS	3-way ball valve 5" Storz lock full time swivel outlet x (3) 2.5" NH female swivel inlets w/ 250-S RV (LDH Wye)	\$2,187.00
H300-50-25QST	3-way ball valve 5" Storz lock swivel inlet x (3) 2.5" QST male outlets w/ 250-S RV (LDH Wye)	\$1,668.00
H300-50-25QST/ FTS	3-way ball valve 5" Storz lock full time swivel outlet x (3) 2.5" QST male outlets w/ 250-S RV (LDH Wye)	\$1,923.00
H300-50-25ST	3-way ball valve 5" Storz lock inlet x (3) 2.5" Storz outlets w/ 250-S RV (LDH Wye)	\$1,764.00
H300-50-30ST	3-way ball valve 5" Storz lock inlet x (3) 3" Storz outlets w/ 250-S RV (LDH Wye)	\$1,748.00
H300-50NH-25NH	3-way ball valve 5" NH female Swivel rocker lug inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,743.00
H300-50NHFS- 25NHFS	3-way ball valve 5" NH female Swivel rocker lug inlet x (3) 2.5" NH female swivel outlets w/ 250-S RV (LDH Wye)	\$2,008.00
H300-60-25NH	3-way ball valve 6" Storz lock inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,836.00
H300-60-25NHFS	3-way siamese gated (3) 2.5" NH female swivel rocker lug inlets x 6" Storz lock outlet w/ 250-S RV	\$2,101.00
H300-60-25BIF	3-way ball valve 6" Storz lock inlet x (3) 2.5" BI female outlets w/ 250-S RV (LDH Wye)	\$2,105.00
H300-60-25BIM	3-way ball valve 6" Storz lock inlet x (3) 2.5" BI male outlets w/ 250-S RV (LDH Wye)	\$2,080.00
H300-60-25ST	3-way ball valve 6" Storz lock inlet x (3) 2.5" Storz outlets w/ 250-S RV (LDH Wye)	\$2,049.00
H300-60-30ST	3-way ball valve 6" Storz lock inlet x (3) 3" Storz outlets w/ 250-S RV (LDH Wye)	\$2,032.00
H300-60NHFS- 25NH	3-way ball valve 6" NH female Swivel rocker lug inlet x (3) 2.5" NH male outlets w/ 250-S RV (LDH Wye)	\$1,837.00
H300-60NH- 25NHFS	3-way ball valve 6" NH female Swivel rocker lug inlet x (3) 2.5" NH female swivel outlets w/ 250-S RV (LDH Wye)	\$2,102.00
H300-60NHFS- 25BIF	3-way ball valve 6"NH female swivel inlet x (3) 2.5" BI female outlets w/ 250-S RV (LDH Wye)	\$2,106.00
H300-60NHFS- 25BIM	3-way ball valve 6" NH female swivel inlet x (3) 2.5" BI male outlets w/ 250-S RV (LDH Wye)	\$1,933.00



RL	Rocker Lug
LH	Long Handle
NH	National Hose Thread
NPSH	National Pipe Straight Hose Thread

NPT	National Pipe Thread
QST	Quebec Standard Thread
BI	British Instantaneous
PRV	Pressure Relief Valve

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each







H301 - Small 3-Way Ball Valves (Water Thief)

Excellent device for high rise kits. Divides water into three hoses from one. Light weight construction. Hard anodized balls for corrosion resistance.

Dimensions: Length: 12" Width: 12" Height: 10" Weight: 14 lbs


Dimensions: Length: 12" Width: 12" Height: 10" Weight: 14 lbs		
Water Thief	H301 water thief	List
H301-15NHFS-15NH	3-way ball valve 1.5" NH female swivel rocker lug inlet x (3) 1.5" NH male outlets (Water Thief)	\$1,116.00
H301-25NHFS-15NH	3-way ball valve 2.5" NH female swivel rocker lug inlet x (3) 1.5" NH male outlets (Water Thief)	\$1,123.00
H301-25QSTFS- 15NPSH	3-way ball valve 2.5" QST female swivel rocker lug inlet x (3) 1.5" NPSH male outlets (Water Thief)	\$1,123.00
H301-25-15ST	3-way ball valve 2.5" Storz inlet x (3) 1.5" Storz outlets (Water Thief)	\$1,287.00
H301-25NHFS-25NH- 15NH	3-way ball valve 2.5" NH female swivel rocker lug inlet x (1) 2.5" NH male outlet (2) 1.5" NH male outlets (Water Thief)	\$1,024.00
H301-25-25-15ST	3-way ball valve 2.5" Storz inlet x (1) 2.5" Storz x (2) 1.5" Storz outlets (Water Thief)	\$1,113.00
H301-25NHFS-25NH	3-way ball valve 2.5" NH female swivel rocker lug inlet x (3) 2.5" NH male outlets (Water Thief)	\$1,052.00
H301-25BIM-25BIF	3-way ball valve 2.5" BI male inlet x (3) 2.5" BI female outlets (Water Thief)	\$1,236.00
H301-25-25ST	3-way ball valve 2.5" Storz inlet x (3) 2.5" Storz outlets (Water Thief)	\$1,043.00
H301-30NHFS-25NH- 15NH	3-way ball valve 3" NH female swivel rocker lug inlet x (1) 2.5" NH male outlet x (2) 1.5" NH male outlets (Water Thief)	\$1,183.00
H301-30NHFS- 25QST-15NPSH	3-way ball valve 3" NH female swivel rocker lug inlet x (1) 2.5" QST male outlet x (2) 1.5" NPSH male outlets (Water Thief)	\$1,183.00
H301-30NHFS- 25NHM	3-way ball valve 3" NH female swivel rocker lug inlet x (3) 2.5" NH male outlets (Water Thief)	\$1,217.00
H301-30-25ST	3-way ball valve 3" Storz inlet x (3) 2.5" Storz outlets (Water Thief)	\$1,038.00


Light weight, 3 way LDH manifold, feeds two smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz

Dimensions: Length: 16" Width: 16" Height: 13" Weight: 40 lbs		
3-Way Manifold	H301	List
H301-40-40-25BIF	3-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" BI female outlets w/ 250-S RV (LDH Manifold)	\$3,108.00
H301-40-40-25BIM	3-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" BI male outlets w/ 250-S RV (LDH Manifold)	\$2,997.00
H301-40-40-25NH	3-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$2,973.00
H301-40-40-25QST	3-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$2,973.00
H301-40NH-40NH- 25NH	3-way Manifold 4" NH female swivel inlet x (1) 4" NH male outlet x (2) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$2,899.00
H301-40NH-40NH- 25QST	3-way Manifold 4" NH female swivel inlet x (1) 4" NH male outlet x (2) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$2,899.00
H301-40-40-25NHFS	3-way Manifold 4" NH female swivel inlet x (1) 4" NH male outlet x (2) 2.5" NH female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,104.00
H301-45NH-40-25NH	3-way Manifold 4.5" NH female swivel inlet x (1) 4" Storz outlet x (2) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$2,968.00
H301-45NH-45NH- 25NH	3-way Manifold 4.5" NH female swivel inlet x (1) 4.5" NH male outlet x (2) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$2,900.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each





H400 - 5-Way Manifolds

Light weight, 5 way LDH manifold, feeds four smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz or NST connections.

Dimensions: Length: 17" Width: 24" Height: 13" Weight: 51 lbs

O .		
5-Way Manifold	H400	List
H400-40-40-25BIF	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (4) 2.5" BI female outlets w/ 250-S RV (LDH Manifold)	\$3,612.00
H400-40-40-25BIM	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet x (4) 2.5" BI male outlets w/ 250-S RV (LDH Manifold)	\$3,389.00
H400-40-40-25NH	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,298.00
H400-40-40-25NHFS	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" NH female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,606.00
H400-40-40-25QST	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$3,298.00
H400-40-40-25QSTFS	5-way Manifold 4" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" QST female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,606.00
H400-40NH-40NH- 25NH	5-way Manifold 4" NH female swivel inlet x (1) 4" NH male outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,226.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each







	H400-45NH-45NH- 25NH	5-way Manifold 4.5" NH female swivel inlet x (1) 4.5" NH male outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,236.00
	H400-50-40-25NH	5-way Manifold 5" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,217.00
	H400-50-40-25NHFS	5-way Manifold 5" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" NH female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,516.00
	H400-50-40-25QST	5-way Manifold 5" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$3,217.00
	H400-50-40-25QSTFS	5-way Manifold 5" Storz lock inlet x (1) 4" Storz lock outlet (4) 2.5" QST female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,516.00
	H400-50-50-25BIF	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet x (4) 2.5" BI female outlets w/ 250-S RV (LDH Manifold)	\$3,676.00
	H400-50-50-25BIM	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet x (4) 2.5" BI male outlets w/ 250-S RV (LDH Manifold)	\$3,453.00
	H400-50-50-25NH	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,362.00
	H400-50-50-25NH/FTS	5-way Manifold 5" Storz lock full time swivel inlet x (1) 5" Storz lock outlet (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,617.00
	H400-50-50-25NHFS	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" NH female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,670.00
200	H400-50-50-25NPSH	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" NPSH male outlets w/ 250-S RV (LDH Manifold)	\$3,362.00
	H400-50-50-25QST	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$3,362.00
	H400-50-50-25QST/ FTS	5-way Manifold 5" Storz lock full time swivel inlet x (1) 5" Storz lock outlet (4) 2.5" QST male outlets w/ 250-S RV (LDH Manifold)	\$3,617.00
	H400-50-50-25QSTFS	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" QST female swivel outlets w/ 250-S RV (LDH Manifold)	\$3,670.00
	H400-50-50-25ST	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 2.5" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,445.00
	H400-50-50-30ST	5-way Manifold 5" Storz lock inlet x (1) 5" Storz lock outlet (4) 3" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,423.00
	H400-60-25NHM	5-way Manifold 6" Storz lock inlet x (5) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,333.00
	H400-60-25ST	5-way Manifold 6" Storz lock inlet x (5) 2.5" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,427.00
	H400-60-30ST	5-way Manifold 6" Storz lock inlet x (5) 3" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,400.00
	H400-60-60-25BIF	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" BI female outlets w/ 250-S RV (LDH Manifold)	\$3,903.00
	H400-60-60-25BIM	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" BI male outlets w/ 250-S RV (LDH Manifold)	\$3,680.00
	H400-60-60-25NH	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" NH male outlets w/ 250-S RV (LDH Manifold)	\$3,589.00
	H400-60-60-25NPSH	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" NPSH male outlets w/ 250-S RV (LDH Manifold)	\$3,589.00
	H400-60-60-25ST	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,671.00
	H400-60-60-30ST	5-way Manifold 6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 3" Storz outlets w/ 250-S RV (LDH Manifold)	\$3,650.00
	HPG-100-H	Harrington 0-300 Glycerine Filled Pressure Gauge	\$78.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Harrington Inc. 2630 West 21st Street, Erie, PA USA 16506-2908 phone 800.553.0078 fax 814.838.7339

Info@harrinc.com

Post mount bracket for the H301 and H400 Manifolds

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each

HPM-M

H600 - Super Flow 2-Way Ball Valves

Large, light-weight 2 way LDH ball valve. Feed two LDH hoses from a single LDH line or one LDH hose from two LDH hoses. The Super Flow ball valve has low friction loss due to a high flow water way design. Hard anodized balls with stainless steel tappets for corrosion resistance. This design permits feed from either direction. Includes adjustable pressure relief valve for added safety. Specify the size of Storz or NST connections.

Dimensions: Length: 18" Width: 16" Height: 12" Weight: 47 Lbs

Superflow 2-Way Ball Valve	H600	List
H600-40-40ST	2-way Superflow ball valve 4" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$4,024.00
H600-40NHFS-40NHM	2-way Superflow ball valve 4" NH female swivel inlet x (2) 4" NH male outlets w/ 250-S RV	\$3,655.00
H600-45NHFS-40NHM	2-way Superflow ball valve 4.5" NH female swivel inlet x (2) 4" NH male outlets w/ 250-S RV	\$3,660.00
H600-45NHFS-50ST	2-way Superflow ball valve 4.5" NH female swivel inlet x (2) 5" Storz outlets w/ 250-S RV	\$3,842.00
H600-50-40ST	2-way Superflow ball valve 5" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$3,943.00
H600-50-50ST	2-way Superflow ball valve 5" Storz lock inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$3,633.00
H600-50-50ST/FTS	2-way Superflow ball valve 5" Storz lock full time swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$4,035.00
H600-50NHFS-50NHM	2-way Superflow ball valve 5" NH female swivel inlet x (2) 5" NH male outlets w/ 250-S RV	\$3,719.00
H600-60-40ST	2-way ball valve Superflow 6" Storz lock inlet x (2) 4" Storz lock outlets w/ 250-S RV	\$4,107.00
H600-60NHFS-40ST	2-way Superflow ball valve 6" NH female swivel inlet x (2) 4" Storz outlets w/ 250-S RV	\$4,112.00
H600-60NPSHFS-40ST	2-way Superflow ball valve 6" NPSH female swivel inlet x (2) 4" Storz outlets w/ 250-S RV	\$4,112.00
H600-60-50ST	2-way ball valve Superflow 6" Storz lock inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$3,948.00
H600-60NHFS-50ST	2-way ball valve Superflow 6" NH Female Swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$3,950.00
H600-60NPSHFS-50ST	2-way ball valve Superflow 6" NPSH Female Swivel inlet x (2) 5" Storz lock outlets w/ 250-S RV	\$3,950.00
H600-60-60ST	2-way ball valve Superflow 6" Storz lock inlet x (2) 6" Storz lock outlets w/ 250-S RV	\$4,285.00
H600-60NHFS-60NHM	2-way Superflow ball valve 6" NH female swivel inlet x (2) 6" NH male outlets w/ 250-S RV	\$3,842.00

Hydrant Valves

H700 - LDH Hydrant Valves (Hydrassist)

Excellent for boosting pressure on long hose lays or for boosting low hydrant pressures. The light-weight hydrant valve enables the first-in pumper to lay LDH directly from the hydrant to the fire and when hose lay is completed, start flowing water from the hydrant. If additional pressure is required, another pumper can connect to the Hydrassist valve and start pumping to raise pressure and flow without interrupting the established water supply. The valve provides an emergency shut-down capability. Choose from a variety of sizes of Storz or NST connections.

Dimensions: Height: 13" Extension: 12.75" Width: 17" Weight: 36 lbs Friction loss at 1000 GPM: 3.3 PSI.

Hydrant Assist Valve	H700	List
H700-40-40NH	5" Hydrassist Hydrant valve 4" NH female swivel long handle inlet x (3) 4" Storz lock connections	\$3,611.00
H700-40-40ST	5" Hydrassist Hydrant valve 4" Storz lock part time swivel inlet x (3) 4" Storz lock connections	\$3,768.00
H700-40-45NH	5" Hydrassist Hydrant valve 4.5" NH female swivel long handle inlet x (3) 4" Storz lock connections	\$3,606.00
H700-40-50NH	5" Hydrassist Hydrant valve 5" NH female swivel long handle inlet x (3) 4" Storz lock connections	\$3,632.00



H700-45-40-45-40	5" Hydrassist Hydrant valve 4.5" NH female swivel long handle inlet x 4" Storz lock outlet with 4.5" NH male and 4" Storz lock	\$3,453.00
H700-50-40NH	5" Hydrassist Hydrant valve 4" NH female swivel long handle inlet x (3) 5" Storz lock connections	\$3,368.00
H700-50-40ST	5" Hydrassist Hydrant valve 4" Storz lock part time swivel inlet x (3) 5" Storz lock connections	\$3,525.00
H700-50-45NH	5" Hydrassist Hydrant valve 4.5" NH female swivel long handle inlet x (3) 5" Storz lock connections	\$3,362.00
H700-50-50NH	5" Hydrassist Hydrant valve 5" NH female swivel long handle inlet x (3) 5" Storz lock connections	\$3,389.00
H700-50-50ST	5" Hydrassist Hydrant valve 5" Storz lock part time swivel inlet x (3) 5" Storz lock connections	\$3,425.00

HHBV - Hydrant Ball Valves

Quarter turn, 2" waterway, 2.5" ball valve for double dressing hydrants, tanker fill site, in line water flow control, or other portable uses. Lightweight durable ball valve, 2.5" NH FM swivel X 2.5" NH M, quarter turn, hard coated ball, full flow design, multiple portable uses for control of water flow.

Dimensions: Extension: 5.5" Width: 4" Height: 7" Weight: 5 lbs



Hydrant Ball Valve	HHBV	
HHBV-25NHM-25NH	Ball valve 2.5" NH female swivel inlet x 2.5" NH male outlet (hydrant ball valve)	\$622.00
HHBV-25NHM- 25NHLH	Ball valve 2.5" NH female long handle swivel inlet x 2.5" NH male outlet (hydrant ball valve)	\$638.00
HHBV-25NHM- 25NPSH	Ball valve 2.5" NPSH female swivel inlet x 2.5" NH male outlet (hydrant ball valve)	\$622.00
HHBV-25NPTM-25NH	Ball valve 2.5" NH female swivel inlet x 2.5" NPT male outlet (hydrant ball valve)	\$715.00
HHBV-25NPTM- 25NPSH	Ball valve 2.5" NPSH female swivel inlet x 2.5" NPT male outlet (hydrant ball valve)	\$715.00
HHBV-25-xxx-25-xxx	Ball valve 2.5" special thread female swivel inlet x 2.5" special thread male outlet (hydrant ball valve)	\$710.00
HHBV-25NHFS- 25NHFS	Ball valve 2.5" NH female swivel inlet x 2.5" NH female swivel outlet (hydrant ball valve)	\$713.00
HHBV-25NHM- 25NPTF	Ball valve 2.5" NPT female rigid inlet x 2.5" NH male outlet (hydrant ball valve)	\$591.00
HHBV-25-25NH	Ball valve 2.5" NH female swivel inlet x 2.5" Storz outlet (hydrant ball valve)	\$720.00
HHBV-25-25NPSH	Ball valve 2.5" NPSH female swivel inlet x 2.5" Storz outlet (hydrant ball valve)	\$720.00
HHBV-25-25QST	Ball valve 2.5" QST female swivel inlet x 2.5" Storz outlet (hydrant ball valve)	\$720.00
HHBV-25NHM- 30NPTF	Ball valve 3" NPT female rigid inlet x 2.5" NH male outlet (hydrant ball valve)	\$648.00
HHBV-30NPTM- 30NPSHFS	Ball valve 3" NPSH female swivel inlet x 3" NPT male outlet (hydrant ball valve)	\$818.00
HHBV-30-25NH	Ball valve 2.5" NH female swivel inlet x 3" Storz outlet (hydrant ball valve)	\$715.00
HHBV-30-25NPSH	Ball valve 2.5" NPSH female swivel inlet x 3" Storz outlet (hydrant ball valve)	\$715.00
HHBV-30-25QST	Ball valve 2.5" QST female swivel inlet x 3" Storz outlet (hydrant ball valve)	\$715.00
HHBV-40-25NH	Ball valve 2.5" NH female swivel inlet x 4" Storz outlet (hydrant ball valve)	\$881.00
HHBV-40-25NHLH	Ball valve 2.5" NH female long handle swivel inlet x 4" Storz outlet (hydrant ball valve)	\$897.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each

HHBV-40-25NHM	Ball valve 2.5" NH male outlet x 4" Storz lock inlet (hydrant ball valve)	
HHBV-40-25QST	Ball valve 2.5" QST female swivel inlet x 4" Storz outlet (hydrant ball valve)	\$881.00
HHBV-40-30NHFS	Ball valve 3" NH female swivel inlet x 4" Storz outlet (hydrant ball valve)	\$906.00
HHBV-50-25NH	Ball valve 2.5" NH female swivel inlet x 5" Storz outlet (hydrant ball valve)	\$939.00
HHBV-50-25NHM	Ball valve 2.5" NH male outlet x 5" Storz lock inlet (hydrant ball valve)	\$845.00
HHBV-50-25QST	Ball valve 2.5" QST female swivel inlet x 5" Storz outlet (hydrant ball valve)	\$939.00



HHGV - Hydrant Gate Valves

Gate valve with a non rising stem is excellent for hydrant and other water control. There is a spinning knob on hand wheel for easy open/close, with a built in slow close safety operation. Lightweight anodized all metal corrosion resistance construction and a stainless steel spindle. 2.25" waterway. 250 PSI working pressure

Dimensions: Extension: 6" Width: 5" Height: 9" Weight: 4.5 lbs		
HHGV	List	
Gate valve 1.5" NH female swivel rocker lug inlet x 1.5" NH male outlet (hydrant gate valve)	\$709.00	
Gate valve 2.5" NH female swivel rocker lug inlet x 1.5" NH male outlet (hydrant gate valve)	\$617.00	
Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" NH female swivel outlet (hydrant gate valve)	\$777.00	
Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve)	\$542.00	
Heavy Duty Hydrant Gate Valve 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve)	\$707.00	
Gate valve 2.5" NPSH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve)	\$542.00	
Gate valve 2.5" NPT female rigid inlet x 2.5" NH male outlet (hydrant gate valve)	\$675.00	
Gate valve 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet (hydrant gate valve)	\$542.00	
Gate valve 2.5" NPSH female swivel rocker lug inlet x 2.5" NPT male outlet (hydrant gate valve)	\$663.00	
Gate valve 2.5" special thread female swivel inlet x 2.5" special thread male outlet (hydrant gate valve)	\$748.00	
Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve)	\$711.00	
Gate valve 2.5" QST female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve)	\$711.00	
Gate valve 2.5" NH female swivel rocker lug inlet x 3" Storz outlet (hydrant gate valve)	\$706.00	
Gate valve 2.5" QST female swivel rocker lug inlet x 3" Storz outlet (hydrant gate valve)	\$706.00	
	Gate valve 2.5" NH female swivel rocker lug inlet x 1.5" NH male outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" NH female swivel outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve) Heavy Duty Hydrant Gate Valve 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve) Gate valve 2.5" NPSH female swivel rocker lug inlet x 2.5" NH male outlet (hydrant gate valve) Gate valve 2.5" NPT female rigid inlet x 2.5" NH male outlet (hydrant gate valve) Gate valve 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet (hydrant gate valve) Gate valve 2.5" NPSH female swivel rocker lug inlet x 2.5" NPT male outlet (hydrant gate valve) Gate valve 2.5" special thread female swivel inlet x 2.5" Storz outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve) Gate valve 2.5" QST female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve) Gate valve 2.5" NH female swivel rocker lug inlet x 2.5" Storz outlet (hydrant gate valve)	

Standard Gate Valves

H800 - 4" Straight Gate Valves

This LDH hydrant gate valve provides low friction loss due to a high flow design. It is excellent for hydrant discharge control, due to providing a slow open/close mechanism. The light weight gate valve has an air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle.

Dimensions: Extension: 10.5" Width: 6" Height: 14" Weight: 21 lbs


Friction loss at 1000 GPM: 0.8 PSI


riction loss at 1000 G1M. 0.01S1		
4" Gate Valves	H800 Series	List
H800-40-40NH	4" Gate valve straight 4" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,554.00
H800-40-40NHLH	4" Gate valve straight 4" NH long handle female swivel rocker lug inlet x 4" Storz lock outlet	\$1,567.00
H800-40-40NPSH	4" Gate valve straight 4" NPSH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,554.00
H800-40- 40NPSHLH	4" Gate valve straight 4" NPSH long handle female swivel rocker lug inlet x 4" Storz lock outlet	\$1,567.00











60NH H800-60NHM-

60NHLH H800-60NHM-

60NPSH H800-60NHM-

60NPSHLH

H810 - 25° Elbow 4" Gate Valves with Field Adjustable Pressure Relief Valve

This LDH hydrant gate valve has the following features: slow open/close, a 25 degree elbow, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, a field adjustable pressure relief valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections.

Dimensions: Extension: 12.5" Width: 7" Height: 15" Weight: 24 lbs

Friction Loss at 1000 GPM: 0.8 PSI.		
4" Gate Valve w/ elbow, PRV	H810 Series	List
H810-40-40NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4" NH female swivel rocker lug outlet	\$2,174.00
H810-40-40NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4" NH female swivel long handle outlet	\$2,187.00
H810-40-40NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4" NPSH female swivel rocker lug outlet	\$2,174.00
H810-40-40ST	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4" Storz lock outlet	\$2,345.00
H810-40NHM-40NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" NH Female Rocker Lug x 4" NH Male rocker lug outlet	\$2,197.00
H810-40NHM- 40NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" NH Female Rocker Lug x 4" NPSH Male rocker lug outlet	\$2,197.00
H810-40-45NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4.5" NH female swivel rocker lug outlet	\$2,167.00
H810-40-45NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 4.5" NH female swivel long handle outlet	\$2,182.00
H810-40-50NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 5" NH female swivel rocker lug outlet	\$2,224.00
H810-40-50NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 5" NH female swivel long handle outlet	\$2,224.00
H810-40-60NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 6" NH female swivel rocker lug outlet	\$2,301.00
H810-40-60NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4" Storz lock inlet x 6" NH female swivel long handle outlet	\$2,301.00
H810-45NHM-45NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 4.5" NH Female Rocker Lug x 4.5" NH Male rocker lug outlet	\$2,125.00
H810-50-40NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4" NH female swivel rocker lug outlet	\$2,320.00
H810-50-40NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4" NH female swivel long handle outlet	\$2,335.00
H810-50-40NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4" NPSH female swivel rocker lug outlet	\$2,320.00
H810-50-40NPSHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4" NPSH female swivel long handle outlet	\$2,335.00
H810-50-45NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4.5" NH female swivel rocker lug outlet	\$2,309.00
H810-50-45NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 4.5" NH female swivel long handle outlet	\$2,327.00
H810-50-50NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 5" NH female swivel rocker lug outlet	\$2,369.00
H810-50-50NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 5" NH female swivel long handle outlet	\$2,369.00
H810-50-50NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 5" NPSH female swivel rocker lug outlet	\$2,369.00
H810-50-50NPSHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 5" NPSH female swivel long handle outlet	\$2,369.00
H810-50-50ST	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 5" Storz lock outlet	\$2,402.00
H810-50NHM-50NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" NH Female Rocker Lug x 5" NH Male rocker lug outlet	\$2,177.00



4" Gate valve straight 6" NH female swivel inlet x 6" NH male outlet

4" Gate valve straight 6" NH female long handle swivel inlet x 6" NH male outlet

4" Gate valve straight 6" NPSH female swivel inlet x 6" NH male outlet

4" Gate valve straight 6" NPSH female long handle swivel inlet x 6" NH male outlet

\$1,708.00

\$1,708.00

\$1,708.00

\$1,708.00





H810-50NHM- 50NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" NH Female Rocker Lug x 5" NH Male long handle outlet	\$2,177.00
H810-50-60NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 6" NH female swivel rocker lug outlet	\$2,446.00
H810-50-60NHLH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 6" NH female swivel long handle outlet	\$2,446.00
H810-50-60NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 5" Storz lock inlet x 6" NPSH female swivel rocker lug outlet	\$2,446.00
H810-60-60NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 6" Storz lock inlet x 6" NH female swivel rocker lug outlet	\$2,504.00
H810-60-60NPSH	Gate valve 4" w/ 25° elbow w/ 250-S RV 6" Storz lock inlet x 6" NPSH female swivel rocker lug outlet	\$2,504.00
H810-60NHFS-60NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 6" NH female swivel rocker lug inlet x 6" NH female swivel rocker lug outlet	\$2,436.00
H810-60NHM-60NH	Gate valve 4" w/ 25° elbow w/ 250-S RV 6" NH male inlet x 6" NH female swivel rocker lug outlet	\$2,329.00

H811 - 25° Elbow 4" Gate Valves

This LDH hydrant gate valve has the following features: slow open/close, a 25 degree elbow, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections.

Dimensions: Extension: 12.5" Width: 6" Height: 15" Weight: 22 lbs Friction Loss at 1000 GPM: 0.8 PSI.

4" Gate Valve w elbow	H811 Series	List
H811-40-40NH	Gate valve 4" w/ 25° elbow 4" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,649.00
H811-40-40NHLH	Gate valve 4" w/ 25° elbow 4" NH female swivel long handle inlet x 4" Storz lock outlet	\$1,662.00
H811-40-40NPSH	Gate valve 4" w/ 25° elbow 4" NPSH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,649.00
H811-40-40ST	Gate valve 4" w/ 25° elbow 4" Storz lock inlet x 4" Storz lock outlet	\$1,819.00
H811-40NHM-40NH	Gate valve 4" w/ 25° elbow 4" NH female swivel rocker lug inlet x 4" NH Male outlet	\$1,601.00
H811-40NHM-40NPSH	Gate valve 4" w/ 25° elbow 4" NPSH female swivel rocker lug inlet x 4" NH Male outlet	\$1,601.00
H811-40-45NH	Gate valve 4" w/ 25° elbow 4.5" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,642.00
H811-40-45NHLH	Gate valve 4" w/ 25° elbow 4.5" NH female swivel long handle inlet x 4" Storz lock outlet	\$1,656.00
H811-40-50NH	Gate valve 4" w/ 25° elbow 5" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,699.00
H811-40-50NHLH	Gate valve 4" w/ 25° elbow 5" NH female swivel long handle inlet x 4" Storz lock outlet	\$1,699.00
H811-40-50NPSH	Gate valve 4" w/ 25° elbow 5" NPSH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,699.00
H811-40-60NH	Gate valve 4" w/ 25° elbow 6" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,775.00
H811-40-60NHLH	Gate valve 4" w/ 25° elbow 6" NH female swivel long handle inlet x 4" Storz lock outlet	\$1,775.00
H811-45NHM-45NH	Gate valve 4" w/ 25° elbow 4.5" NH female swivel rocker lug inlet x 4.5" NH Male outlet	\$1,599.00
H811-50-40NH	Gate valve 4" w/ 25° elbow 4" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,794.00
H811-50-40NHLH	Gate valve 4" w/ 25° elbow 4" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,804.00
H811-50-45NH	Gate valve 4" w/ 25° elbow 4.5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,787.00

H811-50-45NHLH	Gate valve 4" w/ 25° elbow 4.5" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,801.00
H811-50-50NH	Gate valve 4" w/ 25° elbow 5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,844.00
H811-50-50NHLH	Gate valve 4" w/ 25° elbow 5" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,844.00
H811-50-50NPSH	Gate valve 4" w/ 25° elbow 5" NPSH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,844.00
H811-50-50NPSHLH	Gate valve 4" w/ 25° elbow 5" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,844.00
H811-50-50ST	Gate valve 4" w/ 25° elbow 5" Storz lock inlet x 5" Storz lock outlet	\$1,836.00
H811-50NHM-50NH	Gate valve 4" w/ 25° elbow 5" NH female swivel rocker lug inlet x 5" NH Male outlet	\$1,651.00
H811-50-60NH	Gate valve 4" w/ 25° elbow 6" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,920.00
H811-50-60NHLH	Gate valve 4" w/ 25° elbow 6" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,920.00
H811-50-60NPSH	Gate valve 4" w/ 25° elbow 6" NPSH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,920.00
H811-50-60NPSHLH	Gate valve 4" w/ 25° elbow 6" NH female swivel long handle inlet x 5" Storz lock outlet	\$1,920.00
H811-60NHM-60NH	Gate valve 4" w/ 25° elbow 6" NH female swivel rocker lug inlet x 6" NH Male	\$1,803.00

Super Flow 6" Gate Valves

This LDH gate valve has our largest water way which provides low friction loss due to a high flow design. The light weight gate valve is available in three configurations, Straight, 30' elbow or elbow with relief valve, all models include a 3/4" air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz, NST or Flange connections.

Dimensions: Extension: 10", Width:8.5", Height: 16", Weight: 30 lbs Friction loss at 1000 GPM-0.1 psi.

H860 - Super Flow Straight 6" Gate Valves

11000 - Super Flow Straight o Gate valves		
H860 Series	List	
Gate valve 6" superflow straight 4.5" NH female swivel rocker lug inlet x 4.5" NH male outlet	\$3,586.00	
Gate valve 6" superflow straight 4.5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$3,514.00	
Gate valve 6" superflow straight 4.5" NH female swivellong handle inlet x 5" Storz lock outlet	\$3,529.00	
Gate valve 6" superflow straight 5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$3,427.00	
Gate valve 6" superflow straight 6" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$3,440.00	
Gate valve 6" superflow straight 6" NH female swivel long handle inlet x 5" Storz lock outlet	\$3,440.00	
Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 5" Storz lock outlet	\$3,440.00	
Gate valve 6" superflow straight 6" NPSH female swivel long handle inlet x 5" Storz lock outlet	\$3,440.00	
Gate valve 6" superflow straight 6" NH female swivel rocker lug inlet x 6" Storz lock outlet	\$3,309.00	
Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" Storz lock outlet	\$3,309.00	
Gate valve 6" superflow straight 6" NH female swivel rocker lug inlet x 6" NH male outlet	\$3,233.00	
Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" NH male outlet	\$3,233.00	
	Gate valve 6" superflow straight 4.5" NH female swivel rocker lug inlet x 4.5" NH male outlet Gate valve 6" superflow straight 4.5" NH female swivel rocker lug inlet x 5" Storz lock outlet Gate valve 6" superflow straight 4.5" NH female swivellong handle inlet x 5" Storz lock outlet Gate valve 6" superflow straight 5" NH female swivel rocker lug inlet x 5" Storz lock outlet Gate valve 6" superflow straight 6" NH female swivel rocker lug inlet x 5" Storz lock outlet Gate valve 6" superflow straight 6" NH female swivel long handle inlet x 5" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 5" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 5" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" Storz lock outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" NH male outlet Gate valve 6" superflow straight 6" NPSH female swivel rocker lug inlet x 6" NH male	

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.





H861 - 25° Elbow 6" Gate Valves

	•	
1		
1		4A
4	1	C

11601 - 23 Elbow o Gate valves		
H861 - 25° Elbow 6" Gate Valves	H861 Series	List
H861-45NHM-45NH	Gate valve 6" superflow w/ 25° elbow 4.5" NH female swivel rocker lug inlet x 4.5" NH male outlet	\$5,371.00
H861-45NHM- 45NHLH	Gate valve 6" superflow w/ 25° elbow 4.5" NH female swivel long handle inlet x 4.5" NH male outlet	\$5,385.00
H861-50-45NH	Gate valve 6" superflow w/ 25° elbow 4.5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$5,451.00
H861-50-50NH	Gate valve 6" superflow w/ 25° elbow 5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$5,501.00
H861-50-50NHLH	Gate valve 6" superflow w/ 25° elbow 5" NH female swivel long handle inlet x 5" Storz lock outlet	\$5,596.00
H861-50-60NH	Gate valve 6" superflow w/ 25° elbow 6" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$5,426.00
H861-60-50NH	Gate valve 6" superflow w/ 25° elbow 5" NH female swivel rocker lug inlet x 6" Storz lock outlet	\$5,370.00
H861-60-50NHLH	Gate valve 6" superflow w/ 25° elbow 5" NH female swivel long handle inlet x 6" Storz lock outlet	\$5,409.00
H861-60-60NH	Gate valve 6" superflow w/ 25° elbow 6" NH female swivel rocker lug inlet x 6" Storz lock outlet	\$5,375.00
H861-60-60NPSH	Gate valve 6" superflow w/ 25° elbow 6" NPSH female swivel rocker lug inlet x 6" Storz lock outlet	\$5,375.00
H861-60NHM-60NH	Gate valve 6" superflow w/ 25° elbow 6" NH female swivel rocker lug inlet x 6" NH male outlet	\$5,202.00
H861-60NHM- 60NHLH	Gate valve 6" superflow w/ 25° elbow 6" NH female swivel long handle inlet x 6" NH male outlet	\$5,202.00
H861-60NHM- 60NPSH	Gate valve 6" superflow w/ 25° elbow 6" NPSH female swivel rocker lug inlet x 6" NH male outlet	\$5,202.00
H861-60NHM- 60NPSHLH	Gate valve 6" superflow w/ 25° elbow 6" NPSH female swivel long handle inlet x 6" NH male outlet	\$5,202.00

Siamese Valves



HJ20 - Jumbo Siamese - Double Clappered

Large two way Clappered Siamese, excellent design for supplying one "LDH" line from two "LDH" lines. Siamese features rubber covered convenient carrying handle. Inlets are individually Clappered. Specify the size of Storz or NST connections

Dimensions: Length: 18" Width: 14" Height: 9" Weight: 26 lbs

Jumbo 2-Way Siamese	(clappered)	List
HJ20-40-40ST	2-way siamese jumbo clappered (2) 4" Storz lock inlet x 4" Storz lock outlet	\$2,305.00
HJ20-50-40ST	2-way siamese jumbo clappered (2) 4" Storz lock inlet x 5" Storz lock outlet	\$2,223.00
HJ20-50-50ST	2-way siamese jumbo clappered (2) 5" Storz lock inlet x 5" Storz lock outlet	\$2,381.00
HJ20-60-50ST	2-way siamese jumbo clappered (2) 5" Storz lock inlet x 6" Storz lock outlet	\$2,548.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Harrington Inc. 2630 West 21st Street, Erie, PA USA 16506-2908 phone 800.553.0078 fax 814.838.7339


Info@harrinc.com


H220 - 2-Way Siamese


Light weight, single clappered Siamese for supplying one LDH line from two smaller lines. The aluminum alloy is powder coated for long lasting finish and corrosion resistance. The one clapper design will close off the non pressurized inlet while permitting flow from the pressurized inlet. Choose from a variety of sizes of Storz or NST adapters.

Dimensions: Length: 10.5" Width: 9.5" Height: 8" Weight: 11 lbs

Dimensions: Length: 1	0.5" Width: 9.5" Height: 8" Weight: 11 lbs	
2-Way Siamese	H220	List
H220-25NHM-25NHFS	2-way siamese clappered (2) 2.5" NH female swivel rocker lug inlets x 2.5" NH male outlet	\$571.00
H220-25BIF-25BIM	2-way siamese clappered (2) 2.5" BI male rocker lug inlets x 2.5" BI female outlet	\$533.00
H220-40-25NH	2-way siamese clappered (2) 2.5" NH female rocker lug inlets x 4" Storz lock outlet	\$748.00
H220-40-25NHM	2-way siamese clappered (2) 2.5" NH male rocker lug inlets x 4" Storz lock outlet	\$634.00
H220-40SW-25NH	2-way siamese clappered (2) 2.5" NH female rocker lug inlets x 4" Storz lock part time swivel outlet	\$906.00
H220-40-25ST	2-way siamese clappered (2) 2.5" Storz inlets x 4" Storz lock outlet	\$617.00
H220-40NHFS-25NHFS	2-way siamese clappered (2) 2.5" NH female swivel rocker lug inlets x 4" NH female swivel outlet	\$733.00
H220-40NPSHFS- 25NHFS	2-way siamese clappered (2) 2.5" NPSH female swivel rocker lug inlets x 4" NH female swivel outlet	\$733.00
H220-40NHFS-25NHM	2-way siamese clappered (2) 2.5" NH male inlets x 4" NH female swivel rocker lug outlet	\$618.00
H220-40-30ST	2-way siamese clappered (2) 3" Storz inlets x 4" Storz lock outlet	\$606.00
H220-45-25ST (Storz 110)	2-way siamese clappered (2) 2.5" Storz inlets (110) x 4.5" Storz lock outlet	\$634.00
H220-45-30ST (Storz 110)	2-way siamese clappered (2) 3" Storz inlets(110) x 4.5" Storz lock outlet	\$623.00
H220-45NHFS-25NHFS	2-way siamese clappered (2) 2.5" NH female rocker lug inlets x 4.5" NH Female Rocker Lug outlet	\$725.00
H220-50-25NH	2-way siamese clappered (2) 2.5" NH female rocker lug inlets x 5" Storz lock outlet	\$827.00
H220-50-25NHM	2-way siamese clappered (2) 2.5" NH male inlets x 5" Storz lock outlet	\$712.00
H220-50-25ST	2-way siamese clappered (2) 2.5" Storz inlets x 5" Storz lock outlet	\$695.00
H220-50-30ST	2-way siamese clappered (2) 3" Storz inlets x 5" Storz lock outlet	\$685.00
H220-50NHFS-25NHFS	2-way siamese clappered (2) 2.5" NH female swivel rocker lug inlets x 5" NH female swivle rocker lug outlet	\$782.00
H220-60-25ST	2-way siamese clappered (2) 2.5" Storz inlets x 6" Storz lock outlet	\$756.00
H220-60NHFS-25NHFS	2-way siamese clappered (2) 2.5" NH female swivel rocker lug inlets x 6" NH female swivel rocker lug outlet	\$859.00
H220-60-30ST	2-way siamese clappered (2) 3" Storz inlets x 6" Storz lock outlet	\$745.00
Non-Clappered		
H220-25BIM-25BIF/LC	2-way siamese less clapper (2) 2.5" BI female inlets x 2.5" BI male outlet	\$588.00
H220-40SW-25NH/LC	2-way siamese less clapper (2) 2.5" NH female inlets x 4" Storz lock part time swivel outlet	\$906.00
H220-40NHFS-25NHM/ LC	2-way siamese less clapper (2) 2.5" NH male inlets x 4" NH female swivel rocker lug outlet	\$618.00
H220-45NHFS-25NHM/ LC	2-way siamese less clapper (2) 2.5" NH male inlets x 4.5" NH female swivel rocker lug outlet	\$612.00
H220-50-25NHGV/LC	2-way siamese less clapper (2) 2.5" NH male gate valve (HHGV) inlets x 5" Storz lock rigid outlet	\$1,788.00
H220-50-25NHM/LC	2-way siamese less clapper (2) 2.5" NH male inlets x 5" Storz lock rigid outlet	\$712.00
H220-50SW-25NH/LC	2-way siamese less clapper (2) 2.5" NH female inlets x 5" Storz lock part time swivel outlet	\$805.00







H330 - 3-Way Siamese

Light weight, 3 way clappered Siamese for supplying one LDH line from up to three smaller lines, each clappered individually. Specify the size of Storz or NST connections.

Dimensions: Length:15.5" Width: 14" Height: 9" Weight: 9 lbs

3-Way Siamese	H330	List
H330-40-25BIM	3-way siamese clappered (3) 2.5" BI male inlets x 4" Storz lock outlet	\$1,260.00
H330-40-25NH	3-way siamese clappered (3) 2.5" NH female swivel rocker lug inlets x 4" Storz lock outlet	\$1,439.00
H330-40-25QST	3-way siamese clappered (3) 2.5" QST female swivel rocker lug inlets x 4" Storz lock outlet	\$1,439.00
H330-40-25ST	3-way siamese clappered (3) 2.5" Storz lock x 4" Storz lock outlet	\$1,242.00
H330-40-30ST	3-way siamese clappered (3) 3" Storz lock x 4" Storz lock outlet	\$1,225.00
H330-50-25NH	3-way siamese clappered (3) 2.5" NH female swivel rocker lug inlets x 5" Storz lock outlet	\$1,358.00
H330-50-25QST	3-way siamese clappered (3) 2.5" QST female swivel rocker lug inlets x 5" Storz lock outlet	\$1,358.00
H330-50-25NPSHFS	3-way siamese clappered (3) 2.5" NPSH female swivel rocker lug inlets x 5" Storz lock outlet	\$1,358.00
H330-50-25ST	3-way siamese clappered (3) 2.5" Storz lock x 5" Storz lock outlet	\$1,160.00
H330-50-30ST	3-way siamese clappered (3) 3" Storz lock x 5" Storz lock outlet	\$1,144.00
H330-60-25NH	3-way siamese clappered (3) 2.5" NH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,526.00
H330-60-25NPSHFS	3-way siamese clappered (3) 2.5" NPSH female swivel rocker lug inlets x 6" Storz lock outlet	\$1,526.00
H330-60NHFS- 25BIM	3-way siamese clappered (3) 2.5" BI male inlets x 6" NH female swivle outlet	\$1,336.00
H330-60NHFS- 25NHFS	3-way siamese clappered (3) 2.5" NH female swivel rocker lug inlets x 6" NH female swivle outlet	\$1,527.00
H330-60-25ST	3-way siamese clappered (3) 2.5" Storz lock x 6" Storz lock outlet	\$1,329.00
H330-60-30ST	3-way siamese clappered (3) 3" Storz lock x 6" Storz lock outlet	\$1,313.00




Light weight anodized corrosion resistance all metal construction the 4 way Clappered Siamese is used for supplying one LDH line from up to four smaller lines. Each inlet is Clappered individually and can be fed individually or from all four smaller lines. Features stainless steel clapper assemblies "forged" Storz heads, and stainless steel balls in swivel races. Includes a carrying handle. Specify the size of Storz or NST connections.

Dimensions: Length: 15" Width: 19" Height: 9" Weight: 15 lbs

Г

4-Way Siamese	H440	List
H440-40-25BIM	4-way siamese clappered (4) 2.5" BI male inlet x 4" Storz lock outlet	\$1,542.00
H440-40-25NH	4-way siamese clappered (4) 2.5" NH female swivel rocker lug inlet x 4" Storz lock outlet	\$1,796.00
H440-40-25QST	4-way siamese clappered (4) 2.5" QST female swivel rocker lug inlet x 4" Storz lock outlet	\$1,796.00
H440-40-25ST	4-way siamese clappered (4) 2.5" Storz inlet x 4" Storz lock outlet	\$1,533.00
H440-40-30ST	4-way siamese clappered (4) 3" Storz inlet x 4" Storz lock outlet	\$1,512.00
H440-45-25ST	4-way siamese clappered (4) 2.5" Storz inlet x Storz 110 lock outlet	\$1,516.00
H440-45-30ST	4-way siamese clappered (4) 3" Storz inlet x Storz 110 lock outlet	\$1,494.00
H440-50-25NH	4-way siamese clappered (4) 2.5" NH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,715.00
H440-50-25NPSH	4-way siamese clappered (4) 2.5" NPSH female swivel rocker lug inlet x 5" Storz lock outlet	\$1,715.00
H440-50-25QST	4-way siamese clappered (4) 2.5" QST female swivel rocker lug inlet x 5" Storz lock outlet	\$1,715.00
H440-50-25BIM	4-way siamese clappered (4) 2.5" BI male inlet x 5" Storz lock outlet	\$1,488.00
H440-50-25ST	4-way siamese clappered (4) 2.5" Storz inlet x 5" Storz lock outlet	\$1,452.00
H440-50-30ST	4-way siamese clappered (4) 3" Storz inlet x 5" Storz lock outlet	\$1,431.00





H30E - 30° Elbow Adapters

Hard coat anodizing to Military Specification, Type 3. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic. Powder coated for corrosion resistance and protection.

Small Threaded Elbows	H30E	List
H30E-15NHM-15NH	Elbow 30° 1.5" NH female swivel rocker lug x 1.5" NH male	\$269.00
H30E-25NHM-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" NH male	\$154.00
H30E-25NHFS-25NHFS	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" NH female swivel	\$258.00
H30E-25NHM-30NH	Elbow 30° 3" NH female swivel rocker lug x 2.5" NH male	\$347.00
H30E-25NHM-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 2.5" NH male	\$347.00
H30E-30NHM-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 3" NH male	\$241.00
H30E-30NHM-30NH	Elbow 30° 3" NH female swivel rocker lug x 3" NH male	\$363.00
H30E-30NHFS-30NHFS	Elbow 30° 3" NH female swivel rocker lug x 3" NH female swivel	\$487.00
H30E-35NHM-35NH	Elbow 30° 3.5" NH female swivel rocker lug x 3.5" NH male	\$432.00



H30E - 30° Storz x Female Swivel Rocker Lug

Short 30° elbow adapter; hard anodized and powder coated for corrosion resistance and protection

Elbow 30° - Storz x Female RL	H30E-RL	List
H30E-25-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 2.5" Storz	\$193.00
H30E-25-25NPSH	Elbow 30° 2.5" NPSH female swivel rocker lug x 2.5" Storz	\$193.00
H30E-25-25NHM	Elbow 30° 2.5" NH Male x 2.5" Storz	\$193.00
H30E-25-25QST	Elbow 30° 2.5" QST female x 2.5" Storz	\$193.00
H30E-25-30NH	Elbow 30° 3" NH female swivel rocker lug x 2.5" Storz	\$287.00
H30E-25-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 2.5" Storz	\$287.00
H30E-30-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 3" Storz	\$183.00
H30E-30-25NPSH	Elbow 30° 2.5" NPSH female swivel rocker lug x 3" Storz	\$183.00
H30E-30-25QST	Elbow 30° 2.5" QST female swivel rocker lug x 3" Storz	\$183.00
H30E-30-30NH	Elbow 30° 3" NH female swivel rocker lug x 3" Storz	\$316.00
H30E-30-30NPSH	Elbow 30° 3" NPSH female swivel rocker lug x 3" Storz	\$316.00
H30E-40-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 4" Storz with lock	\$412.00
H30E-40-25NHM	Elbow 30° 2.5" NH Male x 4" Storz with lock	\$442.00
H30E-40-25NPSH	Elbow 30° 2.5" NPSH Female x 4" Storz with lock	\$412.00
H30E-40-25QST	Elbow 30° 2.5" QST Female x 4" Storz with lock	\$412.00
H30E-40-30NH	Elbow 30° 3" NH female swivel rocker lug x 4" Storz with lock	\$562.00
H30E-40-30NPT	Elbow 30° 3" NPT female swivel rocker lug x 4" Storz with lock	\$440.00
H30E-40-30NHM	Elbow 30° 3" NH male x 4" Storz with lock	\$448.00



Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each

Harrington Inc. 2630 West 21st Street, Erie, PA USA 16506-2908 phone 800.553.0078 fax 814.838.7339

24



H30E-40-35NH	Elbow 30° 3.5" NH female swivel rocker lug x 4" Storz with lock	\$533.00
H30E-40-40NH	Elbow 30° 4" NH female swivel rocker lug x 4" Storz with lock	\$500.00
H30E-40-40NH /CAP	Elbow 30 degree 4" NH female swivel rocker lug X 4" Storz with lock with 4" Storz cap	\$646.00
H30E-40-40NPSH	Elbow 30° 4" NPSH female swivel rocker lug x 4" Storz with lock	\$500.00
H30E-40-40NPSH/Cap	Elbow 30° 4" NPSH female swivel rocker lug x 4" Storz with lock with 4" Storz Cap/cable	\$646.00
H30E-40-40NPT	Elbow 30° 4" NPT female rigid x 4" Storz with lock	\$354.00
H30E-40-40NPT/Cap	Elbow 30° 4" NPT female rigid x 4" Storz with lock with 4" Storz Cap/cable	\$500.00
H30E-40-40NPTM	Elbow 30° 4" NPT male rigid x 4" Storz with lock	\$475.00
H30E-40-40NPTM/Cap	Elbow 30° 4" NPT male rigid x 4" Storz with lock with 4" Storz Cap/cable	\$621.00
H30E-40-45NH	Elbow 30° 4.5" NH female swivel rocker lug x 4" Storz with lock	\$503.00
H30E-40-50NH	Elbow 30° 5" NH female swivel rocker lug x 4" Storz with lock	\$669.00
H30E-40-60NH	Elbow 30° 6" NH female swivel rocker lug x 4" Storz with lock	\$677.00
H30E-40-60NPSH	Elbow 30° 6" NPSH female swivel rocker lug x 4" Storz with lock	\$677.00
H30E-40-60NPTF	Elbow 30° 6" NPT female rigid x 4" Storz with lock	\$552.00
H30E-40-60NPT/Cap	Elbow 30° 6" NPT female rigid x 4" Storz with lock with 4" Storz Cap/cable	\$698.00
H30E-40-60NPTM	Elbow 30° 6" NPT male rigid x 4" Storz with lock	\$535.00
H30E-40-60NPTM/Cap	Elbow 30° 6" NPT male rigid x 4" Storz with lock with 4" Storz Cap/cable	\$681.00
H30E-45-60NH (Storz 110)	Elbow 30° 6" NH female swivle rocker lug x 4.5"(110) Storz with lock	\$659.00
H30E-50-25NH	Elbow 30° 2.5" NH female swivel rocker lug x 5" Storz with lock	\$495.00
H30E-50-25NH/FTS	Elbow 30° 2.5" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$768.00
H30E-50-25NHM	Elbow 30° 2.5" NH male x 5" Storz with lock	\$577.00
H30E-50-30NH	Elbow 30° 3" NH female swivel rocker lug x 5" Storz with lock	\$562.00
H30E-50-30NHM	Elbow 30° 3" NH male rocker lug x 5" Storz with lock	\$573.00
H30E-50-30NH/FTS	Elbow 30° 3" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$835.00
H30E-50-35NH	Elbow 30° 3.5" NH female swivel rocker lug x 5" Storz with lock	\$648.00
H30E-50-35NH/FTS	Elbow 30° 3.5" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$916.00
H30E-50-40NH	Elbow 30° 4" NH female swivel rocker lug x 5" Storz with lock	\$567.00
H30E-50-40NH/Cap	Elbow 30° 4" NH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$736.00
H30E-50-40NH/FTS	Elbow 30° 4" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$840.00
H30E-50-40NPSH	Elbow 30° 4" NPSH female swivel rocker lug x 5" Storz with lock	\$567.00
H30E-50-40NPSH/FTS	Elbow 30° 4" NPSH female full time swivel rocker lug x 5" Storz with lock	\$736.00
H30E-50-40NPSH/Cap	Elbow 30° 4" NPSH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$840.00
H30E-50-40NPT	Elbow 30° 4" NPT female rigid x 5" Storz with lock	\$420.00
H30E-50-40NPT/Cap	Elbow 30° 4" NPT female rigid x 5" Storz with lock with 5" Storz Cap/cable	\$589.00
H30E-50-40NPTM	Elbow 30° 4" NPT male rigid x 5" Storz with lock	\$455.00
H30E-50-40NPTM/Cap	Elbow 30° 4" NPT male rigid x 5" Storz with lock with 5" Storz Cap/cable	\$624.00
H30E-50-45NH	Elbow 30° 4.5" NH female swivel rocker lug x 5" Storz with lock	\$581.00
H30E-50-45NH/Cap	Elbow 30° 4.5" NH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$750.00
H30E-50-45NH/FTS	Elbow 30° 4.5" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$854.00
H30E-50-50NH	Elbow 30° 5" NH female swivel rocker lug x 5" Storz with lock	\$607.00
H30E-50-50NH/Cap	Elbow 30° 5" NH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$776.00
H30E-50NHM-50NH	Elbow 30° 5" NH female swivel rocker lug x 5" NH male	\$534.00
H30E-50-50NH/FTS	Elbow 30° 5" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$880.00

HOOF SO SONDON	FII 200 50 NIDGII C 1 1 1 1 50 60 14 1 1	0.07.00
H30E-50-50NPSH	Elbow 30° 5" NPSH female swivel rocker lug x 5" Storz with lock	\$607.00
H30E-50-50NPSH/CAP	Elbow 30° 5" NPSH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$776.00
H30E-50-50NPT	Elbow 30° 5" NPT female rigid x 5" Storz with lock	\$803.00
H30E-50-50NPT/CAP	Elbow 30° 5" NPT female rigid x 5" Storz with lock with 5" Storz Cap/cable	\$972.00
H30E-50-60NH	Elbow 30° 6" NH female swivel rocker lug x 5" Storz with lock	\$617.00
H30E-50-60NH/CAP	Elbow 30° 6" NH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$786.00
H30E-50-60NH/FTS	Elbow 30° 6" NH female swivel rocker lug x 5" Storz with lock full time swivel	\$889.00
H30E-50-60NPSH	Elbow 30° 6" NPSH female swivel rocker lug x 5" Storz with lock	\$617.00
H30E-50-60NPSH/Cap	Elbow 30° 6" NPSH female swivel rocker lug x 5" Storz with lock with 5" Storz Cap/cable	\$786.00
H30E-50-60NPT	Elbow 30° 6" NPT female rigid x 5" Storz with lock	\$491.00
H30E-50-60NPT/Cap	Elbow 30° 6" NPT female rigid x 5" Storz with lock with 5" Storz Cap/cable	\$660.00
H30E-50-60NPTM	Elbow 30° 6" NPT male rigid x 5" Storz with lock	\$478.00
H30E-50-60NPTM/Cap	Elbow 30° 6" NPT male rigid x 5" Storz with lock with 5" Storz Cap/cable	\$647.00
H30E-60-40NH	Elbow 30° 4" NH female swivel rocker lug x 6" Storz with lock	\$743.00
H30E-60-40NPSH	Elbow 30° 4" NPSH female rigid x 6" Storz with lock	\$743.00
H30E-60-40NPSH/CAP	Elbow 30° 4" NPSH female rigid x 6" Storz with lock with 6" Storz Cap/cable	\$1,015.00
H30E-60-40NPT	Elbow 30° 4" NPT female rigid x 6" Storz with lock	\$659.00
H30E-60-40NPT/CAP	Elbow 30° 4" NPT female rigid x 6" Storz with lock with 6" Storz Cap/cable	\$931.00
H30E-60-40NPTM	Elbow 30° 4" NPT male rigid x 6" Storz with lock	\$656.00
H30E-60-40NPTM/CAP	Elbow 30° 4" NPT male rigid x 6" Storz with lock with 6" Storz Cap/cable	\$928.00
H30E-60-45NH	Elbow 30° 4.5" NH female swivel rocker lug x 6" Storz with lock	\$765.00
H30E-60-50NH	Elbow 30° 5" NH female swivel rocker lug x 6" Storz with lock	\$762.00
H30E-60-60NH	Elbow 30° 6" NH female swivel rocker lug x 6" Storz with lock	\$802.00
H30E-60-60NPSH	Elbow 30° 6" NPSH female swivel rocker lug x 6" Storz with lock	\$802.00
H30E-60-60NPSH/CAP	Elbow 30° 6" NPSH female swivel rocker lug x 6" Storz with lock with 6" Storz Cap/cable	\$1,074.00
H30E-60-60NPTF	Elbow 30° 6" NPT female rigid x 6" Storz with lock	\$613.00
H30E-60-60NPTF/Cap	Elbow 30° 6" NPT female rigid x 6" Storz with lock with 6" Storz Cap/cable	\$885.00
H30E-60-60NPTM	Elbow 30° 6" NPT male rigid x 6" Storz with lock	\$613.00
H30E-60-60NPTM/Cap	Elbow 30° 6" NPT male rigid x 6" Storz with lock with 6" Storz Cap/cable	\$885.00
-	Elbow 30° 6" NH female swivel rocker lug x 6" NH male	\$720.00



Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



H30E - Storz x Female Swivel Long Handle

Short 30° elbow adapter; hard anodized and powder coated for corrosion resistance and protection

-	





	Elbow 30° - Storz x Female LH	H30E-LH	List
Ì	H30E-25-25NHLH	Elbow 30° 2.5" NH female swivel long handle x 2.5" Storz with lock	\$212.00
	H30E-25-30NHLH	Elbow 30° 3" NH female swivel long handle x 2.5" Storz with lock	\$392.00
	H30E-30-25NHLH	Elbow 30° 2.5" NH female swivel long handle x 3" Storz with lock	\$209.00
Ì	H30E-30-30NHLH	Elbow 30° 3" NH female swivel long handle x 3" Storz with lock	\$360.00
	H30E-40-25NHLH	Elbow 30° 2.5" NH female swivel long handle x 4" Storz with lock	\$438.00
9	H30E-40-25NPSHLH	Elbow 30° 2.5" NPSH female swivel long handle x 4" Storz with lock	\$438.00
	H30E-40-30NHLH	Elbow 30° 3" NH female swivel long handle x 4" Storz with lock	\$586.00
	H30E-40-35NHLH	Elbow 30° 3.5" NH female swivel long handle x 4" Storz with lock	\$533.00
	H30E-40-40NHLH	Elbow 30° 4" NH female swivel long handle x 4" Storz with lock	\$514.00
	H30E-40-45NHLH	Elbow 30° 4.5" NH female swivel long handle x 4" Storz with lock	\$519.00
	H30E-40-50NHLH	Elbow 30° 5" NH female swivel long handle x 4" Storz with lock	\$669.00
	H30E-40-60NHLH	Elbow 30° 6" NH female swivel long handle x 4" Storz with lock	\$672.00
	H30E-50-25NHLH	Elbow 30° 2.5" NH female swivel long handle x 5" Storz with lock	\$521.00
	H30E-50-25NHLH/ FTS	Elbow 30° 2.5" NH female swivel long handle x 5" Storz with lock full time swivel	\$794.00
	H30E-50-30NHLH	Elbow 30° 3" NH female swivel long handle x 5" Storz with lock	\$586.00
	H30E-50-30NHLH/ FTS	Elbow 30° 3" NH female swivel long handle x 5" Storz with lock full time swivel	\$859.00
	H30E-50-35NHLH	Elbow 30° 3.5" NH female swivel long handle x 5" Storz with lock	\$636.00
ĺ	H30E-50-35NHLH/ FTS	Elbow 30° 3.5" NH female swivel long handle x 5" Storz with lock full time swivel	\$909.00
	H30E-50-40NHLH	Elbow 30° 4" NH female swivel long handle x 5" Storz with lock	\$581.00
	H30E-50-40NHLH/ FTS	Elbow 30° 4" NH female swivel long handle x 5" Storz with lock full time swivel	\$854.00
	H30E-50-45NHLH	Elbow 30° 4.5" NH female swivel long handle x 5" Storz with lock	\$597.00
Š	H30E-50-45NHLH/ FTS	Elbow 30° 4.5" NH female swivel long handle x 5" Storz with lock full time swivel	\$869.00
	H30E-50-50NHLH	Elbow 30° 5" NH female swivel long handle x 5" Storz with lock	\$607.00
	H30E-50-50NHLH/ FTS	Elbow 30° 5" NH female swivel long handle x 5" Storz with lock full time swivel	\$880.00
	H30E-50-60NHLH	Elbow 30° 6" NH female swivel long handle x 5" Storz with lock	\$617.00
	H30E-50-60NHLH/ FTS	Elbow 30° 6" NH female swivel long handle x 5" Storz with lock full time swivel	\$889.00
	H30E-60-40NHLH	Elbow 30° 4" NH female swivel long handle x 6" Storz with lock	\$761.00
	H30E-60-45NHLH	Elbow 30° 4.5" NH female swivel long handle x 6" Storz with lock	\$775.00
	H30E-60-50NHLH	Elbow 30° 5" NH female swivel long handle x 6" Storz with lock	\$771.00
	H30E-60-60NHLH	Elbow 30° 6" NH female swivel long handle x 6" Storz with lock	\$802.00
	H30E-60NHM- 60NHLH	Elbow 30° 6" NH female swivel long handle x 6" NH male	\$720.00

H30E - Storz x Storz Swivel



7	Elbow 30° - Storz x Storz	H30E -Storz to Storz	List
,	H30E-40-40ST	Elbow 30° 4" Storz swivel with lock x 4" Storz rigid with lock	\$797.00
	H30E-50-50ST	Elbow 30° 5" Storz swivel with lock x 5" Storz rigid with lock	\$816.00

Storz Hydrant Adapters

HPHA - Storz Permanent Hydrant Adapters with Cap

Hydrant Storz adapters, with metal face, permanently changes main hydrant outlet from threads to Storz. Includes hard anodized adapter, metal face and cap with reflective stainless aircraft cable and stainless steel set screw to prevent unscrewing from the hydrant. Specify the hydrant thread size and Storz size.

1		
Hydrant Storz Program	HPHA / HIHS	List
HPHA40-40NH/Cap	Metal Face Storz Adapter 4" Storz x 4" NH Female with Storz Cap/cable Dark Anodized	\$480.00
HPHA40-40xxx/Cap	Metal Face Storz Adapter 4" Storz x 4" special thread Female with Storz Cap/cable Dark Anodized	\$518.00
HPHA40-45NH/Cap	Metal Face Storz Adapter 4" Storz x 4.5" NH Female with Storz Cap/cable Dark Anodized.	\$475.00
HPHA40-45xxx/Cap	Metal Face Storz Adapter 4" Storz x 4.5" special thread Female with Storz Cap/cable Dark Anodized	\$580.00
HPHA40-50NH/Cap	Metal Face Storz Adapter 4" Storz x 5" NH Female with Storz Cap/cable Dark Anodized	\$720.00
НРНА40-50-ххх /Сар	Metal Face Storz Adapter 4" Storz x 5" Special thread Female with Storz Cap/cable Dark Anodized	\$760.00
HPHA50-40NH/Cap	Metal Face Storz Adapter 5" Storz x 4" NH Female with Storz Cap/cable Dark Anodized	\$610.00
HPHA50-40xxx/Cap	Metal Face Storz Adapter 5" Storz x 4" special thread Female with Storz Cap/cable Dark Anodized	\$650.00
HPHA50-45NH/Cap	Metal Face Storz Adapter 5" Storz x 4.5" NH Female with Storz Cap/cable Dark Anodized.	\$600.00
HPHA50-45xxx/Cap	Metal Face Storz Adapter 5" Storz x 4.5" special thread Female with Storz Cap/cable Dark Anodized	\$650.00
HPHA50-50NH/Cap	Metal Face Storz Adapter 5" Storz x 5" NH Female with Storz Cap/cable Dark Anodized	\$725.00
HPHA50-50xxx/Cap	Metal Face Storz Adapter 5" Storz x 5" special thread Female with Storz Cap/cable Dark Anodized	\$980.00
Cable-RKIT	stainless steel cable for caps, reflective, 20" long with crimping connectors	\$10.00









Stainless steel reflective cable







HIHS Intergral Stoz	Metal Face Storz Nozzle for Integral conversion - Hydrant specific	
HIHS-AMLOK-40-45	4" Storz Intergral Hydrant Nozzle: 4 x Amlok nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-AMLOK-50-45	5" Storz Intergral Hydrant Nozzle: 5 x Amlok nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-CLOW-40-45	4" Storz Intergral Hydrant Nozzle: 4 x Clow nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-CLOW-50-45	5" Storz Intergral Hydrant Nozzle: 5 x Clow nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-EJIW-40-375	4" Storz Intergral Hydrant Nozzle: 4 x East Jordan 3.75" nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-EJIW-40-45	4" Storz Intergral Hydrant Nozzle: 4 x East Jordan 4.5" nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-EJIW-50-375	5" Storz Intergral Hydrant Nozzle: 5 x East Jordan 3.75" nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-EJIW-50-45	5" Storz Intergral Hydrant Nozzle: 5 x East Jordan 4.5" nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-KEN-40-45	4" Storz Intergral Hydrant Nozzle: 4 x Kennedy nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-KEN-50-45	5" Storz Intergral Hydrant Nozzle: 5 x Kennedy nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-M&H-40-45	4" Storz Intergral Hydrant Nozzle: 4 x M & H nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-M&H-50-45	5" Storz Intergral Hydrant Nozzle: 5 x M & H nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-MLR-40-45	4" Storz Intergral Hydrant Nozzle: 4 x Mueller nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-MLR-50-45	5" Storz Intergral Hydrant Nozzle: 5 x Mueller nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
HIHS-WAT-40-45	4" Storz Intergral Hydrant Nozzle: 4 x Waterous nozzle with Storz cap & reflective stainless steel aircraaft cable	\$850.00
HIHS-WAT-50-45	5" Storz Intergral Hydrant Nozzle: 5 x Waterous nozzle with Storz cap & reflective stainless steel aircraaft cable	\$960.00
Cable-RKIT	stainless steel cable for caps, reflective, 20" long with crimping connectors	\$10.00
HHSW-100	4"-5" Universal Hydrant Spanner	\$149.00







Stainless steel reflective cable

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Storz Straight Adapters

Harrington Inc., "Forged" Storz heads provide maximum strength. Harrington Storz are rated for a working pressure of 250 PSI. No hidden imperfections like those found in cast couplings. Hard coat anodizing to Military Specification, Type 3. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic. Available 2" to 6". All Storz couplings 4" and larger includes All Metal NFPA compliant lock.

HSFS - Storz x Female Swivel Rocker Lug

<u> HSFS - Storz</u>	x remaie Swivei Rocker Lug	
Storz x Female Swivel RL Adapters	HSFS-RL	List
HSFS15-15NH	Storz adapter 1.5" (38) x 1.5" NH female swivel rocker lug	\$122.00
HSFS15-25NH	Storz adapter 1.5" (38) x 2.5" NH female swivel rocker lug	\$139.00
HSFS20-15NH	Storz adapter 2" (52) x 1.5" NH female swivel rocker lug	\$113.00
HSFS25-15NH	Storz adapter 2.5" (65) x 1.5" NH female swivel rocker lug	\$161.00
HSFS25-15NPSH	Storz adapter 2.5" (65) x 1.5" NPSH female swivel rocker lug	\$161.00
HSFS25-25NH	Storz adapter 2.5" (65) x 2.5" NH female swivel rocker lug	\$163.00
HSFS25-25NPSH	Storz adapter 2.5" (65) x 2.5" NPSH female swivel rocker lug	\$163.00
HSFS25-25QST	Storz adapter 2.5" (65) x 2.5" QST female swivel rocker lug	\$163.00
HSFS25-30NH	Storz adapter 2.5" (65) x 3" NH female swivel rocker lug	\$233.00
HSFS25-30NPSH	Storz adapter 2.5" (65) x 3" NNPH female swivel rocker lug	\$233.00
HSFS30-25NH	Storz adapter 3" (75) x 2.5" NH female swivel rocker lug	\$157.00
HSFS30-25NPSH	Storz adapter 3" (75) x 2.5" NPSH female swivel rocker lug	\$157.00
HSFS30-30NH	Storz adapter 3" (75) x 3" NH female swivel rocker lug	\$196.00
HSFS30-30NPSH	Storz adapter 3" (75) x 3" NPSH female swivel rocker lug	\$196.00
HSFS40-25NH	Storz adapter 4" (100) with lock x 2.5" NH female swivel rocker lug anodized	\$324.00
HSFS40-25QST	Storz adapter 4" (100) with lock x 2.5" QST female swivel rocker lug anodized	\$324.00
HSFS40-30NH	Storz adapter 4" (100) with lock x 3" NH female swivel rocker lug anodized	\$387.00
HSFS40-30NPSH	Storz adapter 4" (100) with lock x 3" NPSH female swivel rocker lug anodized	\$387.00
HSFS40-35NH	Storz adapter 4" (100) with lock x 3.5" NH female swivel rocker lug anodized	\$357.00
HSFS40-35NPSH	Storz adapter 4" (100) with lock x 3.5" NPSH female swivel rocker lug anodized	\$357.00
HSFS40-40NH	Storz adapter 4" (100) with lock x 4" NH female swivel rocker lug anodized	\$439.00
HSFS40-40NPSH	Storz adapter 4" (100) with lock x 4" NPSH female swivel rocker lug anodized	\$439.00
HSFS40-45NH	Storz adapter 4" (100) with lock x 4.5" NH female swivel rocker lug anodized	\$431.00
HSFS40-45NPSH	Storz adapter 4" (100) with lock x 4.5" NPSH female swivel rocker lug anodized	\$431.00
HSFS40-50NH	Storz adapter 4" (100) with lock x 5" NH female swivel rocker lug anodized	\$492.00
HSFS40-50NPSH	Storz adapter 4" (100) with lock x 5" NPSH female swivel rocker lug anodized	\$492.00
HSFS40-60NH	Storz adapter 4" (100) with lock x 6" NH female swivel rocker lug anodized	\$574.00
HSFS40-60NPSH	Storz adapter 4" (100) with lock x 6" NPSH female swivel rocker lug anodized	\$574.00
HSFS50-25NH	Storz adapter 5" (125) with lock x 2.5" NH female swivel rocker lug anodized	\$396.00
HSFS50-25NH/FTS	Storz adapter 5" (125) with lock full time swivel x 2.5" NH female swivel rocker lug anodized	\$669.00
HSFS50-25NPSH	Storz adapter 5" (125) with lock x 2.5" NPSH female swivel rocker lug anodized	\$396.00
HSFS50-25QST	Storz adapter 5" (125) with lock x 2.5" QST female swivel rocker lug anodized	\$396.00
HSFS50-30NH	Storz adapter 5" (125) with lock x 3" NH female swivel rocker lug anodized	\$441.00
HSFS50-30NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3" NH female swivel rocker lug anodized	\$714.00
HSFS50-30NPSH	Storz adapter 5" (125) with lock x 3" NPSH female swivel rocker lug anodized	\$441.00
HSFS50-35NH	Storz adapter 5" (125) with lock x 3.5" NH female swivel rocker lug anodized	\$425.00
HSFS50-35NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3.5" NH female swivel rocker lug anodized	\$692.00
HSFS50-35NPSH	Storz adapter 5" (125) with lock x 3.5" NPSH female swivel rocker lug anodized	\$425.00
HSFS50-40NH	Storz adapter 5" (125) with lock x 4" NH female swivel rocker lug anodized	\$489.00
HSFS50-40NPSH	Storz adapter 5" (125) with lock x 4" NPSH female swivel rocker lug anodized	\$489.00













HSFS50-45NH	Storz adapter 5" (125) with lock x 4.5" NH female swivel rocker lug anodized	\$454.00
HSFS50-45NPSH	Storz adapter 5" (125) with lock x 4.5" NPSH female swivel rocker lug anodized	\$454.00
HSFS50-50NH	Storz adapter 5" (125) with lock x 5" NH female swivel rocker lug anodized	\$520.00
HSFS50-50NPSH	Storz adapter 5" (125) with lock x 5" NPSH female swivel rocker lug anodized	\$520.00
HSFS50-60NH	Storz adapter 5" (125) with lock x 6" NH female swivel rocker lug anodized	\$632.00
HSFS50-60NPSH	Storz adapter 5" (125) with lock x 6" NPSH female swivel rocker lug anodized	\$632.00
HSFS60-40NH	Storz adapter 6" (150) with lock x 4" NH female swivel rocker lug anodized	\$630.00
HSFS60-40NPSH	Storz adapter 6" (150) with lock x 4" NPSH female swivel rocker lug anodized	\$630.00
HSFS60-45NH	Storz adapter 6" (150) with lock x 4.5" NH female swivel rocker lug anodized	\$583.00
HSFS60-45NPSH	Storz adapter 6" (150) with lock x 4.5" NPSH female swivel rocker lug anodized	\$583.00
HSFS60-50NH	Storz adapter 6" (150) with lock x 5" NH female swivel rocker lug anodized	\$684.00
HSFS60-50NPSH	Storz adapter 6" (150) with lock x 5" NPSH female swivel rocker lug anodized	\$684.00
HSFS60-60NH	Storz adapter 6" (150) with lock x 6" NH female swivel rocker lug anodized	\$675.00
HSFS60-60NPSH	Storz adapter 6" (150) with lock x 6" NPSH female swivel rocker lug anodized	\$675.00

HSFS - Storz x Female Swivel Long Handle





Storz x Female Swivel LH Adapters	HSFS-LH	List
HSFS25-25NHLH	Storz adapter 2.5" (65) x 2.5" NH female swivel long handle	\$189.00
HSFS25-30NHLH	Storz adapter 2.5" (65) x 3" NH female swivel long handle	\$259.00
HSFS30-25NHLH	Storz adapter 3" (75) x 2.5" NH female swivel long handle	\$183.00
HSFS30-30NHLH	Storz adapter 3" (75) x 3" NH female swivel long handle	\$260.00
HSFS40-25NHLH	Storz adapter 4" (100) with lock x 2.5" NH female swivel long handle anodized	\$351.00
HSFS40-30NHLH	Storz adapter 4" (100) with lock x 3" NH female swivel long handle anodized	\$410.00
HSFS40-35NHLH	Storz adapter 4" (100) with lock x 3.5" NH female swivel long handle anodized	\$374.00
HSFS40-40NHLH	Storz adapter 4" (100) with lock x 4" NH female swivel long handle anodized	\$455.00
HSFS40-45NHLH	Storz adapter 4" (100) with lock x 4.5" NH female swivel long handle anodized	\$447.00
HSFS40-50NHLH	Storz adapter 4" (100) with lock x 5" NH female swivel long handle anodized	\$492.00
HSFS40-60NHLH	Storz adapter 4" (100) with lock x 6" NH female swivel long handle anodized	\$574.00
HSFS50-25NHLH	Storz adapter 5" (125) with lock x 2.5" NH female swivel long handle anodized	\$422.00
HSFS50-30NHLH	Storz adapter 5" (125) with lock x 3" NH female swivel long handle anodized	\$465.00
HSFS50-35NHLH	Storz adapter 5" (125) with lock x 3.5" NH female swivel long handle anodized	\$443.00
HSFS50-40NHLH	Storz adapter 5" (125) with lock x 4" NH female swivel long handle	\$504.00
HSFS50-45NHLH	Storz adapter 5" (125) with lock x 4.5" NH female swivel long handle anodized	\$469.00
HSFS50-50NHLH	Storz adapter 5" (125) with lock x 5" NH female swivel long handle anodized	\$520.00
HSFS50-60NHLH	Storz adapter 5" (125) with lock x 6" NH female swivel long handle anodized	\$632.00
HSFS60-40NHLH	Storz adapter 6" (150) with lock x 4" NH female swivel long handle anodized	\$644.00
HSFS60-45NHLH	Storz adapter 6" (150) with lock x 4.5" NH female swivel long handle anodized	\$599.00
HSFS60-50NHLH	Storz adapter 6" (150) with lock x 5" NH female swivel long handle anodized	\$684.00
HSFS60-60NHLH	Storz adapter 6" (150) with lock x 6" NH female swivel long handle anodized	\$675.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

HARRINGTON STORZ X NPT & 150# FLANGE

NPT



150# FLANGE



Straight Storz x Female

- RSFRHO 40NFO/Cap.
- HSFR40-68AFD/Day
- RSFRSO-40NFE/Cap.
- HSFRSO 60NFT/Cap.



Straight Storz x Male

- HSM840-40NPT /Cap
- RSMB40-6092T /Cap
- HSMR50-40NPT /Cap
- RSMRSO-60NFT /Cap



30° Storz x **Female**

- H306-40-4009/UCap
- #306-40-60MPT/Cap
- H308-50-408FT/Cup
- #306-50-600PT/Cap



30° Storz x Female Swivel

- MODE 40-40MPSH/Cap
- · NEXT 40-SOMPSHICUP
- FERRE SO 40MPS4 Cap
- · HOOK-SO-KOMPSHICAD

Straight Flange x Male



- "Class 150" FLANGE 47.5° on 67.
- Raised Face or Hat Face
- Flange has new improved. primer & paint process - red

Straight Storz x Flange



- "Class 150" FLANCE 47.5" (65)
- Raised face or Flat flace
- Flamps has now improved. primer & paint process - red

30° Storz x Flange

STORE 4", 5" or 6"

"Class 150" FLANGE

- 47.5" and"
- Raised Face or Flat Face.
- Range has new. improved primer & paint avocess - red as black





2630 West 21st Street, Erie, PA 16506 800,553,0078

info@harrinc.com - hydrantstorz.com





ISFR - Storz	x Female Rigid	П
Storz x Female Rigid Adapters	HSFR	List
HSFR10-10NH	Storz adapter 1" (25) x 1" NH female rigid	\$88.00
HSFR10-10NPSH	Storz adapter 1" (25) x 1" NPSH female rigid	\$88.00
HSFR10-10NPT	Storz adapter 1" (25) x 1" NPT female rigid	\$111.00
HSFR15-10NH	Storz adapter 1.5" (38) x 1" NH female rigid	\$93.00
HSFR15-10NPT	Storz adapter 1.5" (38) x 1" NPT female rigid	\$111.00
HSFR15-15NH	Storz adapter 1.5" (38) x 1.5" NH female rigid	\$96.00
HSFR15-15NPSH	Storz adapter 1.5" (38) x 1.5" NPSH female rigid	\$96.00
HSFR15-15NPT	Storz adapter 1.5" (38) x 1.5" NPT female rigid	\$119.00
HSFR15-20NPT	Storz adapter 1.5" (38) x 2" NPT female rigid	\$183.00
HSFR15-25NH	Storz adapter 1.5" (38) x 2.5" NH female rigid	\$159.00
HSFR15-25NPT	Storz adapter 1.5" (38) x 2.5" NPT female rigid	\$181.00
HSFR20-15NH	Storz adapter 2" (52) x 1.5" NH female rigid	\$104.00
HSFR20-15NPSH	Storz adapter 2" (52) x 1.5" NPSH female rigid	\$104.00
HSFR20-15NPT	Storz adapter 2" (52) x 1.5" NPT female rigid	\$127.00
HSFR20-20NPT	Storz adapter 2" (52) x 2" NPT female rigid	\$129.00
HSFR25-15NH	Storz adapter 2.5" (65) x 1.5" NH female rigid	\$114.00
HSFR25-15NPSH	Storz adapter 2.5" (65) x 1.5" NPSH female rigid	\$114.00
HSFR25-15NPT	Storz adapter 2.5" (65) x 1.5" NPT female rigid	\$149.00
HSFR25-20NPT	Storz adapter 2.5" (65) x 2" NPT female rigid	\$163.00
HSFR25-25BIF	Storz adapter 2.5" (65) x 2.5" BI female	\$178.00
HSFR25-25NH	Storz adapter 2.5" (65) x 2.5" NH female rigid	\$111.00
HSFR25-25NPSH	Storz adapter 2.5" (65) x 2.5" NPSH female rigid	\$111.00
HSFR25-25NPT	Storz adapter 2.5" (65) x 2.5" NPT female rigid	\$151.00
HSFR25-25QST	Storz adapter 2.5" (65) x 2.5" QST female rigid	\$111.00
HSFR25-30NH	Storz adapter 2.5" (65) x 3" NH female rigid	\$105.00
HSFR25-30NPSH	Storz adapter 2.5" (65) x 3" NPSH female rigid	\$105.00
HSFR25-30NPT	Storz adapter 2.5" (65) x 3" NPT female rigid	\$163.00
HSFR30-15NH	Storz adapter 3" (75) x 1.5" NH female rigid	\$94.00
HSFR30-15NPSH	Storz adapter 3" (75) x 1.5" NPSH female rigid	\$94.00
HSFR30-20NH	Storz adapter 3" (75) x 2" NH female rigid	\$120.00
	Storz adapter 3" (75) x 2" NPSH female rigid	\$120.00
HSFR30-20NPSH HSFR30-20NPT	Storz adapter 3" (75) x 2" NPT female rigid	\$161.00
HSFR30-25NH		
HSFR30-25NPSH	Storz adapter 3" (75) x 2.5" NH female rigid	\$107.00 \$107.00
	Storz adapter 3" (75) x 2.5" NPSH female rigid	
HSFR30-25NPT	Storz adapter 3" (75) x 2.5" NPT female rigid	\$121.00
HSFR30-25QST	Storz adapter 3" (75) x 2.5" QST female rigid	\$107.00
HSFR30-30NH	Storz adapter 3" (75) x 3" NH female rigid	\$98.00
HSFR30-30NPSH	Storz adapter 3" (75) x 3" NPSH female rigid	\$98.00
HSFR30-30NPT	Storz adapter 3" (75) x 3" NPT female rigid	\$158.00
HSFR40-25BIF	Storz adapter 4" (100) with lock x 2.5" BI female anodized	\$351.00
HSFR40-25NH	Low Profile Storz adapter 4" (100) with lock x 2.5" NH female rigid anodized	\$270.00
HSFR40-25NPT	Low Profile Storz adapter 4" (100) with lock x 2.5" NPT female rigid anodized	\$268.00
HSFR40-25QST	Low Profile Storz adapter 4" (100) with lock x 2.5" QST female rigid anodized	\$270.00
HSFR40-30NH	Low Profile Storz adapter 4" (100) with lock x 3" NH female rigid anodized	\$271.00
HSFR40-30NPSH	Low Profile Storz adapter 4" (100) with lock x 3" NPSH female rigid anodized	\$271.00







VIGED 10 25 W		0001.00
HSFR40-35NH	Storz adapter 4" (100) with lock x 3.5" NH female rigid anodized	\$281.00
HSFR40-35NPSH	Storz adapter 4" (100) with lock x 3.5" NPSH female rigid anodized	\$281.00
HSFR40-40NH	Storz adapter 4" (100) with lock x 4" NH female rigid anodized	\$329.00
HSFR40-40NPSH	Storz adapter 4" (100) with lock x 4" NPSH female rigid anodized	\$329.00
HSFR40-40NPT	Storz adapter 4" (100) with lock x 4" NPT female rigid anodized	\$180.00
HSFR40-40NPT/Cap	Storz adapter 4" (100) with lock x 4" NPT female rigid anodized with 4" Storz Cap/cable	\$326.00
HSFR40-45NH	Storz adapter 4" (100) with lock x 4.5" NH female rigid anodized	\$409.00
HSFR40-45NPSH	Storz adapter 4" (100) with lock x 4.5" NPSH female rigid anodized	\$409.00
HSFR40-50NH	Storz adapter 4" (100) with lock x 5" NH female rigid anodized	\$342.00
HSFR40-50NPT	Storz adapter 4" (100) with lock x 5" NPT female rigid anodized	\$378.00
HSFR40-60NH	Storz adapter 4" (100) with lock x 6" NH female rigid rocker lug	\$466.00
HSFR40-60NPSH	Storz adapter 4" (100) with lock x 6" NPSH female rigid rocker lug	\$466.00
HSFR40-60NPT	Storz adapter 4" (100) with lock x 6" NPT female rigid rocker lug	\$486.00
HSFR40-60NPT/Cap	Storz adapter 4" (100) with lock x 6" NPT female rigid anodized with 4" Storz Cap/cable	\$632.00
HSFR45-40NH (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NH female rigid rocker lug	\$310.00
HSFR45-40NPSH (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPSH female rigid rocker lug	\$310.00
HSFR45-40NPT (Storz 110)	Storz adapter 4.5" (110) with lock x 4" NPT female rigid rocker lug	\$333.00
HSFR45-45NH (Storz 110)	Storz adapter 4.5" (110) with lock x 4.5" NH female rigid rocker lug	\$368.00
HSFR45-50NH (Storz 110)	Storz adapter 4.5" (110) with lock x 5" NH female rigid rocker lug	\$323.00
HSFR45-60NH (Storz 110)	Storz adapter 4.5" (110) with lock x 6" NH female rigid rocker lug	\$432.00
HSFR50-25NH	Low Profile Storz adapter 5" (125) with lock x 2.5" NH female rigid anodized	\$336.00
HSFR50-25NH/FTS	Storz adapter 5" (125) with lock full time swivel x 2.5" NH female rigid anodized	\$609.00
HSFR50-25NPSH	Storz adapter 5" (125) with lock full time swivel x 2.5" NPSH female rigid anodized	\$336.00
HSFR50-25NPT	Low Profile Storz adapter 5" (125) with lock x 2.5" NPT female rigid anodized	\$343.00
HSFR50-25QST	Low Profile Storz adapter 5" (125) with lock x 2.5" QST female rigid anodized	\$336.00
HSFR50-30NH	Low Profile Storz adapter 5" (125) with lock x 3" NH female rigid anodized	\$326.00
HSFR50-30NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3" NH female rigid anodized	\$599.00
HSFR50-30NPSH	Storz adapter 5" (125) with lock x 3" NPSH female rigid anodized	\$326.00
HSFR50-30NPT	Low Profile Storz adapter 5" (125) with lock x 3" NPT female rigid anodized	\$344.00
HSFR50-35NH	Storz adapter 5" (125) with lock x 3.5" NH female rigid anodized	\$367.00
HSFR50-35NH/FTS	Storz adapter 5" (125) with lock full time swivel x 3.5" NH female rigid anodized	\$639.00
HSFR50-35NPSH	Storz adapter 5" (125) with lock x 3.5" NPSH female rigid anodized	\$367.00
HSFR50-40NH	Storz adapter 5" (125) with lock x 4" NH female rigid anodized	\$395.00
HSFR50-40NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4" NH female rigid anodized	\$668.00
HSFR50-40NPSH	Storz adapter 5" (125) with lock x 4" NPSH female rigid anodized	\$395.00
HSFR50-40NPT	Storz adapter 5" (125) with lock x 4" NPT female rigid anodized	\$418.00
HSFR50-40NPT/Cap	Storz adapter 5" (125) with lock x 4" NPT female rigid anodized with 5" Storz Cap/cable	\$587.00
HSFR50-40NPT/FTS	Storz adapter 5" (125) with lock full time swivel x 4" NPT female rigid anodized	\$660.00
HSFR50-40NPT/SAS	Storz adapter 5" (125) with lock x 4" NPT/SAS female rigid anodized	\$486.00
HSFR50-45NH	Storz adapter 5" (125) with lock x 4.5" NH female rigid anodized	\$399.00
HSFR50-45NH/FTS	Storz adapter 5" (125) with lock full time swivel x 4.5" NH female rigid anodized	\$672.00
	Storz adapter 5" (125) with lock x 4.5" NPSH female rigid anodized	\$399.00
HSFR50-45NPSH	Storz adapter 5 (125) with rock x 4.5 Thi Sir remaic rigid anodized	







Low Profile



Low Profile Storz adapter 4" (100) with lock x 3" NPT female rigid anodized

HSFR40-30NPT





Storz adapter 5" (125) with lock x 5" NH female rigid anodized

Storz adapter 5" (125) with lock full time swivel x 5" NH female rigid anodized

\$416.00

\$689.00

\$416.00

\$437.00

\$606.00

\$547.00

\$820.00

\$547.00

\$460.00

\$629.00

\$575.00

\$575.00

\$476.00

\$579.00

\$596.00

\$596.00

\$601.00

\$496.00

\$496.00

\$520.00

\$792.00

\$36.00

\$62.00

\$68.00

\$72.00





HSLA-RED

HSAS-40

HSAS-50

HSAS-60

HSFR50-50NH

HSFR50-50NH/FTS



HSMR	List
	11
Storz adapter 1.5" (38) x 1.5" NH male rigid	\$90.00
Storz adapter 1.5" (38) x 1.5" NPSH male rigid	\$90.00
Storz adapter 1.5" (38) x 1.5" NPT male rigid	\$112.00
Storz adapter 1.5" (38) x 2.5" NH male rigid	\$104.00
Storz adapter 1.5" (38) x 2.5" NPT male rigid	\$126.00
Storz adapter 2" (52) x 1.5" NH male	\$87.00
Storz adapter 2" (52) x 1.5" NPSH male	\$87.00
Storz adapter 2" (52) x 1.5" NPT male	\$110.00
Storz adapter 2" (52) x 2" BSP male	\$86.00
Storz adapter 2" (52) x 2.5" NH male	\$98.00
Storz adapter 2.5" (65) x 1.5" NH male	\$122.00
Storz adapter 2.5" (65) x 2.5" NH male	\$100.00
Storz adapter 2.5" (65) x 2.5" NPT male	\$123.00
Storz adapter 2.5" (65) x 2.5" QST male	\$100.00
Storz adapter 2.5" (65) x 3" NH male	\$161.00
	Storz adapter 1.5" (38) x 1.5" NPSH male rigid Storz adapter 1.5" (38) x 1.5" NPT male rigid Storz adapter 1.5" (38) x 2.5" NH male rigid Storz adapter 1.5" (38) x 2.5" NPT male rigid Storz adapter 2" (52) x 1.5" NPSH male Storz adapter 2" (52) x 1.5" NPSH male Storz adapter 2" (52) x 1.5" NPT male Storz adapter 2" (52) x 2.5" NPT male Storz adapter 2" (52) x 2.5" NH male Storz adapter 2" (52) x 2.5" NH male Storz adapter 2.5" (65) x 1.5" NH male Storz adapter 2.5" (65) x 2.5" NH male Storz adapter 2.5" (65) x 2.5" NPT male Storz adapter 2.5" (65) x 2.5" NPT male

Storz Lock Assembly Kit for 4", 5" and 6" Storz


Stainless steel screen for 4" Storz

Stainless steel screen for 5" Storz

Stainless steel screen for 6" Storz

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.





^{• 1&}quot;to 6" = \$15.00 net, each















Flange Storz Adapters

Harrington Inc, Flange adapters are available in straight and 30 degree elbow Storz forgings. All adapters are hard coat anodized for corrosion resistance. Carbon steel flange is stripped and cleaned of any manufacturing oils or dirt providing a good base for primer adhesion. A Zinc rich primer coat is applied that seals the entire carbon steel flange. A powder coat finish is then applied to the flange - red or black

The primer and top coat include the entire flange and is applied red flange to storz after threads have been cut. These adapters are available with Flat Face or Raised Face Flanges ideal for use in Fixed facilities, pump connections, or other permanent mounting for years of continued service.

HFL-Flange x Storz Adapters

HFL-RF-606030E/Cap

III L I lunge A	Storz Adapters	
150# Flange x Storz Adapters Flat Face	HFL	List
HFL-FF-30-25ST/Cap	3" flat face 150# flange x Storz adapter 2.5" (65) with 2.5" Storz Cap	\$400.00
HFL-FF-30-30ST/Cap	3" flat face 150# flange x Storz adapter 3" (76) with 3" Storz Cap	\$407.00
HFL-FF-40-40ST/Cap	4" flat face 150# flange x Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$552.00
HFL-FF-404030E/Cap	4" flat face 150# flange x Elbow 30° Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$747.00
HFL-FF-40-50ST/Cap	4" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$739.00
HFL-FF-405030E/Cap	4" flat face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$864.00
HFL-FF-50-50ST/Cap	5" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$953.00
HFL-FF-60-50ST/Cap	6" flat face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$950.00
HFL-FF-605030E/Cap	6" flat face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$1,009.00
HFL-FF-60-60ST/Cap	6" flat face 150# flange x Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$922.00
HFL-FF-606030E/Cap	6" flat face 150# flange x Elbow 30° Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$1,237.00

150# Flange x Storz Adapters Raised Face		
HFL-RF-40-40ST/Cap	4" raised face 150# flange x Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$576.00
HFL-RF-404030E/Cap	4" raised face 150# flange x Elbow 30° Storz adapter 4" (100) with lock with 4" Storz Cap/cable	\$777.00
HFL-RF-40-50ST/Cap	4" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$732.00
HFL-RF-405030E/Cap	4" raised face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$857.00
HFL-RF-50-50ST/Cap	5" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$953.00
HFL-RF-60-50ST/Cap	6" raised face 150# flange x Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$948.00
HFL-RF-605030E/Cap	6" raised face 150# flange x Elbow 30° Storz adapter 5" (125) with lock with 5" Storz Cap/cable	\$1,005.00
HFL-RF-60-60ST/Cap	6" raised face 150# flange x Storz adapter 6" (150) with lock with 6" Storz Cap/cable	\$921.00
HEL_RE_606030E/Can	6" raised face 150# flange x Elbow 30° Storz adapter 6" (150) with lock with 6" Storz	\$1 233 00





\$1,233.00











Flange NH Male Adapters

Harrington Inc, Flange adapters are available in straight and 30 degree elbow NH Male & Female fittings. All adapters are hard coat anodized for corrosion resistance. Carbon steel flange is stripped and cleaned of any manufacturing oils or dirt providing a good base for primer adhesion. A Zinc rich primer coat is applied that seals the entire carbon steel flange. A powder coat finish is then applied to the flange - red or black

The primer and top coat include the entire flange and is applied red flange to storz after threads have been cut. These adapters are available with Flat Face or Raised Face Flanges ideal for use in Fixed facilities, pump connections, or other permanent mounting for years of continued service.

Threaded Flange Adapters

Threaded 150# flanges Flat Face	Description	List
HFL-FF-40-45NHM	4" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$434.00
HFL-FF-60-45NHM	6" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$677.00
HFL-FF-60-60NHM	6" flat face 150# carbon steel flange x anodized aluminum 6" NH Male	\$621.00
HFL-FF-40-45NHFS	4" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$600.00
HFL-FF-60-45NHFS	6" flat face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$710.00
HFL-FF-60-60NHFS	6" flat face 150# carbon steel flange x anodized aluminum 6" NH Female swivel rocker lug	\$567.00
Threaded 150# flanges Raised Face		
HFL-RF-40-45NHM	4" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$645.00
HFL-RF-60-45NHM	6" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Male	\$864.00
HFL-RF-60-60NHM	6" raised face 150# carbon steel flange x anodized aluminum 6" NH Male	\$619.00
HFL-RF-40-45NHFS	4" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$467.00
HFL-RF-60-45NHFS	6" raised face 150# carbon steel flange x anodized aluminum 4.5" NH Female swivel rocker lug	\$799.00
HFL-RF-60-60NHFS	6" raised face 150# carbon steel flange x anodized aluminum 6" NH Female swivel rocker lug	\$566.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.


Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each



HSTS - Storz x Storz

Storz-To-Storz Adapters	HSTS	List
HSTS15-10R	Storz x Storz adapter 1.5"(38) x 1" (25) rigid	\$138.00
HSTS20-15R	Storz x Storz adapter 2" (52) x 1.5" (38) rigid	\$135.00
HSTS25-10R	Storz x Storz adapter 2.5" 65) x 1" (25) rigid	\$266.00
HSTS25-15R	Storz x Storz adapter 2.5" (65) x 1.5" (38) rigid	\$161.00
HSTS25-20R	Storz x Storz adapter 2.5" (65) x 2" (52) rigid	\$145.00
HSTS30-20R	Storz x Storz adapter 3" (75) x 2" (52) rigid	\$140.00
HSTS30-25R	Storz x Storz adapter 3" (75) x 2.5" (65) rigid	\$127.00
HSTS40-25R	Storz x Storz adapter 4" (100) x 2.5" (65) rigid	\$299.00
HSTS40-30R	Storz x Storz adapter 4" (100) x 3" (75) rigid	\$294.00
HSTS40-40/SAS	Storz x Storz adapter 4" (100) x 4" (100) with Storz adapter screen	\$518.00
HSTS45-25R (Storz 110)	Storz x Storz adapter 4.5" (110) x 2.5" (65) rigid	\$280.00
HSTS45-30R (Storz 110)	Storz x Storz adapter 4.5" (110) x 3" (75) rigid	\$275.00
HSTS45-40R (Storz 110)	Storz x Storz adapter 4.5" (110) x 4" (100) rigid	\$437.00
HSTS50-25R	Storz x Storz adapter 5" (125) x 2.5" (65) rigid	\$390.00
HSTS50-30R	Storz x Storz adapter 5" (125) x 3" (75) rigid	\$385.00
HSTS50-40R	Storz x Storz adapter 5" (125) x 4" (100) rigid	\$512.00
HSTS50-40/FTS	Storz x Storz adapter 5" (125) x 4" (100) full time swivel	\$785.00
HSTS50-45R (Storz 110)	Storz x Storz adapter 5" (125) x 4.5" (110) rigid	\$493.00
HSTS50-50/SAS	Storz x Storz adapter 5" (125) x 5" (125) rigid with Storz adapter screen	\$696.00
HSTS50-50/FTS	Storz x Storz adapter 5" (125) x 5" (100) full time swivel	\$901.00
HSTS60-25R	Storz x Storz adapter 6" (150) x 2.5" (65) rigid	\$517.00
HSTS60-30R	Storz x Storz adapter 6" (150) x 3" (75) rigid	\$512.00
HSTS60-40R	Storz x Storz adapter 6" (150) x 4" (100) rigid	\$605.00
HSTS60-45R (Storz 110)	Storz x Storz adapter 6" (150) x 4.5" (110) rigid	\$586.00
HSTS60-50R	Storz x Storz adapter 6" (150) x 5" (125) rigid	\$693.00
HSTS60-50/FTS	Storz x Storz adapter 6" (125) x 5" (100) full time swivel	\$966.00
HSTS60-60/SAS	Storz x Storz adapter 6" (150) x 6" (150) rigid with Storz adapter screen	\$827.00
HSTS80-60R	Storz x Storz adapter 8" (203) x 6" (150) rigid	\$3,137.00



IIDI'IN - Stull A	T Chiaic BSI	
Storz x BSP female adapters	HSFR-BSP	List
HSFR10-050BSP1	Storz adapter 1" (25) x 0.5" BSP female rigid	\$41.00
HSFR10-10BSP1	Storz adapter 1" (25) x 1" BSP female	\$31.00
HSFR15-15BSP1	Storz adapter 1.5" (38) x 1.5" BSP female	\$47.00
HSFR15-15BSPB	Storz adapter 1.5" (38) x 1.5" BSP female rigid	\$103.00
HSFR15-20BSP1	Storz adapter 1.5" (38) x 2" BSP1 female rigid	\$92.00
HSFR20-15BSP1	Storz adapter 2" (52) x 1.5" BSP female	\$55.00
HSFR20-20BSP1	Storz adapter 2" (52) x 2" BSP female	\$39.00
HSFR25-15BSP1	Storz adapter 2.5" (65) x 1.5" BSP female rigid	\$96.00
HSFR25-20BSP1	Storz adapter 2.5" (65) x 2" BSP female	\$51.00
HSFR25-25BSP1	Storz adapter 2.5" (65) x 2.5" BSP female	\$50.00
HSFR25-30BSP	Storz adapter 2.5" (65) x 3" BSP female rigid	\$136.00
HSFR30-20BSP1	Storz adapter 3" (75) x 2" BSP female	\$65.00
HSFR30-25BSP	Storz adapter 3" (75) x 2.5" BSP female rigid	\$44.00
HSFR30-25BSP1 = DIN 14 308	Storz adapter 3" (75) x 2.5" BSP1 (DIN 14 308) female rigid	\$44.00







HSFR30-30BSP1	Storz adapter 3" (75) x 3" BSP female	\$50.00
HSFR30-30BSP/SL	Storz adapter 3" (75) x 2.5" BSP1/SL female rigid	\$137.00
HSFR40-25BSP	Low Profile Storz adapter 4" (100) with lock x 2.5" BSP female rigid anodized	\$300.00
HSFR40-40BSP4N	Storz adapter 4" (100) with lock x 4" BSP female Anodized	\$190.00
HSFR40-50BSP/SL	Storz adapter 4" (100) with lock x 5" BSP female Anodized	\$303.00
HSFR40-60BSP/SL	Storz adapter 4" (100) with lock x 6" BSP female Anodized	\$392.00
HSFR45-40BSP/SL	Storz adapter 4.5" (110) with lock x 4" BSP female	\$170.00
HSFR45-50BSP/SL (Storz 110)	Storz adapter 4.5" (110) with lock x 5" BSP/SL female rigid rocker lug	\$313.00
HSFR50-40BSP/SL	Storz adapter 5" (125) with lock x 4" BSP female Anodized (Harrington)	\$321.00
HSFR50-40BSP/FTS	Storz adapter 5" (125) with lock full time swivel x 4" BSP female rigid anodized	\$597.00
HSFR50-50BSP5N	Storz adapter 5" (125) with lock x 5" BSP female Anodized (Harrington)	\$258.00
HSFR50-60BSP/SL	Storz adapter 5" (125) with lock x 6" BSP female Anodized (Harrington)	\$418.00
HSFR60-40BSP/SL	Storz adapter 6" (150) with lock x 4" BSP female (3) lugs Anodized	\$397.00
HSFR60-50BSP/SL	Storz adapter 6" (150) with lock x 5" BSP female (3) lugs Anodized	\$460.00
HSFR60-60BSP6F	Storz adapter 6" (150) with lock x 6" BSP female (3) lugs Anodized	\$297.00
HSFR80-80BSP8-US	Storz adapter 8" (205) with lock x 8" BSP female (3) lugs Anodized	CALL
HSFR100-100BSP-US	Storz adapter 10" (250) with lock x 10" BSP female (3) lugs Anodized	CALL
HSFR120-120BSP-US	Storz adapter 12" (305) with lock x 12" BSP female (3) lugs Anodized	CALL
HFTS50-40BSP/SL	Storz adapter 5" (125) with lock and full time swivel x 4" BSP female Anodized (Harrington)	\$566.00
HFTS50-50BSP/SL	Storz adapter 5" (125) with lock and full time swivel x 5" BSP female Anodized (Harrington)	\$480.00

Storz Accessories

HSAS - Storz Adapter Screens




HSAS - Storz Adapter Screens		
Storz Adapter Screens	HSAS	List
HSAS-40	Stainless steel screen for 4" Storz	\$62.00
HSAS-50	Stainless steel screen for 5" Storz	\$68.00
HSAS-60	Stainless steel screen for 6" Storz	\$72.00





HBC - Storz Blind Caps

	1	
Storz Blind Caps	HBC	List
HBC-10	Storz blind cap 1" (25) with chain	\$33.00
HBC-15	Storz blind cap 1.5" (38) with chain	\$48.00
HBC-20	Storz blind cap 2" (52) with chain	\$38.00
HBC-25	Storz blind cap 2.5" (65) with chain	\$42.00
HBC-30	Storz blind cap 3" (75) with chain	\$51.00
HBC-40	Storz blind cap 4" (100) with chain Anodized (AWG)	\$146.00
HBC-40-PC	Storz Blind cap 4" (100) with bleeder petcock	\$307.00
HBC-40-US	Storz blind cap 4" (100) with cable clear anodized (short) (USA)	\$198.00
HBC-40D-US	Storz blind cap 4" (100) with cable dark anodized (short) (USA)	\$203.00
HBC-45	Storz blind cap 4.5" (110) with chain	\$153.00
HBC-50	Storz blind cap 5" (125) with chain Anodized (AWG)	\$169.00
HBC-50-PC	Storz Blind cap 5" (125) with bleeder petcock	\$375.00





hard coat anodizing to Military Specification, Type 3.

HTPB-US - 3 Lug Storz Couplings

Domestic 3 Lug Storz couplings machined from a single piece for extruded 6061-T6 aluminum from right here in the U.S.A. Come with two 3-part 2 bolt segment bindings Utilizes recessed nut and bolt design to eliminate stripping of segments. Shanks are hard coat anodized to Military specification Type 3. Segment collars are not anodized, but can be anodized for extra cost. **Working pressures up to 250 psi.**

HTPB-US - 3 Lug Storz Couplings.	HTPB 2-bolt sets	List
HTPB-80SET-2BX-US	Storz hose coupling 8" (205) with lock and 2 bolt, 3-segment binding (set of two)	call
HTPB-100SET-2BX-US	Storz hose coupling 10" (250) with lock and 2 bolt, 3-segment binding (set of two)	call
HTPB-120SET-2BX-US	Storz hose coupling 12" (305) with lock and 2 bolt, 3-segment binding (set of two)	call
Pry Bars	6061-T6 aluminum, 7/8" diameter, 18" Long assist wrench(set of two)	\$115.00

HVC - Harrington "V-Groove" Shank Couplings

"V-Groove" couplings for quick and secure attachment for 8" and 10" hose. Made #6061-T anodized aluminum, "V-Groove" coupling collars are tapered for anti-snag. "V-Groove" design accepts existing Groove couplings. Segments are secured with 2 sets of nuts and bolts to assure there are no stripped segments. Shanks are hard coat anodized to Military specification Type 3. Segment collars are not anodized, but can be anodized for extra cost. Made in the U.S.A. Optional hose sleeve available for easy coupling alignment.

Working pressure -200 psi

"V-Groove" Coupling Sets	HVC	List
HVC-80SET-2BX-US	"V-Groove" hose coupling 8" anodized shank with 2-Bolt, 3 part segment binding (two ends)	call
HVC-100SET-2BX- US	"V-Groove" hose coupling 10" anodized shank with 2-Bolt, 3 part segment binding (two ends)	call
HVC-120SET-2BX- US	"V-Groove" Hose coupling 12" anodized shank with 2-Bolt, 3 part segment binding(two ends)	call

HVC-80CS	8" anodized connecting sleeve for "V-Groove" couplings	call
HVC-100CS	10" anodized connecting sleeve for "V-Groove" couplings	call
HVC-120CS	12" anodized connecting sleeve for "V-Groove" couplings	call

British Instantaneous Fittings

HBI	Full range of British Instantaneous Fittings	call









HMLC - MultiLug Coupling with three part binding.

Set includes two hose couplings with three part segment bindings. A key feature is it only requires 1/4" to lock lugs in place. Couplings are cast aluminum then fine machined. East to assemble/disassemble onto LDH hose using an Allen wrench. Utilizes recessed nut and bolt design to eliminate stripping of the segments. A total of 12 lugs with spring loaded locks assures coupling remain attached.

Working pressures to 240 psi.

,		
Multilug	Couplings, Adapters & Caps	List
HMLC-100SET	MultiLug hose coupling 10" pressure use hard anodized including segment bindings (set of two)	call
HMLC-120SET	MultiLug hose coupling 12" pressure use hard anodized including segment bindings (set of two)	call

HMLA - MultiLug Adapters and Caps

MultiLug Adapters are easy to assemble and include spring loaded locks for 10" and 12" connections. BSP threads allow for attaching to various coupling options and adapters

Adapters MultiLug x BSP Female



Transfer 5 Trans	in ag a bot i emaic	
HMLA100-100BSPF	Multilug adapter 10" x 10" BSP female	call
HMLA120-120BSPF	Multilug adapter 12" x 12" BSP female	call
HMLBC-100	Multilug Blind Cap 10"	call
HMLBC-120	Multilug Blind Cap 12"	call

Mounting Brackets

HSMB - Storz Mounting Brackets

Storz mounting brackets for secure mounting of Storz appliances and adapters. Available in sizes 1.5" to 5" with quick quarter turn design.



Storz Mounting Brackets	HSMB	List
HSMB-15-25	Storz mounting bracket 1.5" (38) and 2.5" (65)	\$84.00
HSMB-20-30	Storz mounting bracket 2" (52) and 3" (75) POM gray	\$20.00
HSMB-40	Storz mounting bracket 4" (100)	\$68.00
HSMB-50	Storz mounting bracket 5" (125)	\$87.00
HSMB-50-45	Storz mounting bracket for Storz 110 POM gray	\$25.00
HSMB-60	Storz mounting bracket 6" (150)	\$89.00

HPM - Post Mount for Manifolds and Hydrant Valves

Mount your high quality Harrington Inc. valve or manifold to your apparatus where it can be access quickly, easily and safely with this nost mount



HPM - Post Mount for Manifolds and Hydrant Valves		
HPM-HV	Post mount for H700 Hydrant Valves	\$338.00
HPM-M	Post mount for H301 and H400 Manifolds	\$338.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Harrington Inc. 2630 West 21st Street, Erie, PA USA 16506-2908 phone 800.553.0078 fax 814.838.7339 Info@harrinc.com

HTMB - Threaded Mounting Brackets

Harrington Threaded Mounting Brackets give you a way to secure your threaded adapters. Available for male and female NH threaded adapters from sizes of 1" up to 6".

			_
Threaded Mounting Brackets	НТМВ	List	
Male NH threads			
HTMB-10NHM	1" NH Male	\$58.00	1
HTMB-15NHM	1.5" NH Male	\$58.00	
HTMB-20NHM	2" NH Male	\$62.00]
HTMB-25NHM	2.5" NH Male	\$62.00	
HTMB-30NHM	3" NH Male	\$137.00	1
HTMB-35NHM	3.5" NH Male	\$157.00	
HTMB-40NHM	4" NH Male	\$177.00	1
HTMB-45NHM	4.5" NH Male	\$198.00	
HTMB-50NHM	5" NH Male	\$212.00	1
HTMB-60NHM	6" NH Male	\$235.00	
Female NH Threads			1
HTMB-10NHFS	1" NH Female	\$82.00	
HTMB-15NHFS	1.5" NH Female	\$82.00	1
HTMB-20NHFS	2" NH Female	\$82.00	
HTMB-25NHFS	2.5" NH Female	\$89.00	1
HTMB-30NHFS	3" NH Female	\$201.00	1
HTMB-35NHFS	3.5" NH Female	\$235.00	1
HTMB-40NHFS	4" NH Female	\$262.00	
HTMB-45NHFS	4.5" NH Female	\$276.00	1
HTMB-50NHFS	5" NH Female	\$293.00	
HTMB-60NHFS	6" NH Female	\$317.00	







Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.



^{• 1&}quot;to 6" = \$15.00 net, each

HSSW - Spanner Wrenches

Spanner wrenches for easy disconnecting/connecting of Storz couplings. Wrench has a long handle for added leverage, light weight material. Specify the wrench for size of couplings.

	Spanner Wrenches	HSSW & HHSW	List					
1	HHSW-100	4"-5" Universal Hydrant Spanner	\$149.00					
2	HSSW-101	2.5"-5" Single end spanner	\$54.00					
3	HSSW-15-25	1.5"-2.5" Single end spanner	\$47.00					
4	HSSW-20-30	2", 2.5", 3" Single end spanner	\$39.00					
5	HSSW-201	(2) HSSW-101 spanners with holder	\$197.00					
6	HSMB-100	Standard Spanner Holder	\$89.00					
7	HSSW-41-61	4"-6" Single end spanner	\$43.00					
8	HSSW-401	(4) HSSW-101 spanners with holder	\$305.00					
9	HSMB-100	HSMB-100 Mounting bracket for HSSW-201 and HSSW-401						
10	HSSW-501	HSSW-501 (4) HSSW -41-61 spanners with holder						
11	HSMB-41-61	HSMB-41-61 Single end spanner holder						
12	HSSW-501-HSW	HSSW-501-HSW (4) HSSW-41-61 & 1 HHSW -100 spanners w/ holder						
13	HSMB-41-61-HSW	Single end Spanner w/ HSW Spanner holder	\$213.00					
14	HSSW-50-60	5"-6" Single end spanner	\$86.00					
15	HSW-25NH	2.5" NH spanner	\$72.00					
16	HSW-HW	Adjustable hydrant nut spanner	\$119.00					
17	HSWS-25-100	(2) 2.5" NH spanners, (1) HHSW-100 spanner with mounting bracket	\$440.00					
18	HSMB-25-1	Mounting bracket for HSWS-25-100 spanner set	\$169.00					
19	HSWS-25	(2) HSW=25NH spanners w/ holder	\$263.00					
20	HSMB-25	Spanner Wrench Bracket	\$141.00					
21	HSWS-25-HW	2 HSW-25NH spanners & HSW-HW spanner w/ holder	\$410.00					
22	HWS-HW-HD Adjustable wrench for pentagon nuts up to 1.75" or square nuts up to 1.25"							
23	HHW-RAC	Harrington ratchet hydrant wrench fits pentagon nuts or square nuts	\$448.00					
	PRY BARS	Tools for connecting 8",10, and 12" Storz couplings and adapters	\$144.00					



HHR - Hose Rollers

Field tested hose roller with full 90 degree opening, flattens fire hoses up to 5" in diameter and squeezes out water, ice and air. The heavy duty roller is made of aluminum construction but still light weight, weighing under 5 pounds.

The roller measures 2"x4"x 22" long.

Hose Rollers	HHR	List
HHR-1	One-Man Hose Roller	\$335.00
HHR-2	Two-Man Hose Roller	\$297.00

HHW - Hose Washers

Accommodates hoses up to 5" using incoming inlet pressure of only 60 PSI. Self feeding design. Hose washers measures 13"x10"x10" and weighs 16lbs

Hose Washers	HHW	List
HHW-300-15NH	Hose washer for up to 3" hose 1.5" NH female swivel rocker lug inlet	\$1,215.00
HHW-300-15NPSH	Hose washer for up to 3" hose 1.5" NPSH female swivel rocker lug inlet	\$1,215.00
HHW-300-25NH	Hose washer for up to 3" hose 2.5" NH female swivel rocker lug inlet	\$1,246.00
HHW-300-25NPSH	Hose washer for up to 3" hose 2.5" NPSH female swivel rocker lug inlet	\$1,246.00
HHW-300-25QST	Hose washer for up to 3" hose 2.5" QST female swivel rocker lug inlet	\$1,246.00
HHW-500-25NH	Hose washer for up to 5" hose 2.5" NH female swivel rocker lug inlet	\$1,898.00

HWS - Water Shields

Stable water curtain nozzle for unmanned protection of threatened buildings, gaseous hazards, or cooling situations. Specify 1.5" (210 GPM) or 2.5" (370 GPM) at 75 PSI models.

Water Shields	HWS	List
HWS-15NH	Water curtain nozzle 1.5" 210 gpm @ 75 PSI x 1.5" NH female swivel rocker lug	\$371.00
HWS-15NPSH	Water curtain nozzle 1.5" 210 gpm @ 75 PSI x 1.5" NPSH female swivel rocker lug	\$371.00
HWS-25BIF	Water curtain nozzle 2.5" 370 gpm @ 75 PSI x 2.5" BI female	\$487.00
HWS-25BIM	Water curtain nozzle 2.5" 370 gpm @ 75 PSI x 2.5" BI male	\$400.00
HWS-25NH	Water curtain nozzle 2.5" 370 gpm @ 75 PSI x 2.5" NH female swivel rocker lug	\$443.00
HWS-25QST	Water curtain nozzle 2.5" 370 gpm @ 75 PSI x 2.5" QST female swivel rocker lug	\$443.00

Haz Mat Reducer

1.5" NH female reducer with 2 or 4 garden hose adapter shutoffs to use for cleaning tools and to allow the use of garden hose spray wands for decon.

5	araen nose spray "	unds for decon.		
	NH to Garden Hose adapter			4
	Reducer adpater	Н37	List	
	H37-2XGHT-15NH	1.5" NH-female with 2 each garden hose males with shutoffs, aluminum reducer with brass shut offs	\$112.00	1
	H37-4XGHT-15NH	1.5" NH-female with 4 each garden hose males with shutoffs, aluminum reducer with brass shut offs	\$156.00	
	H37-2XGHT-25NH	2.5" NH-female with 2 each garden hose males with shutoffs, aluminum reducer with brass shut offs	\$163.00	






Storz Seals and Thread Gaskets

	Gaskets	Storz, NH & BPS Gaskets	List
S	Suction		
Н	SSS-10	1" Storz (25) suction seal	\$5.00
Н	SSS-15	1.5" Storz (38) suction seal	\$7.00
Н	SSS-20	2" Storz (52) suction seal	\$7.00
Н	SSS-25	2.5" Storz (65) suction seal	\$11.00
Н	SSS-30	3" Storz (75) suction seal	\$11.00
Н	SSS-40	4" Storz (100) suction seal	\$26.00
Н	SSS-45	4.5" Storz (110) suction seal	\$26.00
Н	SSS-50	5" Storz (125) suction seal	\$29.00
Н	SSS-60	6" Storz (150) suction seal	\$33.00
P	ressure		
Н	SPS-20	2" Storz (52) pressure seal	\$6.00
Н	SPS-25	2.5" Storz (65) pressure seal	\$6.00
Н	SPS-30	3" Storz (75) pressure seal	\$6.00
Н	SPS-40	4" Storz (100) pressure seal	\$12.00
Н	SPS-50	5" Storz (125) pressure seal	\$17.00
Н	SPS-60	6" Storz (150) pressure seal	\$37.00
	NH		
Hì	NHG-10	1" NH gasket	\$2.00
Hì	NHG-15	1.5" NH gasket	\$3.00
Hì	NHG-20	2" NH gasket	\$4.00
Hì	NHG-25	2.5" NH gasket	\$4.00
Hì	NHG-30	3" NH gasket	\$4.00
Hì	NHG-35	3.5" NH gasket	\$4.00
Н	NHG-40	4" NH gasket	\$4.00
Н	NHG-45	4.5" NH gasket	\$7.00
Hì	NHG-50	5" NH gasket	\$8.00
H	NHG-60	6" NH gasket	\$10.00
	BSP		
HE	BSPG-10	1" BSP gasket	\$2.00
НЕ	BSPG-15	1.5" BSP gasket	\$3.00
НЕ	BSPG-20	2" BSP gasket	\$3.00
HE	BSPG-25	2.5" BSP gasket	\$3.00
HE	BSPG-30	3" BSP gasket	\$4.00
HE	BSPG-40	4" BSP gasket	\$4.00
	BSPG-45	4.5" BSP gasket	\$5.00
HE	BSPG-50	5" BSP gasket	\$5.00



H35 - Female Swivel RL x Female Swivel RL

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.





						NH Female Swi	vel Rockerbo				
		1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"
		H35-10NH- 10NH	1.5	2	2.3	3	3.3	7	7.3	3	0
	1"	\$62.00									
	1.5"	H35-15NH- 10NH	H35-15NH- 15NH								
	1.5	\$108.00	\$77.00								
	2"		H35-20NH- 15NH	H35-20NH- 20NH							
			\$107.00	\$107.00							
	2.5"		H35-25NH- 15NH	H35-25NH- 20NH	H35-25NH- 25NH						
gı			\$120.00	\$118.00	\$102.00						
Rockerh	3"				H35-30NH- 25NH	H35-30NH- 30NH					
ivel I					\$223.00	\$185.00					
NH Female Swivel Rockerlug	3.5"				H35-35NH- 25NH	H35-35NH- 30NH	H35-35NH- 35NH				
Н Fе					\$302.00	\$328.00	\$302.00				
Z	4"				H35-40NH- 25NH	H35-40NH- 30NH	H35-40NH- 35NH	H35-40NH- 40NH			
					\$307.00	\$357.00	\$371.00	\$384.00			
	4.5"				H35-45NH- 25NH	H35-45NH- 30NH	H35-45NH- 35NH	H35-45NH- 40NH	H35-45NH- 45NH		
					\$391.00	\$408.00	\$397.00	\$383.00	\$344.00		
	5"				H35-50NH- 25NH	H35-50NH- 30NH	H35-50NH- 35NH	H35-50NH- 40NH	H35-50NH- 45NH	H35-50NH- 50NH	
					\$459.00	\$505.00	\$513.00	\$582.00	\$702.00	\$558.00	
	6"				H35-60NH- 25NH	H35-60NH- 30NH	H35-60NH- 35NH	H35-60NH- 40NH	H35-60NH- 45NH	H35-60NH- 50NH	H35-60NH- 60NH
					\$794.00	\$741.00	\$722.00	\$712.00	\$722.00	\$650.00	\$586.00
		V	Vith NPSH Thread	d				With Quebec S	tandard Thread		
		H35-15NH- 15NPSH/ PLUG	H35- 15NPSH- 15NPSH	H35- 25NPSH- 25NPSH		H35-25QST- 15NPSH	H35-25QST- 25QST	H35-30NH- 25QST	H35-40NH- 25QST	H35-50NH- 25QST	H35-60NH- 25QST
		\$128.00	\$77.00	\$102.00		\$120.00	\$102.00	\$223.00	\$307.00	\$459.00	\$794.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



HBSPG-60



6" BSP gasket

\$6.00

H36 - Double Male Rocker Lug Adapters

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at "No

	Char	5 <u>~ · </u>				N	H Male Rocker li	1g					
		GHT	1	1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
	1	H36-10NH- GHT	H36-10NH- 10NH										
		\$47.00	\$52.00										
	1.5	H36-15NH- GHT	H36-15NH- 10NH	H36-15NH- 15NH									
		\$103.00	\$98.00	\$41.00									
	2	H36-20NH- GHT	H36-20NH- 10NH	H36-20NH- 15NH	H36-20NH- 20NH								
		\$103.00	\$99.00	\$79.00	\$82.00								
	2.5	H36-25NH- GHT	H36-25NH- 10NH	H36-25NH- 15NH	H36-25NH- 20NH	H36-25NH- 25NH							
		\$104.00	\$99.00	\$87.00	\$118.00	\$58.00							
	2.5 QST						H36-25QST- 25QST						
NH Male Rocker lug	451						\$58.00						
	3				H36-30NH- 20NH	H36-30NH- 25NH	H36-30NH- 25QST	H36-30NH- 30NH					
					\$217.00	\$154.00	\$154.00	\$143.00					
	3.5					H36-35NH- 25NH	H36-35NH- 25QST	H36-35NH- 30NH	H36- 35NH- 35NH				
						\$214.00	\$214.00	\$278.00	\$236.00				
	4					H36-40NH- 25NH	H36-40NH- 25QST	H36-40NH- 30NH	H36- 40NH- 35NH	H36-40NH- 40NH			
						\$242.00	\$242.00	\$326.00	\$275.00	\$262.00			
	4.5					H36-45NH- 25NH	H36-45NH- 25QST	H36-45NH- 30NH	H36- 45NH- 35NH	H36-45NH- 40NH	H36-45NH- 45NH		
						\$268.00	\$268.00	\$320.00	\$305.00	\$360.00	\$286.00		
	5					H36-50NH- 25NH	H36-50NH- 25QST	H36-50NH- 30NH	H36- 50NH- 35NH	H36-50NH- 40NH	H36-50NH- 45NH	H36- 50NH- 50NH	
						\$561.00	\$561.00	\$733.00	\$696.00	\$373.00	\$381.00	\$312.00	
	6					H36-60NH- 25NH	H36-60NH- 25QST	H36-60NH- 30NH	H36- 60NH- 35NH	H36-60NH- 40NH	H36-60NH- 45NH	H36- 60NH- 50NH	H36- 60NH- 60NH
						\$592.00	\$592.00	\$592.00	\$611.00	\$466.00	\$450.00	\$371.00	\$504.00
		With N	NPSH										
		H36-15NPSH- 15NPSH	H36- 25QST- 15NPSH										
			607.00										





H37 - Male x Female Rigid Rocker Lug Adapters

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.





Identify your adapters with Fire Dept. name or station number. Laser etching available at "No Charge".

		GHT	1				NH Female	Rigid					
		GHT	1										
			1	1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
GE	нтм	H37-GHTM- GHT	H37-GHTM- 10NH	H37-GHTM- 15NH	H37-GHTM- 20NH	H37-GHTM- 25NH							
		\$57.00	\$57.00	\$62.00	\$100.00	\$114.00							
	1	H37-10NHM- GHT	H37-10NHM- 10NH	H37-10NHM- 15NH	H37-10NHM- 20NH	H37- 10NHM- 25NH							
		\$90.00	\$52.00	\$68.00	\$92.00	\$111.00							
1	1.5	H37-15NHM- GHT	H37-15NHM- 10NH	H37-15NHM- 15NH	H37-15NHM- 20NH	H37- 15NHM- 25NH		H37-15NHM- 30NH	H37-15NHM- 35NH				
		\$67.00	\$67.00	\$60.00	\$67.00	\$76.00		\$198.00	\$228.00				
	2	H37-20NHM- GHT	H37-20NHM- 10NH	H37-20NHM- 15NH	H37-20NHM- 20NH	H37- 20NHM- 25NH		H37-20NHM- 30NH					
		\$92.00	\$95.00	\$60.00	\$92.00	\$74.00		\$215.00					
2	2.5	H37-25NHM- GHT	H37-25NHM- 10NH	H37-25NHM- 15NH	H37-25NHM- 20NH	H37- 25NHM- 25NH		H37-25NHM- 30NH	H37-25NHM- 35NH	H37-25NHM- 40NH	H37-25NHM- 45NH	H37-25NHM- 50NH	H37- 25NHM- 60NH
		\$98.00	\$95.00	\$77.00	\$100.00	\$72.00		\$150.00	\$160.00	\$272.00	\$315.00	\$396.00	\$824.00
2 QS	2.5 STM							H37-25QSTM- 30NH	H37-25QSTM- 35NH	H37-25QSTM- 40NH	H37-25QSTM- 45NH	H37- 25QSTM- 50NH	H37- 25QSTM- 60NH
NH Male								\$150.00	\$160.00	\$272.00	\$315.00	\$396.00	\$824.00
	3			H37-30NHM- 15NH	H37-30NHM- 20NH	H37- 30NHM- 25NH	H37- 30NHM- 25QST	H37-30NHM- 30NH	H37-30NHM- 35NH	H37-30NHM- 40NH	H37-30NHM- 45NH	H37-30NHM- 50NH	H37- 30NHM- 60NH
				\$202.00	\$207.00	\$129.00	\$129.00	\$145.00	\$325.00	\$346.00	\$396.00	\$398.00	\$783.00
3	3.5					H37- 35NHM- 25NH	H37- 35NHM- 25QST	H37-35NHM- 30NH	H37-35NHM- 35NH	H37-35NHM- 40NH	H37-35NHM- 45NH	H37-35NHM- 50NH	H37- 35NHM- 60NH
						\$155.00	\$155.00	\$317.00	\$275.00	\$349.00	\$383.00	\$423.00	\$797.00
	4					H37- 40NHM- 25NH	H37- 40NHM- 25QST	H37-40NHM- 30NH	H37-40NHM- 35NH	H37-40NHM- 40NH	H37-40NHM- 45NH	H37-40NHM- 50NH	H37- 40NHM- 60NH
						\$278.00	\$278.00	\$341.00	\$339.00	\$313.00	\$271.00	\$393.00	\$547.00
4	4.5					H37- 45NHM- 25NH	H37- 45NHM- 25QST	H37-45NHM- 30NH	H37-45NHM- 35NH	H37-45NHM- 40NH	H37-45NHM- 45NH	H37-45NHM- 50NH	H37- 45NHM- 60NH
						\$291.00	\$291.00	\$414.00	\$387.00	\$405.00	\$392.00	\$462.00	\$587.00
	5					H37- 50NHM- 25NH	H37- 50NHM- 25QST	H37-50NHM- 30NH	H37-50NHM- 35NH	H37-50NHM- 40NH	H37-50NHM- 45NH	H37-50NHM- 50NH	H37- 50NHM- 60NH
						\$338.00	\$338.00	\$461.00	\$401.00	\$453.00	\$487.00	\$443.00	\$557.00
	6					H37- 60NHM- 25NH	H37- 60NHM- 25QST	H37-60NHM- 30NH	H37-60NHM- 35NH	H37-60NHM- 40NH	H37-60NHM- 45NH	H37-60NHM- 50NH	H37- 60NHM- 60NH
						\$485.00	\$485.00	\$495.00	\$550.00	\$595.00	\$602.00	\$673.00	\$746.00
		1	Haz Mat Reducer				With NPSH Thr	ead					
		H37- 2XGHTM- 15NH	H37-4XGHTM- 15NH	H37- 2XGHTM- 25NH		H37- 15NPSHM- 25NH	H37- 15NPSHM- 25QST	H37-25QSTM- 15NPSH					
		\$112.00	\$156.00	\$163.00		\$76.00	\$76.00	\$77.00					

H53 - Female Swivel RL x Female Rigid

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at "No

						NH Female Ri	gid				
		1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
	1.5	H53-15NH- 15NH	H53-15NH- 20NH	H53-15NH- 25NH							
		\$91.00	\$108.00	\$134.00							
	2	H53-20NH- 15NH	H53-20NH- 20NH	H53-20NH- 25NH							
		\$117.00	\$117.00	\$182.00							
	2.5	H53-25NH- 15NH	H53-25NH- 20NH	H53-25NH- 25NH		H53-25NH- 30NH	H53-25NH- 35NH	H53-25NH- 40NH	H53-25NH- 45NH	H53-25NH- 50NH	H53-25NH- 60NH
		\$156.00	\$187.00	\$199.00		\$265.00	\$320.00	\$291.00	\$410.00	\$714.00	\$846.00
gn	2.5				H53-25QST- 25QST	H53-25QST- 30NH	H53-25QST- 35NH	H53-25QST- 40NH	H53-25QST- 45NH	H53-25QST- 50NH	H53-25QST- 60NH
ker I	QST				\$199.00	\$265.00	\$320.00	\$291.00	\$410.00	\$714.00	\$846.00
NH Female Swivel Rocker Lug	3			H53-30NH- 25NH	H53-30NH- 25QST	H53-30NH- 30NH	H53-30NH- 35NH	H53-30NH- 40NH	H53-30NH- 45NH	H53-30NH- 50NH	H53-30NH- 60NH
e Swi				\$268.00	\$268.00	\$252.00	\$389.00	\$503.00	\$543.00	\$672.00	\$802.00
I Femal	3.5			H53-35NH- 25NH	H53-35NH- 25QST	H53-35NH- 30NH	H53-35NH- 35NH	H53-35NH- 40NH	H53-35NH- 45NH	H53-35NH- 50NH	H53-35NH- 60NH
Ż				\$320.00	\$320.00	\$389.00	\$447.00	\$624.00	\$709.00	\$746.00	\$1,040.00
	4			H53-40NH- 25NH	H53-40NH- 25QST	H53-40NH- 30NH	H53-40NH- 35NH	H53-40NH- 40NH	H53-40NH- 45NH	H53-40NH- 50NH	H53-40NH- 60NH
				\$326.00	\$326.00	\$445.00	\$630.00	\$545.00	\$643.00	\$857.00	\$868.00
	4.5			H53-45NH- 25NH	H53-45NH- 25QST	H53-45NH- 30NH	H53-45NH- 35NH	H53-45NH- 40NH	H53-45NH- 45NH	H53-45NH- 50NH	H53-45NH- 60NH
				\$456.00	\$456.00	\$522.00	\$672.00	\$575.00	\$588.00	\$827.00	\$974.00
	5			H53-50NH- 25NH	H53-50NH- 25QST	H53-50NH- 30NH	H53-50NH- 35NH	H53-50NH- 40NH	H53-50NH- 45NH	H53-50NH- 50NH	H53-50NH- 60NH
				\$682.00	\$682.00	\$578.00	\$682.00	\$738.00	\$824.00	\$921.00	\$906.00
	6			H53-60NH- 25NH	H53-60NH- 25QST	H53-60NH- 30NH	H53-60NH- 35NH	H53-60NH- 40NH	H53-60NH- 45NH	H53-60NH- 50NH	H53-60NH- 60NH
				\$923.00	\$923.00	\$989.00	\$1,000.00	\$829.00	\$972.00	\$903.00	\$1,002.00
		With NPS	1								
		H53-15NPSH- 15NPSH	H53-25QST- 15NPSH								
		\$91.00	\$156.00								

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each



H53L - Female Swivel LH x Female Rigid

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.



Identify your adapters with Fire Dept. name or station number. Laser etching available at "No Charge".

					NI	H Female Rigid				
		1.5	2	2.5	3	3.5	4	4.5	5	6
	2.5	H53L-25NH- 15NH	H53L-25NH- 20NH	H53L-25NH- 25NH	H53L-25NH- 30NH	H53L-25NH- 35NH	H53L-25NH- 40NH	H53L-25NH- 45NH	H53L-25NH- 50NH	H53L-25NH- 60NH
		\$167.00	\$194.00	\$205.00	\$268.00	\$339.00	\$298.00	\$435.00	\$776.00	\$941.00
	3			H53L-30NH- 25NH	H53L-30NH- 30NH	H53L-30NH- 35NH	H53L-30NH- 40NH	H53L-30NH- 45NH	H53L-30NH- 50NH	H53L-30NH- 60NH
NH Female Swivel Long Handle				\$281.00	\$256.00	\$416.00	\$537.00	\$578.00	\$564.00	\$891.00
	3.5			H53L-35NH- 25NH	H53L-35NH- 30NH	H53L-35NH- 35NH	H53L-35NH- 40NH	H53L-35NH- 45NH	H53L-35NH- 50NH	H53L-35NH- 60NH
el Lo				\$339.00	\$401.00	\$482.00	\$688.00	\$781.00	\$856.00	\$1,158.00
e Swive	4			H53L-40NH- 25NH	H53L-40NH- 30NH	H53L-40NH- 35NH	H53L-40NH- 40NH	H53L-40NH- 45NH	H53L-40NH- 50NH	H53L-40NH- 60NH
emal				\$344.00	\$476.00	\$671.00	\$592.00	\$705.00	\$924.00	\$966.00
NH F	4.5			H53L-45NH- 25NH	H53L-45NH- 30NH	H53L-45NH- 35NH	H53L-45NH- 40NH	H53L-45NH- 45NH	H53L-45NH- 50NH	H53L-45NH- 60NH
				\$476.00	\$547.00	\$715.00	\$606.00	\$623.00	\$857.00	\$959.00
	5			H53L-50NH- 25NH	H53L-50NH- 30NH	H53L-50NH- 35NH	H53L-50NH- 40NH	H53L-50NH- 45NH	H53L-50NH- 50NH	H53L-50NH- 60NH
				\$595.00	\$611.00	\$725.00	\$789.00	\$855.00	\$961.00	\$938.00
	6			H53L-60NH- 25NH	H53L-60NH- 30NH	H53L-60NH- 35NH	H53L-60NH- 40NH	H53L-60NH- 45NH	H53L-60NH- 50NH	H53L-60NH- 60NH
				\$943.00	\$1,043.00	\$1,053.00	\$885.00	\$1,025.00	\$924.00	\$1,025.00
		With Qubec Standard Thread								
		H53L-25QST- 15NPSH	H53L- 25QST- 25QST							
		\$167.00	\$205.00							

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.





H54 - Male x Female Swivel Rocker Lug

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at "No Charge".





					N	JH Female Swivel	Rocker Lug	101	22775-7781		
		1.5	2	2.5	2.5 QST	3	3.5	4	4.5	5	6
	1.5	H54- 15NHM- 15NH	H54- 15NHM- 20NH	H54- 15NHM- 25NH							
		\$92.00	\$106.00	\$116.00							
	2	H54- 20NHM- 15NH	H54- 20NHM- 20NH	H54- 20NHM- 25NH							
		\$106.00	\$111.00	\$181.00							
	2.5	H54- 25NHM- 15NH	H54- 25NHM- 20NH	H54- 25NHM- 25NH		H54-25NHM- 30NH	H54- 25NHM- 35NH	H54- 25NHM- 40NH	H54- 25NHM- 45NH	H54- 25NHM- 50NH	H54-25NHM- 60NH
		\$125.00	\$176.00	\$189.00		\$265.00	\$323.00	\$463.00	\$466.00	\$585.00	\$972.00
	2.5 QSTM					H54- 25QSTM- 30NH	H54- 25QSTM- 35NH	H54- 25QSTM- 40NH	H54- 25QSTM- 45NH	H54- 25QSTM- 50NH	H54-25QSTM- 60NH
						\$265.00	\$323.00	\$463.00	\$466.00	\$585.00	\$972.00
NH Male	3			H54- 30NHM- 25NH		H54-30NHM- 30NH	H54- 30NHM- 35NH	H54- 30NHM- 40NH	H54- 30NHM- 45NH	H54- 30NHM- 50NH	H54-30NHM- 60NH
NH.				\$260.00		\$239.00	\$393.00	\$508.00	\$478.00	\$595.00	\$1,090.00
	3.5			H54- 35NHM- 25NH	H54- 35NHM- 25QST	H54-35NHM- 30NH	H54- 35NHM- 35NH	H54- 35NHM- 40NH	H54- 35NHM- 45NH	H54- 35NHM- 50NH	H54-35NHM- 60NH
				\$317.00	\$317.00	\$391.00	\$459.00	\$592.00	\$698.00	\$710.00	\$1,053.00
	4			H54- 40NHM- 25NH	H54- 40NHM- 25QST	H54-40NHM- 30NH	H54- 40NHM- 35NH	H54- 40NHM- 40NH	H54- 40NHM- 45NH	H54- 40NHM- 50NH	H54-40NHM- 60NH
				\$283.00	\$283.00	\$508.00	\$655.00	\$556.00	\$592.00	\$781.00	\$849.00
	4.5			H54- 45NHM- 25NH	H54- 45NHM- 25QST	H54-45NHM- 30NH	H54- 45NHM- 35NH	H54- 45NHM- 40NH	H54- 45NHM- 45NH	H54- 45NHM- 50NH	H54-45NHM- 60NH
				\$414.00	\$414.00	\$561.00	\$744.00	\$658.00	\$602.00	\$829.00	\$995.00
	5			H54- 50NHM- 25NH	H54- 50NHM- 25QST	H54-50NHM- 30NH	H54- 50NHM- 35NH	H54- 50NHM- 40NH	H54- 50NHM- 45NH	H54- 50NHM- 50NH	H54-50NHM- 60NH
				\$752.00	\$752.00	\$707.00	\$823.00	\$891.00	\$859.00	\$965.00	\$924.00
	6			H54- 60NHM- 25NH	H54- 60NHM- 25QST	H54-60NHM- 30NH	H54- 60NHM- 35NH	H54- 60NHM- 40NH	H54- 60NHM- 45NH	H54- 60NHM- 50NH	H54-60NHM- 60NH
				\$912.00	\$912.00	\$862.00	\$1,121.00	\$906.00	\$1,020.00	\$924.00	\$1,032.00


Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each



H54L - Male x Female Swivel Long Handle

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.







							-		
					NH Female Swivel	Long Handle			
		2.5	2.5 QST	3	3.5	4	4.5	5	6
2	2.5	H54L-25NHM- 25NH		H54L- 25NHM-30NH	H54L-25NHM- 35NH	H54L-25NHM- 40NH	H54L-25NHM- 45NH	H54L-25NHM- 50NH	H54L-25NHM- 60NH
		\$222.00		\$291.00	\$354.00	\$409.00	\$475.00	\$728.00	\$995.00
	2.5 STM		H54L-25QSTM- 25QST						
QS	S I IVI		\$222.00						
	3	H54L-30NHM- 25NH	H54L-30NHM- 25QST	H54L- 30NHM-30NH	H54L-30NHM- 35NH	H54L-30NHM- 40NH	H54L-30NHM- 45NH	H54L-30NHM- 50NH	H54L-30NHM- 60NH
		\$289.00	\$289.00	\$268.00	\$427.00	\$720.00	\$564.00	\$625.00	\$1,075.00
3	3.5	H54L-35NHM- 25NH	H54L-35NHM- 25QST	H54L- 35NHM-30NH	H54L-35NHM- 35NH	H54L-35NHM- 40NH	H54L-35NHM- 45NH	H54L-35NHM- 50NH	H54L-35NHM- 60NH
		\$346.00	\$346.00	\$422.00	\$495.00	\$676.00	\$746.00	\$733.00	\$1,075.00
	4	H54L-40NHM- 25NH	H54L-40NHM- 25QST	H54L- 40NHM-30NH	H54L-40NHM- 35NH	H54L-40NHM- 40NH	H54L-40NHM- 45NH	H54L-40NHM- 50NH	H54L-40NHM- 60NH
		\$346.00	\$346.00	\$545.00	\$689.00	\$595.00	\$620.00	\$796.00	\$894.00
4	1.5	H54L-45NHM- 25NH	H54L-45NHM- 25QST	H54L- 45NHM-30NH	H54L-45NHM- 35NH	H54L-45NHM- 40NH	H54L-45NHM- 45NH	H54L-45NHM- 50NH	H54L-45NHM- 60NH
		\$446.00	\$446.00	\$587.00	\$778.00	\$694.00	\$694.00	\$884.00	\$1,068.00
	5	H54L-50NHM- 25NH	H54L-50NHM- 25QST	H54L- 50NHM-30NH	H54L-50NHM- 35NH	H54L-50NHM- 40NH	H54L-50NHM- 45NH	H54L-50NHM- 50NH	H54L-50NHM- 60NH
		\$720.00	\$720.00	\$726.00	\$851.00	\$919.00	\$889.00	\$995.00	\$993.00
	6	H54L-60NHM- 25NH	H54L-60NHM- 25QST	H54L- 60NHM-30NH	H54L-60NHM- 35NH	H54L-60NHM- 40NH	H54L-60NHM- 45NH	H54L-60NHM- 50NH	H54L-60NHM- 60NH
		\$927.00	\$927.00	\$864.00	\$1,145.00	\$908.00	\$1,048.00	\$997.00	\$1,047.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each



H56L - NH Male x Female Rigid Long Handle

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at "No Charge".



				NH Fem	ale Rigid Long Handle			
		2.5	3	3.5	4	4.5	5	6
2.	5	H56L-25NHM- 25NH	H56L-25NHM- 30NH	H56L-25NHM- 35NH	H56L-25NHM- 40NH	H56L-25NHM- 45NH	H56L-25NHM- 50NH	H56L-25NHM- 60NH
		\$222.00	\$241.00	\$257.00	\$367.00	\$387.00	\$501.00	\$939.00
3	3	H56L-30NHM- 25NH	H56L-30NHM- 30NH	H56L-30NHM- 35NH	H56L-30NHM- 40NH	H56L-30NHM- 45NH	H56L-30NHM- 50NH	H56L-30NHM- 60NH
		\$215.00	\$236.00	\$406.00	\$443.00	\$486.00	\$636.00	\$887.00
3.	.5	H56L-35NHM- 25NH	H56L-35NHM- 30NH	H56L-35NHM- 35NH	H56L-35NHM- 40NH	H56L-35NHM- 45NH	H56L-35NHM- 50NH	H56L-35NHM- 60NH
Male		\$249.00	\$417.00	\$380.00	\$446.00	\$704.00	\$521.00	\$864.00
Ξl	4	H56L-40NHM- 25NH	H56L-40NHM- 30NH	H56L-40NHM- 35NH	H56L-40NHM- 40NH	H56L-40NHM- 45NH	H56L-40NHM- 50NH	H56L-40NHM- 60NH
		\$377.00	\$412.00	\$461.00	\$414.00	\$449.00	\$470.00	\$632.00
4.	.5	H56L-45NHM- 25NH	H56L-45NHM- 30NH	H56L-45NHM- 35NH	H56L-45NHM- 40NH	H56L-45NHM- 45NH	H56L-45NHM- 50NH	H56L-45NHM- 60NH
		\$409.00	\$506.00	\$511.00	\$508.00	\$489.00	\$548.00	\$675.00
4	5	H56L-50NHM- 25NH	H56L-50NHM- 30NH	H56L-50NHM- 35NH	H56L-50NHM- 40NH	H56L-50NHM- 45NH	H56L-50NHM- 50NH	H56L-50NHM- 60NH
		\$605.00	\$556.00	\$503.00	\$550.00	\$592.00	\$675.00	\$771.00
(6	H56L-60NHM- 25NH	H56L-60NHM- 30NH	H56L-60NHM- 35NH	H56L-60NHM- 40NH	H56L-60NHM- 45NH	H56L-60NHM- 50NH	H56L-60NHM- 60NH
		\$741.00	\$726.00	\$689.00	\$689.00	\$705.00	\$796.00	\$859.00

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each

H57L - Female Swivel LH x Female Swivel LH

Threaded adapters available from 1.5" to 12". All adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, NST adapters and other European adapters are available upon request. All threaded adapters are hard coated to military spec. Type 3 and made from aircraft #6061-T light weight aluminum. All female swivels utilize stainless steel ball bearing or aluminum roller bearings, no plastic.

Identify your adapters with Fire Dept. name or station number. Laser etching available at "No Charge".





			Made in	the USA			0		
					Female Swivel Lor	ng Handle			
		2.5	2.5 QST	3	3.5	4	4.5	5	6
	2.5	H57L-25NH- 25NH							
		\$176.00							
	2.5 QST		H57L- 25QST- 25QST						
			\$176.00						
ıdle	3	H57L-30NH- 25NH		H57L-30NH- 30NH					
Har		\$278.00		\$260.00					
Female Swivel Long Handle	3.5	H57L-35NH- 25NH		H57L-35NH- 30NH	H57L-35NH- 35NH				
Swiv		\$397.00		\$442.00	\$426.00				
emale	4	H57L-40NH- 25NH		H57L-40NH- 30NH	H57L-40NH- 35NH	H57L-40NH- 40NH			
"		\$425.00		\$508.00	\$556.00	\$453.00			
	4.5	H57L-45NH- 25NH		H57L-45NH- 30NH	H57L-45NH- 35NH	H57L-45NH- 40NH	H57L-45NH- 45NH		
		\$382.00		\$519.00	\$616.00	\$601.00	\$557.00		
	5	H57L-50NH- 25NH		H57L-50NH- 30NH	H57L-50NH- 35NH	H57L-50NH- 40NH	H57L-50NH- 45NH	H57L-50NH- 50NH	
		\$553.00		\$555.00	\$618.00	\$547.00	\$593.00	\$702.00	
	6	H57L-60NH- 25NH		H57L-60NH- 30NH	H57L-60NH- 35NH	H57L-60NH- 40NH	H57L-60NH- 45NH	H57L-60NH- 50NH	H57L-60NH- 60NH
		\$788.00		\$736.00	\$776.00	\$692.00	\$704.00	\$783.00	\$798.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.

Special Threads available on request, cost as follows: Allow 4-5 weeks for special threads.

• 1"to 6" = \$15.00 net, each



HTBC - Threaded Blind Caps

HTBC - Threaded	Blind Caps	
HTBC - Threaded Cap	Female Cap	List
HTBC-10NH	1" NH Female	\$105.00
HTBC-15NH	1.5" NH Female	\$83.00
HTBC-15NH-PC	1.5" NH anodized aluminum with brass quarter turn petcock	\$203.00
HTBC-15-xxx	1.5" special thread	\$110.00
HTBC-15NPSH	1.5" NPSH thread	\$83.00
HTBC-20NH	2" NH Female	\$117.00
HTBC-25NH	2.5" NH Female	\$100.00
HTBC-25NHLH	2.5" NH Female Long Handle	\$156.00
HTBC-25NPSH	2.5" NPSH	\$100.00
HTBC-25NH-PC	2.5" NH anodized aluminum with brass quarter turn petcock	\$218.00
HTBC-25QST	2.5" QST	\$100.00
HTBC-25-xxx	2.5" special thread	\$128.00
HTBC-25-xxx-PC	2.5"special thread anodized aluminum with brass quarter turn petcock	\$238.00
HTBC-30NH	3" NH Female	\$243.00
HTBC-30NHLH	3" NH Female Long Handle	\$294.00
HTBC-35NH	3.5" NH Female	\$316.00
HTBC-35NHLH	3.5" NH Female Long Handle	\$382.00
HTBC-40NH	4" NH Female	\$330.00
HTBC-40NHLH	4" NH Female Long Handle	\$403.00
HTBC-45NH	4.5" NH Female	\$349.00
HTBC-45NHLH	4.5" NH Female Long Handle	\$408.00
HTBC-50NH	5" NH Female	\$375.00
HTBC-50NHLH	5" NH Female Long Handle	\$442.00
HTBC-60NH	6" NH Female	\$424.00
HTBC-60NHLH	6" NH Female Long Handle	\$451.00



HTP - Threaded Plug	Male Plug	List
HTP-10NH	1" NH Male	\$106.00
HTP-15NH	1.5" NH Male	\$51.00
HTP-15NPSH	1.5" NPSH Male	\$51.00
HTP-15-xxx	1.5" special thread	\$119.00
HTP-20NH	2" NH Male	\$134.00
HTP-25NH	2.5" NH Male	\$88.00
HTP-25QST	2.5" QST Male	\$88.00
HTP-25-xxx	2.5" special thread	\$183.00
HTP-30NH	3" NH Male	\$176.00
HTP-35NH	3.5" NH Male	\$191.00
HTP-40NH	4" NH Male	\$270.00
HTP-45NH	4.5" NH Male	\$334.00
HTP-50NH	5" NH Male	\$311.00
HTP-60NH	6" NH Male	\$430.00
Cable-RKIT	stainless steel cable for caps, reflective, 20" long with crimping connectors	\$10.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Butterfly Valves



Butterfly Valves	HTBFV & HSBFV	List
Storz		
HSBFV-40-40NHLH	Butterfly Valve 4" Storz x 4" NH female swivel long handle	\$2,556.00
HSBFV-40-40NPSHLH	Butterfly Valve 4" Storz x 4" NPSH female swivel long handle	\$2,556.00
HSBFV-40-45NHLH	Butterfly Valve 4" Storz x 4.5" NH female swivel long handle	\$2,546.00
HSBFV-40-50NHLH	Butterfly Valve 4" Storz x 5" NH female swivel long handle	\$2,541.00
HSBFV-40-60NHLH	Butterfly Valve 4" Storz x 6" NH female swivel long handle	\$2,585.00
HSBFV-50-40NHLH	Butterfly Valve 5" Storz x 4" NH female swivel long handle	\$2,507.00
HSBFV-50-45NHLH	Butterfly Valve 5" Storz x 4.5" NH female swivel long handle	\$2,490.00
HSBFVH-50-45NHLH	Butterfly Valve 5" Storz x 4.5" NH female swivel long handle with Handwheel	\$3,116.00
HSBFV-50-50NHLH	Butterfly Valve 5" Storz x 5" NH female swivel long handle	\$2,484.00
HSBFVH-50-50NHLH	Butterfly Valve 5" Storz x 5" NH female swivel long handle with Handwheel	\$3,110.00
HSBFV-50-60NHLH	Butterfly Valve 5" Storz x 6" NH female swivel long handle	\$2,528.00
HSBFV-50-NF/Cap	To be mounted to a 6" flange in the field x 5" Storz with lock with 5" Storz cap/cable	\$1,784.00
HSBFVH-50-60NHLH	Butterfly Valve 5" Storz x 6"NH Female swivel long handle	\$3,154.00
HSBFV-60-40NHLH	Butterfly Valve 6" Storz x 4" NH female swivel long handle	\$2,503.00
HSBFV-60-45NHLH	Butterfly Valve 6" Storz x 4.5" NH female swivel long handle	\$2,486.00
HSBFV-60-50NHLH	Butterfly Valve 6" Storz x 5" NH female swivel long handle	\$2,481.00
HSBFV-60-60NHLH	Butterfly Valve 6" Storz x 6" NH female swivel long handle	\$2,524.00
NH		
HTBFV-40NHM-40NHLH	Butterfly Valve 4" NH male x 4" NH female swivel long handle	\$2,282.00
HTBFVH-40NHM-40NHLH	Butterfly Valve 4" NH male x 4" NH female swivel long handle with Handwheel	\$2,908.00
HTBFV-40NHM-40NPSHLH	Butterfly Valve 4" NH male x 4" NPSH female swivel long handle	\$2,282.00
HTBFV-40NPSHM-40NPSHLH	Butterfly Valve 4" NPSH male x 4" NPSH female swivel long handle	\$2,282.00
HTBFVH-40NPSHM-40NPSHLH	Butterfly Valve 4" NPSH male x 4" NPSH female swivel long handle with Handwheel	\$2,908.00
HTBFV-40NHM-45NHLH	Butterfly Valve 4" NH male x 4.5" NH female swivel long handle	\$2,265.00
HTBFV-40NHM-50NHLH	Butterfly Valve 4" NH male x 5" NH female swivel long handle	\$2,259.00
HTBFV-40NHM-60NHLH	Butterfly Valve 4" NH male x 6" NH female swivel long handle	\$2,303.00
HTBFV-45NHM-40NHLH	Butterfly Valve 4.5" NH male x 4" NH female swivel long handle	\$2,282.00
HTBFV-45NHM-45NHLH	Butterfly Valve 4.5" NH male x 4.5" NH female swivel long handle	\$2,265.00
HTBFV-45NHM-50NHLH	Butterfly Valve 4.5" NH male x 5" NH female swivel long handle	\$2,259.00
HTBFV-45NHM-60NHLH	Butterfly Valve 4.5" NH male x 6" NH female swivel long handle	\$2,303.00
HTBFV-50NHM-40NHLH	Butterfly Valve 5" NH male x 4" NH female swivel long handle	\$2,282.00
HTBFV-50NHM-45NHLH	Butterfly Valve 5" NH male x 4.5" NH female swivel long handle	\$2,265.00
HTBFV-50NHM-50NHLH	Butterfly Valve 5" NH male x 5" NH female swivel long handle	\$2,259.00
HTBFV-50NHM-50NPSHLH	Butterfly Valve 5" NH male x 5" NPSH female swivel long handle	\$2,259.00
HTBFV-50NHM-60NHLH	Butterfly Valve 5" NH male x 6" NH female swivel long handle	\$2,303.00
HTBFV-60NHM-60NHLH	Butterfly Valve 6" NH male x 6" NH female swivel long handle	\$2,303.00
HTBFVH-60NHM-60-NHLH	Butterfly Valve 6" NH male x 6" NH female swivel long handle with handwheel	\$2,929.00
HABS	0.75" screw down bleeder valve NPT	\$114.00





Drafting Equipment

PVC Suction Hose


We offer the most flexible suction hose in the market; as much as 24% tighter bend radius. Long life due to high UV inhibitors. Clear PVC hose allows for visual indication of water movement. Coupling can easily be removed in the field with standard Allen wrench. Aircraft aluminum # 6061-T couplings hard coated to Military spec Type Ill specification for added abrasion resistance and long life.

Beveled segment edges for easy loading into hose chutes. All metal segment collars secure coupling to hose – no plastic.

- All metal roller bearings in swivels no plastic. Couplings and Hose are made in the U.S.A.
- Special short or long lengths can be made call for pricing.
- 2.5" and 3" hoses 10 feet in length can be shipped via UPS or Fed-X ground.
- 4", 5", and 6" hoses must ship via truck. Hoses longer than 10 feet will entail higher freight rates.
- 5" & 6" hoses are shipped straight-flat to reduce possible damage to hose in transit.

Standard 10' length hose is measured from end of coupling to end of coupling.

- Storz X NH connections on one length can be supplied call/request with specs for pricing.
- No shipments permitted to personal residences due to excessive freight costs.



Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Storz		List			
		10'	15'	20'	
HSHS-25ST	Flex-Lite suction hose 2.5" PVC with 2.5" Storz 10, 15 or 20 ft. long	\$431.00	\$480.00	\$530.00	
HSHS-30ST	Flex-Lite suction hose 3" PVC with 3" Storz 10, 15 or 20 ft. long	\$745.00	\$805.00	\$864.00	
HSHS-40ST	Flex-Lite suction hose 4" PVC with 4" Storz lock 10, 15 or 20 ft. long	\$1,084.00	\$1,180.00	\$1,276.00	
HSHS-45ST	Flex-Lite suction hose 4" PVC with 4.5" Storz lock 10, 15 or 20 ft. long	\$1,343.00	\$1,438.00	\$1,534.00	
HSHS-50ST	Flex-Lite suction hose 5" PVC with 5" Storz lock 10, 15 or 20 ft. long	\$1,347.00	\$1,504.00	\$1,660.00	ř
HSHS-60-50ST	Flex-Lite suction hose 6" PVC with 5" Storz lock 10, 15 or 20 ft. long	\$1,918.00	\$2,107.00	\$2,295.00	33
HSHS-60ST/FH	Flex-Lite suction hose 6" PVC with 6" Storz with folding handles 10, 15, or 20 ft long	\$1,799.00	\$1,988.00	\$2,177.00	200
HSHS-60ST	Flex-Lite suction hose 6" PVC with 6" Storz lock 10, 15 or 20 ft. long	\$1,589.00	\$1,777.00	\$1,966.00	5



25'

\$579.00

\$924.00

Suction Strainers

HTRS Rarral Strainard Famala Digid

11BS - Barrei Sti	rainers - Female Rigid	
Barrel Strainers	HTBS & HSBS	List
NH Thread		
HTBS-25NH	Barrel Strainer with 2.5" NH Female rigid	\$217.00
HTBS-FV-25NH	Barrel Strainer with 2.5" NH Female rigid with foot valve	\$682.00
HTBS-25QST	Barrel Strainer with 2.5" QST Female rigid	\$217.00
HTBS-30NH	Barrel Strainer with 3" NH Female rigid	\$265.00
HTBS-FV-30NH	Barrel Strainer with 3" NH Female rigid with foot valve	\$713.00
HTBS-30NPT	Barrel Strainer with 3" NPT Female rigid	\$297.00
HTBS-40NH	Barrel Strainer with 4" NH Female rigid	\$312.00
HTBS-FV-40NH	Barrel Strainer with 4" NH Female rigid with foot valve	\$812.00
HTBS-45NH	Barrel Strainer with 4.5" NH Female rigid	\$408.00
HTBS-50NH	Barrel Strainer with 5" NH Female rigid	\$418.00
HTBS-60NH	Barrel Strainer with 6" NH Female rigid	\$409.00
Storz		
HSBS-25ST	Barrel Strainer with 2.5" Storz rigid	\$365.00
HSBS-30ST	Barrel Strainer with 3" Storz rigid	\$365.00
HSBS-40ST	Barrel Strainer with 4" Storz rigid	\$509.00
HSBS-50ST	Barrel Strainer with 5" Storz rigid	\$632.00
HSBS-60ST	Barrel Strainer with 6" Storz rigid	\$697.00



HWMBS- Harrington Basket Strainer/Diffuser

Lightweight T6061-T6 aluminum body anodized to Military specification Type 3 for durability with ridged stainless steel mesh screen. Excellent performance when drafting to reduce debris from entering a pump, yet allows full flow into the suction hose. This same device can be used to diffuse water when testing hydrants to diffuse the flow safely. Available in female sizes 2.5" through 6" NH, NST, or NPSH threads standard. Rocker lug for easy secure tightening. Includes flat face gasket. When ordering specify quantity, size, and thread type.

Part Number	Description	List
HWMBS-25NH	2.5" Female Basket Suction Strainer-Diffuser	\$381.00
HWMBS-30NH	3" Female Basket Suction Strainer-Diffuser	\$397.00
HWMBS-35NH	3.5" Female Basket Suction Strainer-Diffuser	\$413.00
HWMBS-40NH	4" Female Basket Suction Strainer-Diffuser	\$454.00
HWMBS-45NH	4.5" Female Basket Suction Strainer-Diffuser	\$470.00
HWMBS-50NH	5" Female Basket Suction Strainer-Diffuser	\$562.00
HWMBS-60NH	6" Female Basket Suction Strainer-Diffuser	\$619.00





HTLLS - Low Level Strainers w/ Jet Siphon

			1
4			
1	N.	1	-





Low Level Strainers	w Level Strainers HTLLS & HSLLS			
NH Thread				
HTLLS-25NHLH	Low Level Strainer with 2.5" NH Female long handle swivel w/ 1.5" NH siphon jet	\$921.00		
HTLLS-30NHLH	Low Level Strainer with 3" NH Female long handle swivel w/ 1.5" NH siphon jet	\$1,023.00		
HTLLS-40NHLH	Low Level Strainer with 4" NH Female long handle swivel w/ 1.5" NH siphon jet	\$1,066.00		
HTLLS-45NHLH	Low Level Strainer with 4.5" NH Female long handle swivel w/ 1.5" NH siphon jet	\$1,019.00		
HTLLS-50NHLH	Low Level Strainer with 5" NH Female long handle swivel w/ 1.5" NH siphon jet	\$1,041.00		
HTLLS-60NHLH	Low Level Strainer with 6" NH Female long handle swivel w/ 1.5" NH siphon jet	\$1,111.00		
Storz				
HSLLS-40ST	Low Level Strainer with 4" Storz rigid w/ 1.5" NH siphon jet	\$1,228.00		
HSLLS-50ST	Low Level Strainer with 5" Storz rigid w/ 1.5" NH siphon jet	\$1,152.00		
HSLLS-60ST	Low Level Strainer with 6" Storz rigid w/ 1.5" NH siphon jet	\$1,132.00		

UTEDS Floating Danvel Strainers



Floating Barrel Strainers	HTFBS & HSFBS	List	
NH Thread			
HTFBS-25NHLH	Floating Strainer with 2.5" NH female long handle swivel	\$911.00	
HTFBS-30NHLH	Floating Strainer with 3" NH female long handle swivel	\$983.00	
HTFBS-40NHLH	Floating Strainer with 4" NH female long handle swivel	\$1,656.00	
HTFBS-45NHLH	FIGURE 1. Floating Strainer with 4.5" NH female long handle swivel		
HTFBS-50NHLH Floating Strainer with 5" NH female long handle s		\$1,632.00	
HTFBS-60NHLH	Floating Strainer with 6" NH female long handle swivel	\$1,734.00	
Storz			
HSFBS-40ST	Floating Strainer with 4" Storz rigid	\$1,880.00	
HSFBS-45ST Floating Strainer with 4.5" Storz rigid		\$1,893.00	
HSFBS-50ST Floating Strainer with 5" Storz rigid		\$1,914.00	
HSFBS-60ST	Floating Strainer with 6" Storz rigid	\$1,771.00	

HHSN - Wildland Nozzles

Excellent lightweight forestry and marine approved nozzles. Supplied in 1" with a flow rate of 25 GPM and 1.5" with a flow rate of 75-150 GPM @ 100 PSI. The 1.5" model has a flow rate of 75 GPM in straight stream and 150 GPM on fog. All models have twist to shut off design. Molded rubber teeth/bumper is standard. PG-



	denotes nozzles with pistol grip.			
	HHSN - Wildland Nozzles		List	
	HHSN-7-10NH	Wildland nozzle HS 7 (25 gpm) 1" NH female swivel rocker lug	\$341.00	
	HHSN-7-PG-1NH	Wildland nozzle HS 7 PG (25 gpm) 1" NH female swivel rocker lug w/ pistol grip	\$496.00	
	HHSN-12-R20M Wildland nozzle HS 12 2" BSP male *marine approved		\$143.00	
	HHSN-12-15NH	Wildland nozzle HS 12 (75-150 gpm) 1.5" NH female swivel rocker lug *marine approved	\$234.00	
HHSN-12-15NPSH Wildland nozzle HS 12 (75-150 gpm) 1.5" NPSH female swivel rocker la approved		Wildland nozzle HS 12 (75-150 gpm) 1.5" NPSH female swivel rocker lug *marine approved	\$234.00	
	HHSN-12-PG-15NH	Wildland nozzle HS 12 PG (75-150 gpm) 1.5" NH female swivel rocker lug w/ pistol grip *marine approved	\$317.00	
	HHSN-12-PG- 15NPSH	Wildland nozzle HS 12 PG (75-150 gpm) 1.5" NPSH female swivel rocker lug w/ pistol grip *marine approved	\$317.00	
	HHSN-12-20STB	Wildland nozzle HS 12 (75-150 gpm) 2" Brass Storz *marine approved	\$226.00	
	HHSN-16-R20M	Wildland nozzle HS 16 2" BSP male *marine approved	\$143.00	
	HHSN-16-20ST	Wildland nozzle HS 16 2" Storz *marine approved	\$177.00	

HHSN-16-25NH Wildland nozzle HS 16 2.5" NH female swivel rocker lug *marine approved		
HHSN-16-25QST	Wildland nozzle HS 16 2.5" QST female swivel rocker lug *marine approved	\$266.00
HHSN-20R20M	Wildland nozzle HS 20 2" BSP male *marine approved	\$148.00
HHSN-20-25NH	Wildland nozzle HS 20 2.5" NH female swivel rocker lug *marine approved	\$271.00
HHSN-20-PG-25NH	Wildland nozzle HS 20 2.5" NH female swivel rocker lug w/ pistol grip *marine approved	\$403.00
HHSN-20-25QST	Wildland nozzle HS 20 2.5" QST female swivel rocker lug *marine approved	\$271.00
HHSN-20-PG- 25QST	Wildland nozzle HS 20 2.5" QST female swivel rocker lug w/ pistol grip *marine approved	\$403.00




Foam Equipment

HFI - Foam Eductors

This light weight in-line Foam Eductor operates at low pressure 100 PSI. Excellent for use in plants, portable pumps or other low water pressure applications. Variable concentrate settings from 0.5% to 6%. Clear pick up tube with quick Storz connection and stainless steel wand. Flow ranges 60, 95 and 125 GPM.

1 1		
HFI - Foam Eductors		
Foam Inductors	HFI	List
HFI-Z2-15NH-KIT	In line foam eductor FE 60 light weight 1.5" NH female swivel rocker lug inlet x 1.5" NH male outlet w/ pick up tube and stainless steel wand	\$964.00
HFI-Z2-15NPSH-KIT	In line foam eductor FE 60 light weight 1.5" NPSH female swivel rocker lug inlet x 1.5" NPSH male outlet w/ pick up tube and stainless steel wand	\$964.00
HFI-Z2-15BI-KIT	In line foam eductor FE 60 light weight 1.5" BI female inlet x 1.5" BI male outlet w/ pick up tube and stainless steel wand	\$1,101.00
HFI-Z4-15NH-KIT	In line foam eductor FE 125 light weight 1.5" NH female swivel rocker lug inlet x 1.5" NH male outlet w/ pick up tube and stainless steel wand	\$1,079.00
HFI-Z4-15NPSH-KIT	In line foam eductor FE 125 light weight 1.5" NPSH female swivel rocker lug inlet x 1.5" NPSH male outlet w/ pick up tube and stainless steel wand	\$1,079.00
HFI-Z4-25NH-KIT	In line foam eductor FE 125 light weight 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet w/ pick up tube and stainless steel wand	\$1,178.00
HFI-Z4-25NHFS- 15NHM-KIT	In line foam eductor FE 125 light weight 2.5" NH female swivel rocker lug inlet x 1.5" NH male outlet w/ pick up tube and stainless steel wand	\$1,131.00
HFI-Z4-25QST-KIT	In line foam eductor FE 125 light weight 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet w/ pick up tube and stainless steel wand	\$1,178.00
HFI-Z8-25BI-KIT	In line foam eductor FE 125 light weight 2.5" BI female inlet x 2.5" BI male outlet w/ pick up tube and stainless steel wand	\$1,669.00
HFI-Z8-25NH-KIT	In line foam eductor FE 250 light weight 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet w/ pick up tube and stainless steel wand	\$1,715.00
HFI-Z8-25QST-KIT	In line foam eductor FE 250 light weight 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet w/ pick up tube and stainless steel wand	\$1,715.00
HFPT-STD	Foam Pick Up Tube, Pick up tube 3/4" PVC 5 ft long w/ Storz adapter 1" (25) and 20" stainless steel wand	\$123.00
HFI-Z4-25QST-KIT HFI-Z8-25BI-KIT HFI-Z8-25NH-KIT HFI-Z8-25QST-KIT	In line foam eductor FE 125 light weight 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet w/ pick up tube and stainless steel wand In line foam eductor FE 125 light weight 2.5" BI female inlet x 2.5" BI male outlet w/ pick up tube and stainless steel wand In line foam eductor FE 250 light weight 2.5" NH female swivel rocker lug inlet x 2.5" NH male outlet w/ pick up tube and stainless steel wand In line foam eductor FE 250 light weight 2.5" QST female swivel rocker lug inlet x 2.5" QST male outlet w/ pick up tube and stainless steel wand Foam Pick Up Tube, Pick up tube 3/4" PVC 5 ft long w/ Storz adapter 1" (25) and 20"	\$1,669.0 \$1,715.0 \$1,715.0







HHFN - Heavy (low expansion)Foam Nozzles

Nozzle used for making air aspirated low expansion foam of 15:1, while providing long reach for added safety. Flow rates of 60, 90, and 125 GPM @ 100 PSI. Only a quarter turn to shut off and comes with a carrying handle. The 60 and 95 GPM have a 1.5" connection and the 125 GPM has a 2.5" connection.



HHFN - Heavy (low expansion)Foam Nozzles		List
HHFN-S2-15NH	Low expansion foam nozzle LFN 60 1.5" NH female swivel with shut-off valve	\$479.00
HHFN-S2-15NPSH	Low expansion foam nozzle LFN 60 1.5" NPSH female swivel with shut-off valve	\$479.00
HHFN-S2-15BIM	Low expansion foam nozzle LFN 60 1.5" BI male with shut-off valve	\$543.00
HHFN-S4-15NH	Low expansion foam nozzle LFN 125 1.5" NH female swivel with shut-off valve	\$594.00
HHFN-S4-15NPSH	Low expansion foam nozzle LFN 125 1.5" NPSH female swivel with shut-off valve	\$594.00
HHFN-S4-25BIM	Low expansion foam nozzle LFN 125 2.5" BI male swivel with shut-off valve	\$533.00
HHFN-S4-25NH	Low expansion foam nozzle LFN 125 2.5" NH female swivel with shut-off valve	\$625.00
HHFN-S8-25NH	Low expansion foam nozzle LFN 250 2.5" NH female swivel with shut-off valve	\$970.00
HHFN-S8-25QST	Low expansion foam nozzle LFN 250 2.5" QST female swivel with shut-off valve	\$970.00

HMFN - Medium Expansion Foam Nozzle

Air aspirating stainless steel tube with an expansion ratio of 60:1. Excellent for making a foam blanket over hazardous spills. Includes carrying handle and shut off. Flows 60, 95 and 125 GPM at 100 PSI. The 60 and 95 GPM have a 1.5" connection and the 125 GPM has a 2.5" connection.



	HMFN - Medium Expansion Foam Nozzle		List
	HMFN-M2-15NH	Medium expansion foam nozzle MFN 60 1.5" NH female swivel with shut-off valve	\$1,169.00
Ì	HMFN-M2-15NPSH	Medium expansion foam nozzle MFN 60 1.5" NPSH female swivel with shut-off valve	\$1,169.00
Ī	HMFN-M4-15NH	HMFN-M4-15NH Medium expansion foam nozzle MFN 125 1.5" NH female swivel with shut-off valve	
	HMFN-M4-15NPSH	Medium expansion foam nozzle MFN 125 1.5" NPSH female swivel with shut-off valve	
	HMFN-M4-25NH	Medium expansion foam nozzle MFN 125 2.5" NH female swivel with shut-off valve	\$1,450.00
	HMFN-M4-25QST	Medium expansion foam nozzle MFN 125 2.5" QST female swivel with shut-off valve	\$1,450.00

Please note raw material shortages are causing longer than normal lead times on most items. We reserve the right to change prices without notice.



Price

~ Notes ~

Description

Part Number

Part Number	Description	Price

~ Notes ~



Terms: Net 30 days, unless otherwise agreed upon, prior to order entry or shipment.

F.O.B. Erie, PA unless otherwise agreed upon prior to order entry or shipment.

Ordering: All orders, as well as change orders, must be written form. Item part numbers and description must agree. Please call for any special, non-standard configurations.

Order Confirmations: Confirmations will be faxed or mailed daily. All discrepancies between purchase order and confirmations should be discussed immediately.

Pricing: Prices are subject to change at any time, without notice. Please call to insure that you have the current price sheet. Special quotes will be valid for 30 days, longer if discussed before hand. All custom configurations should be discussed before quoting end user.

Standard Threads: We consider NH & NPSH to be standard threads.

NH/NST-National Hose thread and National Standard thread are the same

NPSH/IPT- National Pipe Straight Hose thread and Iron Pipe thread are the same.

Special threads: Allow 4-5 weeks for special threads. 1" to 6" = \$ 10.00 net each

Returns: All return shipments must have a RGA (Return Goods Authorization number) prior to the return of any product, for any reason. A 25% restocking charge may be assessed, depending on the nature of the return.

Note: Please mark the RGA# plainly on the package and enclosed paper work.

Repairs: Repair capabilities will be based on the nature of the situation that arises. Please call for an RGA# before shipping any items to Harrington Inc. for repair. In the case of valves too old for repair, \$40.00 labor fee may be charged for time spent on the item.

Note: Labor is charged a rate of \$80.00 per hour

Warranty: All Harrington, Inc. products are warranted to be free of defects in material and workmanship for a period of one (1) year. H500S and H1000 have a five (5) year corrosion warranty.






HARRINGTON CONNECTIONS

HPHA40-45NH/Cap

4" STORZ x 41/2" NH FEMALE **HYDRANT ADAPTER & CAP**

- 4" Storz x 4½" NH Female ADAPTER
- Metal Face Storz
- (2) Stainless Steel Setscraws
- Laser etched
- 4" Storz CAP
- Stainless Steel Aircraft Cable - Reflective Cable
- Forged 6061-T6 Aluminum Hard Anodized to Mil-A-8825f, Type 3, Dark Gray
- NFPA 1963 Compliant
- 250 psi working pressure
- MADE IN USA





The Harrington Permanent Hydrant Adapter threads onto the male nezzle. and is secured permanently to the hydrant. A Sterz spanner wrench is requiree for eap removal.

The Story adopter shall have a hard prodized a unimum metal fine seal. and hard anodized aluminum Storz terros and Jugs. The adapter's Errish shall be hardcoat anodized to Mil-A-8625, Type 3, dark gray. The Adapter shall be made of forced 6061-16 aluminum and secured to the nozzle with (3) stainless steel set screws, inserted 180° apart. The female adapter shall contain a flat rubber gasket which sea's against the male hydrant nozzle.

The brind cap shall have hare anodized aluminum Storz range and ligs, nade of forged 6061-T6 aluminum. The forged cap shall be equipped with a Storz seal. The cap shall be connected to the adapter with a 0, 25° vinylcoated reflective aircraft cable. The high looque dap requires a Story spanner wrench for removal. Once installed, the Harrington Permanent Hydrant Acapter extends less than 3" from the liverant nozzle.



Harrington, Inc.

Info@harrinc.com

2630 W. 21st St. Eric, PA 16506

Ph. 800-553-0078 info@harrinc.com

HPHA40-45NH/Cap

4" Storz Hydrant Adapter: 4 x 41/2" NH Female w/(2) setscrews, Storz Cap and SS Cable

Date 02/11/21	Weight: 5	lle.	Specification / Data Short	
		Short	1 of 1	HPHA

Harrington Inc. 2630 West 21st Street, Erie, PA USA 16506-2908 phone 800.553.0078 fax 814.838.7339


HARRINGTON CONNECTIONS


HPHA50-45NH/Cap

5" STORZ x 41/2" NH FEMALE **HYDRANT ADAPTER & CAP**

5" Storz x 4%" NH Female ADAPTER

- Metal Face Storz
- (2) Stainless Steel Setscraws
- Laser etched
- 5" Storz CAP
- Stainless Steel Aircraft Cable
- Reflective Cable
- Forged 6061-T6 Aluminum
 Hard Anodized to Mil-A-8825f, Type 3, Dark Gray
- NFPA 1963 Compliant
- 250 psi working pressure
- MADE IN USA





The Story adopter shall have a hard prodized a unimum metal fine seal. and hard anodized aluminum Storz names and Lugs. The adapter's Enish shall be hardcoat anodized to Mil-A-8625, Type 3, dark gray. The Adapter shall be made of forged 6061-16 aluminum and secured to the nozzle with (3) stoinless steel set screws, inserted 180° apart. The female adapter shall contain a flat rubber gasket which sea's against the male hydrant nozzle.

The blind cap shall have hare anodized aluminum Storz ramps one lags, nade of forged 6061-T6 aluminum. The forged can shall be equipped with a Storz seal. The cap shall be connected to the adapter with a 0. 25" vinylcoated reflective aircraft cable. The high proque cap requires a Story spanner wrench for removal. Once installed, the Harrington Permanent Hydrant Acapter extends less than 3" from the hyerant nozzle.



Harrington, Inc. 2630 W. 21st St. Eric, PA 16506

Ph. 800-553-0078 info@harrinc.com

HPHA50-45NH/Cap


5" Storz Hydrant Adapter: 5 x 41/2" NH Female wl(2) setscrews, Storz Cap and SS Cable

Weight: 7 lbs. Date: 02/11/21 Specification / Data Short Short 1 of 1





- 30° Elbow
- 4" Storz with Storz-Lok
- 4" Storz Cap with cable
- Cap connected to the Storz adapter







Harrington, Inc. 2630 W. 21st St. Erie, PA 16506

Ph. 800-553-0078 daveh@harrinc.com



DWG No.: H30E-40-40NPT/Cap

Description: Elbow 30° 4" NPT female rigid x 4" Storz with lock w/Storz Cap/SS Cable

Date: 03/26/18

DB: DTH Rev.: 00


Scale: NTS Sheet 1 of 1

HARRINGTON STORZ FDC CONNECTIONS

H30E-50-40NPT/Cap

ALL ALUMINUM

- 4" NPT Female rigid
- 30° Elbow
- 5" Storz with Storz-Lok
- 5" Storz Cap with cable
- Cap connected to the Storz adapter



Specify HARRINGTON STORZ



Harrington, Inc. 2630 W. 21st St. Erie, PA 16506

Ph. 800-553-0078 daveh@harrinc.com

17/2

DWG No.: LIO

H30E-50-40NPT/Cap

Description: Elbow 30° 4" NPT female rigid x 5" Storz with lock w/Storz Cap/SS Cable

Date: 03/26/18 DI


DB: DTH

Rev.: 00

Scale: NTS

Sheet 1 of 1







Harrington, Inc.

HYDRANICS FOR Z SPECIALISTS.

3640 Wes. 21th Super Price Pr. 13506 phone: 5004354-0076 — ac 814-838-7880 base independent on accordance having pre-



Fight the Fire, Not the Connections'"

Project your community with Hantington Hydrant Storz connections. Save time, lives and property by making your by drants ready for the call.







1/4 Turn, Cap Off...


174 Turn, Hose On


[] [] S ** BUILTAN Harrington Energy By open Story (

For now I volumes, the covering but formation ground in place of the dispersion of 20. The DHS is a parameter promot crossed by Hartington, by a key normal count individual in a compatibut by displaced Model Stock with manufacting the LHTA statement and so or descripted sky of a right. So one will be proved to remove the right

HIPA Margine stream cate (the treater maps in a set in in interior








High torque cap removal prevents unauthorized entry.

$\mathrm{HPHA}^{\mathrm{reg}}$ in BELAD ON. Havington Permanent Lydrant scapter?"

For remotining existing ferdiant directs, this adapter is directed at contreme media and secured period earlier with two persons will not come off to the licinds of vanishing experience equited.

1000 CP many methods respectively from the discussion of the process.





IPHA®

SPECIFY HARRINGTON HYDRANT STORZ.
MAKE THE RIGHT CONNECTION!